1993 Index
IEEE Transactions on Electron Devices
Vol. 40

This index covers all items — papers, correspondence, reviews, etc. — that appeared in this periodical during 1993, and items from previous years that were commented upon or corrected in 1993.

The Author Index contains the primary entry for each item, listed under the first author's name, and cross-references from all coauthors. The Subject Index contains several entries for each item under appropriate subject headings, and subject cross-references.

It is always necessary to refer to the primary entry in the Author Index for the exact title, coauthors, and comments/corrections.

AUTHOR INDEX

A

Abbate, Agostino, Kyung Joon Han, and Pankaj Das. A technique for profiling the epilayer channel of surface acoustic wave devices on piezoelectric semiconductors; *T-ED Oct 93* 1830-1835

Abbott, E. B., M. Lee, R. S. Mand, M. Sweeny, and J. M. Xu. A quantum gate current model (Brief p.); *T-ED May 93* 1022-1024

Abdel-Naby, M., *see* Zekry, Abdelhalim, *T-ED Feb 93* 259-266

Abreu Santos, Humberto, *see* Cruz Serra, António, *T-ED Feb 93* 353-357

Abrokwah, J. K., J. H. Huang, J. Baker, T. Polito, and W. Ooms. NiZnAl-based p-type ohmic contacts on AlGaAs/InGaAs heterostructures (Brief p.); *T-ED Jun 93* 1185-1187

Abrokwah, Jonathan K., Jenn-Hwa Huang, William J. Ooms, and Jerald A. Hallmark. Anisotype-gate self-aligned p-channel heterostructure field-effect transistors; *T-ED Feb 93* 278-284

Adams, James A., I. G. Thayne, C. D. W. Wilkinson, S. P. Beaumont, N. P. Johnson, A. H. Kean, and C. R. Stanley. Short-channel effects and drain-induced barrier lowering in nanometer-scale GaAs MESFET's; *T-ED Jun 93* 1047-1052

Adesida, Ilesanmi, *see* Ketterson, Andrew A., *T-ED Aug 93* 1406-1416

Agahi, Farid, Jian-Xun Yang, Kei May Lau, and K. Sigfrid Yngvesson. High-quality two-dimensional electron gas in $Al_xGa_{1-x}As$/GaAs heterostructures by LP-OMVPE; *T-ED Mar 93* 502-506

Aina, Olaleye A., *see* Martin, Eric A., *T-ED Mar 93* 466-470

Ajioka, Tsuneo, *see* Uchida, Hidetsugu, *T-ED Oct 93* 1818-1822

Ajioka, Tsuneo, *see* Tanaka, Hiroyuki, *T-ED Dec 93* 2231-2236

Ajioka, Tsuneo, Akihiro Nara, Yukihiro Tominaga, Takatoshi Ushikoshi, and Hironori Kitabayashi. A method of eliminating B-mode dielectric breakdown failure in gate oxides utilizing a charging phenomenon; *T-ED Dec 93* 2282-2286

Akasaka, Yasushi, *see* Saito, Masanobu, *T-ED Dec 93* 2264-2272

Akasaka, Yoichi, *see* Yamaguchi, Yasuo, *T-ED Jan 93* 179-186

Akhtar, Salman, and Sandip Tiwari. Non-quasi-static transient and small-signal two-dimensional modeling of GaAs MESFET's with emphasis on distributed effects; *T-ED Dec 93* 2154-2163

Akiyama, M., *see* Onozawa, S., *T-ED Nov 93* 2139

Alam, Mansoor, and C. Gomez-Yanez. Electrical characteristics of aluminum–CVD diamond–silicon structures (Brief p.); *T-ED Aug 93* 1554-1556

Alam, Muhammad A., *see* Stettler, Mark A., *T-ED Apr 93* 733-740

Al-Daas, M., *see* Rodriguez-Tellez, J., *T-ED Nov 93* 2083-2085

Alexandrou, S., *see* Liu, M. Y., *T-ED Nov 93* 2145-2146

Allegretto, Walter, *see* Nathan, Arokia, *T-ED Aug 93* 1508-1511

Alterovitz, Samuel A., *see* Young, Paul G., *T-ED Nov 93* 1905-1909

Amamiya, Yasushi, *see* Shimawaki, Hidenori, *T-ED Nov 93* 2124

Amarasinga, G. A. J., *see* Sankara Narayanan, E. M., *T-ED Oct 93* 1880-1883

Amemiya, Yoshihito, *see* Fujita, Osamu, *T-ED Nov 93* 2029-2035

Amerasekera, Ajith, Mi-Chang Chang, Jerold A. Seitchik, Amitava Chatterjee, Kartikeya Mayaram, and Jue-Hsien Chern. Self-heating effects in basic semiconductor structures; *T-ED Oct 93* 1836-1844

Amine, Hicham, *see* Plana, Robert, *T-ED May 93* 852-858

Amrouche, Akli, *see* Mitra, Ved, *T-ED May 93* 923-931

Anderson, Gordon Wood, *see* Kub, Fritz J., *T-ED Oct 93* 1740-1744

Anderson, Wallace T., *see* Tedesco, Carlo, *T-ED Jul 93* 1211-1214

Andersson, M., and P. Kuivalainen. Transit-time model for short-channel MOSFET's (Brief p.); *T-ED Apr 93* 330-332

Anwar, A. F. M., and Kuo-Wei Liu. Noise properties of AlGaAs/GaAs MODFET's (Brief p.); *T-ED Jun 93* 1174-1176

Aoki, Hidemitsu, *see* Kikkawa, Takamaro, *T-ED Feb 93* 296-302

Aoki, Masaaki, *see* Miyamoto, Masafumi, *T-ED Feb 93* 378-384

Aoki, Takahiro. A practical high-latchup immunity design methodology for internal circuits in the standard cell-based CMOS/BiCMOS LSI's; *T-ED Aug 93* 1432-1436

Aoki, Takahiro. A discussion on the temperature dependence of latch-up trigger current in CMOS/BiCMOS structures; *T-ED Nov 93* 2023-2028

Aoyama, Takashi, *see* Mimura, Akio, *T-ED Mar 93* 513-520

Apanovich, Y., E. Lyumkis, B. Polsky, and P. Blakey. Non-isothermal analysis of breakdown in SOI transistors (Brief p.); *T-ED Nov 93* 2094-2096

Arimoto, Y., *see* Sato, A., *T-ED Nov 93* 2126

Arimoto, Yoshihiro, *see* Suzuki, Kunihiro, *T-ED Dec 93* 2326-2329

Arora, Narain D., *see* Huang, Cheng-Liang, *T-ED Jun 93* 1134-1139

Arora, Narain D., *see* Mistry, Kaizad R., *T-ED Jul 93* 1284-1295

Arora, Narain D., *see* Huang, Chen-Liang, *T-ED Dec 93* 2330-2337

Artaki, Michael, *see* Kizilyalli, Isik C., *T-ED Feb 93* 234-249

Artz, Bruce E., *see* Aslam, Mohammad, *T-ED Feb 93* 292-295

Asada, K., *see* Fujishima, M., *T-ED Oct 93* 1883-1885

Asada, K., *see* Lee, M., *T-ED Oct 93* 1897-1901

Asada, K., *see* Lee, M., *T-ED Nov 93* 2103-2104

Asai, Kazuyoshi, *see* Onodera, Kiyomitsu, *T-ED Jan 93* 18-24

Asakawa, Butch, *see* Lee, Yung-Huei, *T-ED Jan 93* 163-168

Asayama, Kyoichiro, *see* Hashimoto, Chiemi M., *T-ED Nov 93* 2127-2128

Asbeck, Peter M., *see* Chang, Charles E., *T-ED Apr 93* 685-691

Ashkinazi, German A., Marc G. Leibovitch, and Menachem Nathan. AlGaAs and GaAsP high-power ultrafast p⁺-n-n⁺ diodes based on heterojunctions and a graded-gap base; *T-ED Feb 93* 285-291

Aslam, Mohammad, Bruce E. Artz, Steven L. Kaberline, and Thomas J. Prater. A comparison of cleaning procedures for removing potassium from wafers exposed to KOH; *T-ED Feb 93* 292-295

Asom, M. T., *see* Bethea, C. G., *T-ED Nov 93* 1957-1963

Asom, M. T., *see* Choquette, Kent D., *T-ED Nov 93* 2117-2118

Atsuta, Masaki, *see* Ogura, Tsuneo, *T-ED Mar 93* 628-633

Auberton-Hervé, André-Jacques, *see* Reimbold, Gilles, *T-ED Feb 93* 364-370

Auberton-Hervé, André-Jacques, *see* Seghir, Hachemi, *T-ED Jun 93* 1104-1111

Aymerich, Xavier, *see* Nafría, Montserrat, *T-ED Sep 93* 1662-1668

B

Babić, D. I., *see* Dudley, J. J., *T-ED Nov 93* 2119-2120

Baccarani, Giorgio, *see* Verzellesi, Giovanni, *T-ED Dec 93* 2296-2300

Bachem, K. H., *see* Schaper, U., *T-ED Jan 93* 222-224

Bae, J. W., H. Temkin, S. E. Swirhun, W. E. Quinn, P. Brusenbach, C. Parsons, M. Kim, and T. Uchida. Reflection noise in vertical-cavity surface-emitting lasers (Abstr.); *T-ED Nov 93* 2117

Bafleur, M., J. Buxo, M. Puig Vidal, P. Givelin, V. Macary, and G. Sarrabayrouse. Application of a floating well concept to a latch-up-free, low-cost, smart power high-side switch technology (Brief p.); *T-ED Jul 93* 1340-1342

Bahl, Sandeep R., and Jesús A. del Alamo. A new drain-current injection technique for the measurement of off-state breakdown voltage in FET's (Brief p.); *T-ED Aug 93* 1558-1560

Bahl, Sandeep R., Jesús A. del Alamo, Jürgen Dickmann, and Steffen Schildberg. Physics of breakdown in InAlAs/InGaAs MODFET's (Abstr.); *T-ED Nov 93* 2110-2111

Bailbe, Jean Pierre, *see* Cruz Serra, António, *T-ED Feb 93* 353-357

Bailbe, Jean Pierre, *see* Marty, Antoine, *T-ED Jul 93* 1202-1210

Baker, J., *see* Abrokwah, J. K., *T-ED Jun 93* 1185-1187

Balasinski, Artur, *see* Chen, Wenliang, *T-ED Jan 93* 187-196

Baldenweg, Urs, *see* Brand, Oliver, *T-ED Oct 93* 1745-1753

Balestra, Francis, *see* Emrani, Ayoub, *T-ED Mar 93* 564-569

Baliga, B. J., *see* Mehrota, Manoj, *T-ED Nov 93* 2131-2132

Baliga, B. Jayant, *see* Bhatnagar, Mohit, *T-ED Mar 93* 645-655

Baliga, B. Jayant, *see* Tu, Shang-hui L., *T-ED Jul 93* 1307-1315

Baliga, B. Jayant, *see* Syau, Tsengyou, *T-ED Nov 93* 1997-2005

Ballingall, James M., *see* Zhao, Jian H., *T-ED Apr 93* 817-823

Baltes, Henry, *see* Brand, Oliver, *T-ED Oct 93* 1745-1753

Ban, Vladimir S., *see* Joshi, Abhay M., *T-ED Feb 93* 303-308

Baquedano, J. A., *see* Laskar, Joy, *T-ED Nov 93* 1942-1949

Barnett, Allen M., *see* DeSalvo, Gregory C., *T-ED Apr 93* 705-711

Barrette, J., *see* Bayraktaroglu, B., *T-ED Nov 93* 2112-2113

Barron, C. C., C. J. Mohan, B. J. Thibeault, G. Wang, J. R. Karin, L. A. Coldren, and J. E. Bowers. Asymmetric Fabry–Perot modulators with millimeter-wave (37 GHz) frequency response (Abstr.); *T-ED Nov 93* 2146-2147

Barton, Trevor M., *see* Li, Chi-Lung, *T-ED Apr 93* 811-816

Batra, S., R. Maddox, L. Tran, M. Manning, C. Dennison, and P. Fazan. Development of polysilicon TFT's for 16 MB SRAM's and beyond (Abstr.); *T-ED Nov 93* 2125-2126

Baude, P. F., *see* Haase, M. A., *T-ED Nov 93* 2110

Bayraktaroglu, B., J. Barrette, R. Fitch, L. Kehias, C. I. Huang, R. Neidhard, and R. Scherer. Thermally-stable AlGaAs/GaAs microwave power HBT's (Abstr.); *T-ED Nov 93* 2112-2113

Bayraktaroglu, Burhan, *see* Liou, Juin J., *T-ED Sep 93* 1570-1577

Beam, E. A., III, *see* Moise, T. S., *T-ED Nov 93* 2134

Beam, Edward A., III, *see* Liu, William, *T-ED Aug 93* 1378-1383

Beam, Edward A., III, *see* Liu, William, *T-ED Aug 93* 1384-1389

Beam, Edward A., III, *see* Chau, Hin-Fai, *T-ED Nov 93* 2121

Beaumont, S. P., *see* Adams, James A., *T-ED Jun 93* 1047-1052

Beiley, Mark A., *see* Lee, V. V., *T-ED Jul 93* 1223-1230

Belenky, G. L., *see* Mastrapasqua, Marco, *T-ED Aug 93* 1371-1377

Ben-Atar, Daniel, *see* Rahat, Ido, *T-ED Nov 93* 2047-2053

Bencik, Z., A. Besic, F. Damjanic, and J. Selih. Estimation of transient thermal impedance for constant current of a power thyristor using temperature field calculation (Brief p.); *T-ED Oct 93* 1885-1887

Benfdila, Arezki, *see* Mitra, Ved, *T-ED May 93* 923-931

Bentarzi, Hamid, *see* Mitra, Ved, *T-ED May 93* 923-931

Bernstein, Gary H., *see* Polchlopek, Stanley W., *T-ED Feb 93* 385-391

Bernt, Helmut, *see* Wildau, Hans-Jürgen, *T-ED Dec 93* 2318-2325

Besic, A., *see* Bencic, Z., *T-ED Oct 93* 1885-1887

Bethea, C. G., B. F. Levine, M. T. Asom, R. E. Leibenguth, J. W. Stayt, K. G. Glogovsky, R. A. Morgan, J. D. Blackwell, and W. J. Parrish. Long wavelength infrared 128 × 128 $Al_xGa_{1-x}As/GaAs$ quantum well infrared camera and imaging system; *T-ED Nov 93* 1957-1963

Bez, Roberto, *see* Concannon, Ann, *T-ED Jul 93* 1258-1262

Bhapkar, Udayan V., and Robert J. Mattauch. Numerical simulation of the current–voltage characteristics of heteroepitaxial Schottky-barrier diodes; *T-ED Jun 93* 1038-1046

Bhatia, Manju, and R. S. Gupta. Comment, with reply, on 'Inverse-narrow-width effects and small-geometry MOSFET threshold voltage model' by K. K. L. Hsueh et al.; *T-ED Mar 93* 681-682 (Original paper, Mar 88 325-338)

Bhatnagar, Mohit, and B. Jayant Baliga. Comparison of 6H-SiC, 3C-SiC, and Si for power devices; *T-ED Mar 93* 645-655

Bhattacharya, P., *see* Sun, H. C., *T-ED Nov 93* 2106-2107

Bhattacharya, Pallab, *see* Goswami, Subrata, *T-ED Nov 93* 1970-1976

Bienek, R., and Z. Nényei. Uniform durable thin dielectrics prepared by rapid thermal processing in an N_2O ambient (Brief p.); *T-ED Sep 93* 1706-1708

Bigliardi, Stefano, *see* Lacaita, Andrea L., *T-ED Mar 93* 577-582

Bigliardi, Stefano, *see* Tedesco, Carlo, *T-ED Jul 93* 1211-1214

Biswas, Robin G., *see* Wood, Andrew C. G., *T-ED Jan 93* 157-162

Blackwell, J. D., *see* Bethea, C. G., *T-ED Nov 93* 1957-1963

Blakey, P., *see* Apanovich, Y., *T-ED Nov 93* 2094-2096

Bleichner, Henry, *see* Vobecky, Jan, *T-ED Dec 93* 2352-2358

Blom, Henk, *see* Theuwissen, Albert J. P., *T-ED Sep 93* 1621-1629

Bloom, Ilan, and Yael Nemirovsky. Surface passivation of backside-illuminated indium antimonide focal plane array; *T-ED Feb 93* 309-314

Boesten, Rob M. G., *see* Theuwissen, Albert J. P., *T-ED Sep 93* 1621-1629

Bolognesi, C. R., E. J. Caine, and H. Kroemer. Improved charge control and the frequency performance in InAs/AlSb HFET's (Abstr.); *T-ED Nov 93* 2114

Bonte, Bertrand, *see* Théron, Didier, *T-ED Nov 93* 1935-1941

Bothra, Subhas, Boyd Rogers, Mark Kellam, and Carlton M. Osburn. Analysis of the effects of scaling on interconnect delay in ULSI circuits; *T-ED Mar 93* 591-597

Bouderbala, Rachid, *see* Mitra, Ved, *T-ED May 93* 923-931

Boudou, Alain, *see* Vuillaume, Dominique, *T-ED Apr 93* 773-781

Bowers, J. E., *see* Dudley, J. J., *T-ED Nov 93* 2119-2120

Bowers, J. E., *see* Barron, C. C., *T-ED Nov 93* 2146-2147

Brammer, Ronald, Anders Hallén, and Jan Häkansson. Simulation of proton-induced local lifetime reduction in 10 kV diodes (Brief p.); *T-ED Nov 93* 2089-2091

Brand, Oliver, Henry Baltes, and Urs Baldenweg. Thermally excited silicon oxide beam and bridge resonators in CMOS technology; *T-ED Oct 93* 1745-1753

Bravaix, Alain, *see* Vuillaume, Dominique, *T-ED Apr 93* 773-781

Brotherton, S. D., D. J. McCulloch, J. B. Clegg, and J. P. Gowers. Excimer-laser-annealed poly-Si thin-film transistors; *T-ED Feb 93* 407-413

Browers, John, *see* Helkey, Roger, *T-ED Nov 93* 2107

Brown, A. S., *see* Brown, J. J., *T-ED Nov 93* 2111-2112

Brown, Dale M., Evan T. Downey, Mario Ghezzo, James W. Kretchmer, Richard J. Saia, Yung S. Liu, John A. Edmond, George Gati, Joseph M. Pimbley, and William E. Schneider. Silicon carbide UV photodiodes; *T-ED Feb 93* 325-333

Brown, Elliott R., *see* Chang, Charles E., *T-ED Apr 93* 685-691

Brown, George A., and Akos G. Revesz. Defect electrical conduction in SIMOX buried oxides; *T-ED Sep 93* 1700-1705

Brown, J. J., A. S. Brown, S. E. Rosenbaum, A. S. Schmitz, M. Matloubian, L. E. Larson, M. A. Melendes, and M. A. Thompson. Study of the dependence of $Ga_{0.47}In_{0.53}As/Al_xIn_{1-x}As$ power HEMT breakdown voltage on Schottky layer design and device layout (Abstr.); *T-ED Nov 93* 2111-2112

Brown, J. J., *see* Shealy, J. B., *T-ED Nov 93* 2115

Brübach, J., *see* Yoffe, G. W., *T-ED Nov 93* 2144

Brusenbach, P., *see* Bae, J. W., *T-ED Nov 93* 2117

Brusenbach, P., T. K. Uchida, C. Parsons, M. Kim, W. E. Quinn, S. E. Swirhun, G. Shtengel, and H. Temkin. Vertical-cavity surface-emitting lasers with 14 GHz bandwidth (Abstr.); *T-ED Nov 93* 2120

Buchanan, M., *see* Liu, H. C., *T-ED Nov 93* 2142

Buckman, A. Bruce, *see* Narayanan, C., *T-ED Sep 93* 1688-1694

Buonomo, Antonio, and Carlo Di Bello. Some remarks about the use of the charge-neutrality approximation in the simulation of diffusion processes; *T-ED May 93* 885-889

Burke, Terence, *see* Zhao, Jian H., *T-ED Apr 93* 817-823

Burnett, J. David, *see* Hayden, James D., *T-ED Jun 93* 1121-1128

Burnham, Marie E., *see* Gong, Sheng S., *T-ED Jul 93* 1251-1257

Burns, M. J., *see* de la Houssaye, P. R., *T-ED Nov 93* 2139-2140

Busch-Vishniac, I., *see* Narayanan, C., *T-ED Sep 93* 1688-1694

Buser, James R., *see* Thompson, Lance R., *T-ED Jul 93* 1270-1276

Busta, Heinz H., Jay E. Pogemiller, and Bruce J. Zimmerman. Emission characteristics of silicon vacuum triodes with four different gate geometries; *T-ED Aug 93* 1530-1536

Busta, Heinz H., Jay E. Pogemiller, and Bruce J. Zimmerman. Collector-assisted operation of micromachined field-emitter triodes; *T-ED Aug 93* 1537-1542

Buxo, J., *see* Bafleur, M., *T-ED Jul 93* 1340-1342

C

Cable, J. S., *see* Das, N. C., *T-ED Jun 93* 1179-1181

Cahill, Laurie W., *see* Leech, Patrick W., *T-ED Aug 93* 1364-1370

Caine, E. J., *see* Bolognesi, C. R., *T-ED Nov 93* 2114

Campbell, Joe C., *see* Chandramouli, V., *T-ED Nov 93* 2137

Camps, Thierry, *see* Marty, Antoine, *T-ED Jul 93* 1202-1210

Canali, Claudio, Andrea Neviani, Carlo Tedesco, Enrico Zanoni, Antonio Cetronio, and Claudio Lanzieri. Dependence of ionization current on gate bias in GaAs MESFET's; *T-ED Mar 93* 498-501

Canali, Claudio, *see* Tedesco, Carlo, *T-ED Jul 93* 1211-1214

Canali, Claudio, *see* Verzellesi, Giovanni, *T-ED Dec 93* 2296-2300

Cané, Carles, *see* Santander, Joaquín, *T-ED May 93* 944-950

Caneau, C., *see* Schnitzer, I., *T-ED Nov 93* 2108-2109

Caneau, C., *see* Chough, K. B., *T-ED Nov 93* 2111

Caneau, C., *see* Wu, Y. A., *T-ED Nov 93* 2116-2117

Capasso, Federico, *see* Mastrapasqua, Marco, *T-ED Feb 93* 250-258

Carlsten, Bruce E., *see* Rees, Daniel E., *T-ED Aug 93* 1543-1548

Carter, C. H., Jr., *see* Palmour, J. W., *T-ED Nov 93* 2129-2130

Catalan, Antonio B., *see* Mantese, Joseph V., *T-ED Feb 93* 320-324

Centen, Peter G. M., *see* Theuwissen, Albert J. P., *T-ED Sep 93* 1621-1629

Cetronio, Antonio, *see* Canali, Claudio, *T-ED Mar 93* 498-501

Chakraborty, Paritosh Kumar. A study of interband tunneling under nonuniform electric field; *T-ED Jan 93* 214-219

Chalmers, S. A., *see* Lear, K. S., *T-ED Nov 93* 2116

Chamberlain, Geoffrey Alan, *see* Nevin, W. Andrew, *T-ED Jan 93* 75-81

Chamberlain, Savvas G., *see* Van der Tol, Michael J., *T-ED Apr 93* 741-749

Chan, Daniel S. H., Kin Leong Pey, and Jacob C. H. Phang. Semiconductor parameters extraction using cathodoluminescence in the scanning electron microscope; *T-ED Aug 93* 1417-1425

Chan, Philip C., *see* Lin, Wallace W., *T-ED May 93* 1024-1028

Chan, Tung-Yi, *see* Liu, Zhi-Hong, *T-ED Jan 93* 86-95

Chandra, Amitabah, *see* Kizilyalli, Isik C., *T-ED Feb 93* 234-249

Chandramouli, V., Christine M. Maziar, and Joe C. Campbell. Monte Carlo simulation of the effect of multiplication layer thickness in wide-bandwidth avalanche photodiodes (Abstr.); *T-ED Nov 93* 2137

Chang, C., *see* Kuan, C. H., *T-ED Nov 93* 2142-2143

Chang, C. Y., *see* Lin, K. C., *T-ED Dec 93* 2361-2362

Chang, Charles E., Peter M. Asbeck, Keh-Chung Wang, and Elliott R. Brown. Analysis of heterojunction bipolar transistor/resonant tunneling diode logic for low-power and high-speed digital applications; *T-ED Apr 93* 685-691

Chang, Chun-Yen, *see* Hsu, Shun-Liang, *T-ED Jan 93* 49-53

Chang, E. Y., *see* Lin, K. C., *T-ED Dec 93* 2361-2362

Chang, Hue-Chen, *see* Wu, Shye-Lin, *T-ED Oct 93* 1797-1804
Chang, Ko-Min, *see* Tseng, Hsing-Huang, *T-ED Mar 93* 613-618
Chang, M. F., *see* Ho, W. J., *T-ED Nov 93* 2113-2114
Chang, Mi-Chang, *see* Amerasekera, Ajith, *T-ED Oct 93* 1836-1844
Chang, Shwu-Jing, and Chien-Ping Lee. Numerical simulation of sidegating effect in GaAs MESFET's; *T-ED Apr 93* 698-704
Chang, Shwu-Jing, and Chien-Ping Lee. Light-induced sidegating effect in GaAs MESFET's; *T-ED Dec 93* 2186-2191
Chang, Steve, *see* Zhao, Jian H., *T-ED Jun 93* 1172-1174
Chang, W. H., *see* Kuan, C. H., *T-ED Nov 93* 2142-2143
Chang, Yang-Hua, and G. P. Li. Resolving degradation mechanisms in ultra-high performance n-p-n heterojunction bipolar transistors; *T-ED Apr 93* 692-697
Chang-Hasnain, C. J., *see* Wu, Y. A., *T-ED Nov 93* 2116-2117
Chao, P. C., *see* Zhao, Y., *T-ED Jun 93* 1067-1070
Chatterjee, A., *see* Sil, A., *T-ED Oct 93* 1855-1863
Chatterjee, Amitava, *see* Amerasekera, Ajith, *T-ED Oct 93* 1836-1844
Chau, Hin-Fai, Dimitris Pavlidis, Juntao Hu, and Kazutaka Tomizawa. Breakdown-speed considerations in InP/InGaAs single- and double-heterostructure bipolar transistors; *T-ED Jan 93* 2-8
Chau, Hin-Fai, and Edward A. Beam, III. High-speed, high breakdown voltage InP/InGaAs double-heterojunction bipolar transistors grown by MOMBE (Abstr.); *T-ED Nov 93* 2121
Chau, Robert, *see* Lee, Yung-Huei, *T-ED Jan 93* 163-168
Chen, C. E. Daniel, *see* Kalnitsky, Alexander, *T-ED Feb 93* 358-363
Chen, Heng-Tien Henry, and Ruey-Shing Huang. Modeling for floating body effects in fully depleted SOI MOSFETs; *T-ED Mar 93* 583-590
Chen, Hsin-Yih, *see* Chen, Hung-Sheng, *T-ED Jan 93* 220-222
Chen, Hung-Sheng, Prateep Tantasood, Hsin-Yih Chen, Chune-Sin Yeh, and Chih-Sieh Teng. Modeling the voltage coefficient of linear MOS capacitor (Brief p.); *T-ED Jan 93* 220-222
Chen, Jing, Chia-Hung Yang, and Richard A. Wilson. Experimental realization of a new transistor; *T-ED Feb 93* 267-272
Chen, Kuin-Hui, *see* Fang, Y. K., *T-ED May 93* 918-922
Chen, Kuin-Hui, *see* Hwang, Sheng-Beng, *T-ED Apr 93* 721-726
Chen, Mao-Chieh, *see* Tsui, Bing-Yue, *T-ED Jan 93* 54-63
Chen, Mao-Chieh, *see* Tsui, Bing-Yue, *T-ED Jan 93* 197-206
Chen, Tien-Li, *see* Hsu, Shun-Liang, *T-ED Jan 93* 49-53
Chen, W. L., G. I. Haddad, Munns. G. O., and J. R. East. Experimental realization of the bound state resonant tunneling transistor (Abstr.); *T-ED Nov 93* 2133-2134
Chen, Wenliang, Artur Balasinski, and Tso-Ping Ma. Lateral profiling of oxide charge and interface traps near MOSFET junctions; *T-ED Jan 93* 187-196
Chen, Y. K., T. Tanbun-Ek, R. A. Logan, A. Tate, A. M. Sergent, K. W. Wecht, and P. F. Sciortino. Short optical pulse generated by integrated MQW DBR laser/EA-modulator fabricated by selective-area MOVPE (Abstr.); *T-ED Nov 93* 2118-2119
Chen, Zhizhang, Peyman Sana, Jalal Salami, and Ajeet Rohatgi. A novel and effective PECVD SiO_2/SiN antireflection coating for Si solar cells; *T-ED Jun 93* 1161-1165
Cheng, H., *see* Haase, M. A., *T-ED Nov 93* 2110
Cheng, Keh-Yung, *see* Ketterson, Andrew A., *T-ED Aug 93* 1406-1416
Cheng, Y. C., *see* Liu, Zhi-Hong, *T-ED Jan 93* 86-95
Cheng, Y. C., *see* Ma, Z. J., *T-ED Jan 93* 125-130
Cheng, Yiu Chung, *see* Ma, Zhi-Jian, *T-ED Jun 93* 1112-1120
Chern, Horng Nan, Chung Len Lee, and Tan Fu Lei. The effects of H_2–O_2-plasma treatment on the characteristics of polysilicon thin-film transistors; *T-ED Dec 93* 2301-2306
Chern, Jue-Hsien, *see* Amerasekera, Ajith, *T-ED Oct 93* 1836-1844
Cheung, Nathan W., *see* Tao, Jiang, *T-ED Aug 93* 1398-1405
Chin, Albert, *see* Zhao, Jian H., *T-ED Apr 93* 817-823
Chin, Shan-Ping, and Ching-Yuan Wu. A new *I–V* model for short gate-length MESFET's; *T-ED Apr 93* 712-720
Cho, Alfred Y., *see* Mastrapasqua, Marco, *T-ED Feb 93* 250-258
Cho, Alfred Y., *see* Mastrapasqua, Marco, *T-ED Aug 93* 1371-1377
Chodorow, M., *see* Ives, R. Lawrence, *T-ED Jul 93* 1316-1321
Choi, D. H., E. Sadayuki, O. Sugiura, and M. Matsumura. Excimer-laser crystallized poly-Si TFT's with mobility of more than 600 cm^2/Vs (Abstr.); *T-ED Nov 93* 2129
Choi, Jin-Young, *see* Fossum, Jerry G., *T-ED Mar 93* 598-604
Choi, K. K., *see* Kuan, C. H., *T-ED Nov 93* 2142-2143
Choquette, K. D., *see* Wu, Y. A., *T-ED Nov 93* 2116-2117
Choquette, Kent D., K. L. Lear, R. E. Leibenguth, and M. T. Asom. Vertical-cavity laser diode polarization switching and control (Abstr.); *T-ED Nov 93* 2117-2118
Chou, Min-Hong, *see* Hwang, Sheng-Beng, *T-ED Apr 93* 721-726
Chou, S. Y., *see* Wang, Y., *T-ED Nov 93* 2136
Chou, S. Y., *see* Liu, M. Y., *T-ED Nov 93* 2145-2146
Chough, K. B., W.-P. Hong, C. Caneau, J.-I. Song, and J. R. Hayes. OMCVD grown AlInAs/GaInAs HEMTs with AlGaInP Schottky layer (Abstr.); *T-ED Nov 93* 2111
Christou, Aris, *see* Georgakilas, Alexandros, *T-ED Mar 93* 507-512
Chu, J., *see* Crabbé, E., *T-ED Nov 93* 2100-2101
Chu, J. O., *see* Jackson, T. N., *T-ED Nov 93* 2104-2105
Chu, Wen-Hwa, and Mehran Mehregany. A study of residual stress distribution through the thickness of p⁺ silicon films; *T-ED Jul 93* 1245-1250
Chuang, Tien-Min, Ronald J. Gutmann, and Kenneth Rose. Modeling and characterization of SIPOS emitter and quasi-SIS emitter bipolar transistors; *T-ED Apr 93* 796-803
Chuang, Z.-M., M. J. Mondry, D. B. Young, D. A. Cohen, and L. A. Coldren. A photonic integrated tunable receiver/optical preamplifier in a vertical coupler filter structure (Abstr.); *T-ED Nov 93* 2107-2108
Chun, S. K., *see* Lee, Chanho, *T-ED Nov 93* 2141-2142
Chung, Steve Shao-Shiun, and Jenq-Sheng Lee. A new approach to determine the drain-and-source series resistance of LDD MOSFET's (Brief p.); *T-ED Sep 93* 1709-1711
Cifuentes, Arturo O., *see* Stiffler, Scott R., *T-ED Mar 93* 557-563
Claeys, Cor, *see* Rotondaro, Antonio Luis Pacheco, *T-ED Apr 93* 727-732
Claeys, Cor, *see* Simoen, E., *T-ED Nov 93* 2054-2059
Claeys, Cor L., *see* Simoen, Eddy, *T-ED Jul 93* 1296-1299
Clayston, S. R., *see* de la Houssaye, P. R., *T-ED Nov 93* 2139-2140
Clegg, J. B., *see* Brotherton, S. D., *T-ED Feb 93* 407-413
Cohen, D. A., *see* Chuang, Z.-M., *T-ED Nov 93* 2107-2108
Cohen, Simon S., Antonio M. Soares, Edward F. Gleason, Peter W. Wyatt, and Jack I. Raffel. A novel metal–insulator–metal structure for field-programmable devices; *T-ED Jul 93* 1277-1283
Coldren, L. A., *see* Chuang, Z.-M., *T-ED Nov 93* 2107-2108
Coldren, L. A., *see* Barron, C. C., *T-ED Nov 93* 2146-2147
Colinge, Jean-Pierre, *see* Rotondaro, Antonio Luis Pacheco, *T-ED Apr 93* 727-732
Collins, George J., *see* Thompson, Lance R., *T-ED Jul 93* 1270-1276
Comfort, J., *see* Crabbé, E., *T-ED Nov 93* 2100-2101
Comfort, James H., *see* Cressler, John D., *T-ED Mar 93* 525-541
Comfort, James H., *see* Cressler, John D., *T-ED Mar 93* 542-556
Compton, Richard C., *see* Hur, Katerina Y., *T-ED Oct 93* 1736-1739
Concannon, Ann, Stephen Keeney, Alan Mathewson, Roberto Bez, and Claudio Lombardi. Two-dimensional numerical analysis of floating-gate EEPROM devices; *T-ED Jul 93* 1258-1262
Cooper, J. A., Jr., *see* Sanders, J. W., *T-ED Nov 93* 2130-2131
Cooper, James A., Jr., *see* Fu, Hua, *T-ED Jul 93* 1263-1269
Cotte, J., *see* Crabbé, E., *T-ED Nov 93* 2100-2101
Cova, S., *see* Lacaita, A., *T-ED Nov 93* 2145
Cowles, John, *see* Goswami, Subrata, *T-ED Nov 93* 1970-1976
Crabbé, E., B. Meyerson, D. Harame, J. Stork, A. Megdanis, J. Cotte, J. Chu, M. Gilbert, C. Stanis, J. Comfort, G. Patton, and S. Subbanna. 113-GHz f_T graded-base SiGe HBT's (Abstr.); *T-ED Nov 93* 2100-2101
Crabbé, Emmanuel F., *see* Cressler, John D., *T-ED Mar 93* 525-541
Crabbé, Emmanuel F., *see* Cressler, John D., *T-ED Mar 93* 542-556
Craford, M. George. An overview of visible light emitting diode (LED) development and the potential for AlInGaP devices (Abstr.); *T-ED Nov 93* 2098
Cressler, John D., James H. Comfort, Emmanuel F. Crabbé, Gary L. Patton, Johannes M. C. Stork, Jack Y.-C. Sun, and Bernard S. Meyerson. On the profile design and optimization of epitaxial Si- and SiGe-base bipolar technology for 77 K applications—Part I: Transistor DC design considerations; *T-ED Mar 93* 525-541
Cressler, John D., Emmanuel F. Crabbé, James H. Comfort, Johannes M. C. Stork, and Jack Y.-C. Sun. On the profile design and optimization of epitaxial Si- and SiGe-base bipolar technology for 77 K applications—Part II: Circuit performance issues; *T-ED Mar 93* 542-556
Cristoloveanu, Sorin, *see* Seghir, Hachemi, *T-ED Jun 93* 1104-1111
Crosnier, Yves, *see* Théron, Didier, *T-ED Nov 93* 1935-1941
Cruz Serra, Antônio, Humberto Abreu Santos, Antoine Marty, Jean Pierre Bailbe, and Gérard Rey. Modeling and experimental results for *C(V)* in an abrupt isotype n $Al_{0.5}Ga_{0.5}As$/GaAs heterojunction; *T-ED Feb 93* 353-357
Cuevas, Andrés, Ramón Merchán, and José Carlos Ramos. On the systematic analytical solutions for minority-carrier transport in nonuniform doped semiconductors: Application to solar cells (Brief p.); *T-ED Jun 93* 1181-1183
Cui, Zheng, and Linsu Tong. Optimum geometry and space-charge effects in vacuum microelectronics devices; *T-ED Feb 93* 448-452

D

Da Costa, Victor M., *see* Martin, Russel A., *T-ED Mar 93* 634-644
Damjanic, F., *see* Bencic, Z., *T-ED Oct 93* 1885-1887
Daniels, Robert R., Andrew T. Yang, and Jeff P. Harrang. A universal large/small signal 3-terminal FET model using a nonquasi-static charge-based approach; *T-ED Oct 93* 1723-1729
Das, K., *see* Venkatesan, V., *T-ED Aug 93* 1556-1558

Das, M., *see* Mitra, M., *T-ED Oct 93* 1890-1893
Das, N. C., V. Nathan, and J. S. Cable. Enhanced electron trapping in reoxidized nitrided oxide dielectric at 77 K (Brief p.); *T-ED Jun 93* 1179-1181
Das, N. C., *see* Nathan, V., *T-ED Oct 93* 1888-1890
Das, Pankaj, *see* Abbate, Agostino, *T-ED Oct 93* 1830-1835
Davis, L., *see* Sun, H. C., *T-ED Nov 93* 2106-2107
Davito, Dave, *see* Liu, William, *T-ED Jul 93* 1351-1353
Davito, David B., *see* Liu, William, *T-ED Aug 93* 1378-1383
Deakin, D., *see* Ho, W. J., *T-ED Nov 93* 2113-2114
De Bruycker, A., *see* Zhou, Ming-Jiang, *T-ED Nov 93* 2132
Deferm, Ludo, *see* Van Houdt, Jan, *T-ED Dec 93* 2255-2263
De Koning, Eelco A., *see* Theuwissen, Albert J. P., *T-ED Sep 93* 1621-1629
de la Houssaye, P. R., M. J. Burns, W. J. Ruby, S. D. Russell, S. R. Clayaton, G. A. Garcia, and L. P. Lee. Demonstration of monolithic co-fabrication of $Y_1Ba_2Cu_3O_{7-\delta}$ and CMOS devices on the same sapphire substrate (Abstr.); *T-ED Nov 93* 2139-2140
del Alamo, J. A., *see* Eugster, C. C., *T-ED Nov 93* 2135-2136
del Alamo, Jesús A., *see* Bahl, Sandeep R., *T-ED Aug 93* 1558-1560
del Alamo, Jesús A., *see* Eugster, Christopher C., *T-ED Nov 93* 1910-1916
del Alamo, Jesús A., *see* Bahl, Sandeep R., *T-ED Nov 93* 2110-2111
DenBaars, S. P., *see* Shealy, J. B., *T-ED Nov 93* 2115
Dennison, C., *see* Batra, S., *T-ED Nov 93* 2125-2126
DePuydt, J. M., *see* Haase, M. A., *T-ED Nov 93* 2110
DeSalvo, Gregory C., and Allen M. Barnett. Investigation of alternative window materials for GaAs solar cells; *T-ED Apr 93* 705-711
Dhuler, Vijayakumar R., Mehran Mehregany, and Stephen M. Phillips. An experimental technique and a model for studying the operation of harmonic side-drive micromotors; *T-ED Nov 93* 1977-1984
Dhuler, Vijayakumar R., Mehran Mehregany, and Stephen M. Phillips. A comparative study of bearing designs and operational environments for harmonic side-drive micromotors; *T-ED Nov 93* 1985-1989
Di Bello, Carlo, *see* Buonomo, Antonio, *T-ED May 93* 885-889
Dickmann, Jürgen, *see* Bahl, Sandeep R., *T-ED Nov 93* 2110-2111
Dierickx, Bart, *see* Simoen, Eddy, *T-ED Jul 93* 1296-1299
Djashiashvili, Y., *see* El-Genk, Mohamed S., *T-ED Jul 93* 1335-1339
Dodd, P. E., M. R. Melloch, M. S. Lundstrom, J. M. Woodall, and D. Pettit. InAs bipolar transistors: A path to high-performance cryogenic electronics (Abstr.); *T-ED Nov 93* 2141
Dogan, Numan S., *see* Eray, Mete, *T-ED Nov 93* 2137-2138
Doghish, Mohamed Yehya, and Fat Duen Ho. A comprehensive analytical model for metal-insulator-semiconductor (MIS) devices: A solar cell application; *T-ED Aug 93* 1446-1454
Donaldson, William R., *see* Kingsley, Lawrence E., *T-ED Dec 93* 2344-2351
Dong, Li-Min, *see* Kang, Bao-Wei, *T-ED Oct 93* 1805-1811
Donolato, C. Comments, with reply, on 'A scanning electron- or light-beam-induced current method for determination of grain boundary recombination velocity in polycrystalline semiconductors' by C. A. Dimitriadis; *T-ED Jun 93* 1190-1191 (Original paper, Sep 85 1761-1765)
Dosluoglu, Taner, *see* Yamaguchi, Tadanori, *T-ED Aug 93* 1484-1495
Downey, Evan T., *see* Brown, Dale M., *T-ED Feb 93* 325-333
Doyle, Brian, *see* Mistry, Kaizad R., *T-ED Jan 93* 96-104
Doyle, Brian S., and Kaizad R. Mistry. The characterization of hot-carrier damage in p-channel transistors; *T-ED Jan 93* 152-156
Doyle, Brian S., David B. Krakauer, and Kaizad R. Mistry. Examination of oxide damage during high-current stress of n-MOS transistors; *T-ED May 93* 980-985
Doyle, Brian S., *see* Mistry, Kaizad R., *T-ED Jul 93* 1284-1295
Drabeck, Lawrence, Paul Polakos, Megan O'Malley, Martin V. Schneider, Ralph Trambarulo, and Paul Mankiewich. High temperature superconductor subharmonically pumped digital phase modulator/demodulator (Abstr.); *T-ED Nov 93* 2140-2141
Drynan, John M., *see* Kikkawa, Takamaro, *T-ED Feb 93* 296-302
Dudley, J. J., D. I. Babic, R. Mirin, L. Yang, B. I. Miller, R. J. Ram, T. Reynolds, E. L. Hu, and J. E. Bowers. Low threshold, electrically injected InGaAsP (1.3 μm) vertical cavity lasers on GaAs substrates (Abstr.); *T-ED Nov 93* 2119-2120
Dumin, David J., and Jay R. Maddux. Correlation of stress-induced leakage current in thin oxides with trap generation inside the oxides; *T-ED May 93* 986-993
Dutta, M., *see* Pamulapati, J., *T-ED Nov 93* 2144-2145

E

East, J. R., *see* Chen, W. L., *T-ED Nov 93* 2133-2134
East, Jack R., *see* Teeter, Douglas A., *T-ED May 93* 837-845
Ebel, John L., *see* Liou, Lee L., *T-ED Jan 93* 35-43
Edholm, Bengt, Jörgen Olsson, and Anders Söderbärg. A self-aligned lateral bipolar transistor realized on SIMOX-material (Brief p.); *T-ED Dec 93* 2359-2360
Edmond, J. A., *see* Palmour, J. W., *T-ED Nov 93* 2129-2130
Edmond, John A., *see* Brown, Dale M., *T-ED Feb 93* 325-333
El Akkad, F., *see* Zekry, Abdelhalim, *T-ED Feb 93* 259-266
El-Genk, Mohamed S., V. Kaibyshev, Chris Murray, Bernard Wemsman, and Y. Djashiashvili. Preliminary performance results of the Cs–Ba tacitron inverter; *T-ED Jul 93* 1335-1339
El-Hennawy, Adel E., and Owaish H. Mobarek. Precise modeling of hot carrier gate current in short-channel MOSFET's; *T-ED Sep 93* 1645-1652
Elmasry, Mohamed I., *see* Rofail, Samir S., *T-ED Jan 93* 169-178
Emrani, Ayoub, Francis Balestra, and Gérard Ghibaudo. Generalized mobility law for drain current modeling in Si MOS transistors from liquid helium to room temperatures; *T-ED Mar 93* 564-569
Eray, Mete, Numan S. Dogan, Liangjun Liu, Alan R. Koch, David F. Moffett, Moris Silber, and Bernard J. Van Wie. A micromachined polyimide aperture for stable bilayer lipid membrane (BLM's) (Abstr.); *T-ED Nov 93* 2137-2138
Erben, U., *see* Gruhle, A., *T-ED Nov 93* 2100
Ersen, A., *see* Schnitzer, I., *T-ED Nov 93* 2108-2109
Escotte, Laurent, *see* Plana, Robert, *T-ED May 93* 852-858
Eshraghi, S. Ali, *see* Ng, Kwok K., *T-ED Oct 93* 1895-1897
Eugster, C. C., J. A. del Alamo, M. R. Melloch, and M. J. Rooks. 1D to 1D tunneling in a dual electron waveguide device (Abstr.); *T-ED Nov 93* 2135-2136
Eugster, Christopher C., Peter R. Nuytkens, and Jesús A. del Alamo. A novel analog-to-digital conversion architecture using electron waveguides; *T-ED Nov 93* 1910-1916

F

Falck, Elmar, Willi Gerlach, and Jacek Korec. Influence of interconnections onto the breakdown voltage of planar high-voltage p-n junctions; *T-ED Feb 93* 439-447
Fan, Shou-kong, *see* Liu, William, *T-ED Jul 93* 1351-1353
Fan, Shou-kong, *see* Liu, William, *T-ED Aug 93* 1378-1383
Fan, Shou-kong, *see* Liu, William, *T-ED Aug 93* 1384-1389
Fan, Y., *see* Grillo, D. C., *T-ED Nov 93* 2109
Fang, Chung-Hsin, *see* Hsu, Shun-Liang, *T-ED Jan 93* 49-53
Fang, Y. K., Ching-Ru Liu, Kuin-Hui Chen, and Jun-Dar Hwang. A silicon double switching inversion-controlled switch for multiple-valued logic applications; *T-ED May 93* 918-922
Fang, Y. K., *see* Hwang, Sheng-Beng, *T-ED Apr 93* 721-726
Faricelli, John V., *see* Huang, Cheng-Liang, *T-ED Jun 93* 1134-1139
Farley, C., *see* Kuan, C. H., *T-ED Nov 93* 2142-2143
Farley, C. W., *see* Seabury, C. W., *T-ED Nov 93* 2123-2124
Fawaz, Hussein, Joël Gest, and Jacques Zimmermann. A novel model of the gate current in heterojunction FET's; *T-ED May 93* 846-851
Fazan, P., *see* Batra, S., *T-ED Nov 93* 2125-2126
Fazan, P. C., *see* Itoh, S., *T-ED Jun 93* 1176-1178
Feinstein, Joseph, *see* Ives, R. Lawrence, *T-ED Jul 93* 1316-1321
Feng, Milton, and Joy Laskar. On the speed and noise performance of direct ion-implanted GaAs MESFET's; *T-ED Jan 93* 9-17
Feng, Milton, *see* Kamada, Mikio, *T-ED Aug 93* 1358-1363
Ferry, David K., *see* Zhou, Jing-Rong, *T-ED Feb 93* 421-427
Fiegna, C., and E. Sangiorgi. Comments on 'Determination of space-dependent electron distribution function by combined use of energy and Boltzmann transport equations: Improvement, evaluation, and explanation' by S.-L. Wang et al.; *T-ED Dec 93* 2369-2370 (Original paper, Aug 92 1821-1828)
Fiegna, Claudio, and Enrico Sangiorgi. Modeling of high-energy electrons in MOS devices at the microscopic level; *T-ED Mar 93* 619-627
Fiegna, Claudio, Enrico Sangiorgi, and Luca Selmi. Oxide-field dependence of electron injection from silicon into silicon dioxide; *T-ED Nov 93* 2018-2022
Fischetti, M. V., *see* Frank, D. J., *T-ED Nov 93* 2103
Fitch, R., *see* Bayraktaroglu, B., *T-ED Nov 93* 2112-2113
Fjeldly, Tor A., *see* Rho, Kwang-Myoung, *T-ED Jan 93* 131-136
Fjeldly, Tor A., and Michael Shur. Threshold voltage modeling and the subthreshold regime of operation of short-channel MOSFET's; *T-ED Jan 93* 137-145
Flandre, Denis, *see* Rotondaro, Antonio Luis Pacheco, *T-ED Apr 93* 727-732
Flandre, Denis. Analysis of floating substrate effects on the intrinsic gate capacitance of SOI MOSFET's using two-dimensional device simulation; *T-ED Oct 93* 1789-1796
Flood, Dennis J., *see* Jain, Raj K., *T-ED Jan 93* 224-227
Flood, Dennis J., *see* Jain, Raj K., *T-ED Nov 93* 1928-1934
Florez, L. T., *see* Wu, Y. A., *T-ED Nov 93* 2116-2117
Fonstad, Clifton G., Jr., *see* Shenoy, Krishna V., *T-ED Nov 93* 2138-2139
Forbes, Leonard, *see* Hwang, Nam, *T-ED Jun 93* 1100-1103
Fossum, J. G., and S. Krishnan. Current-drive enhancement limited by carrier velocity saturation in deep-submicrometer fully depleted SOI MOSFETs (Brief p.); *T-ED Feb 93* 457-459

Fossum, Jerry G., Ping-Chin Yeh, and Jin-Young Choi. Computer-aided performance assessment of fully depleted SOI CMOS VLSI circuits; *T-ED Mar 93* 598-604
Fossum, Jerry G., *see* Jin, Joohyun, *T-ED Apr 93* 789-795
Fossum, Jerry G., *see* Green, Keith R., *T-ED Aug 93* 1560-1563
Fox, Thomas F., *see* Mistry, Kaizad R., *T-ED Jul 93* 1284-1295
Frank, D. J., S. E. Laux, and M. V. Fischetti. Monte Carlo simulations of p- and n-channel dual-gate Si MOSFET's at the limits of scaling (Abstr.); *T-ED Nov 93* 2103
Frederickson, A. Robb, and Peter Rabkin. Simple model for carrier densities in the depletion region of p-n junctions; *T-ED May 93* 994-1000
Friedrich, Detlef, *see* Wildau, Hans-Jürgen, *T-ED Dec 93* 2318-2325
Friedrich, Martin, *see* Schröter, Michael, *T-ED Nov 93* 2036-2046
Fu, Hua, and James A. Cooper, Jr. Steady-state modeling of resistive-gate MOSFET's; *T-ED Jul 93* 1263-1269
Fuchs, G., *see* Hangleiter, A., *T-ED Nov 93* 2106
Fujishima, M., and K. Asada. A nonpinchoff gradual channel model for deep-submicron MOSFET's (Brief p.); *T-ED Oct 93* 1883-1885
Fujishima, M., *see* Lee, M., *T-ED Nov 93* 2103-2104
Fujita, Osamu, and Yoshihito Amemiya. A floating-gate analog memory device for neural networks; *T-ED Nov 93* 2029-2035
Fukao, Ryuzo, Keiichiro Uenae, Tsunemi Ooiwa, and Yoshihiro Hamakawa. A dual color basis tunable color EL device employing ZnS:Tb, F/ZnS:Mn stacked phosphor layers with color filters; *T-ED Jan 93* 64-68
Fukuda, Yasuhiro, *see* Onoda, Hiroshi, *T-ED Sep 93* 1614-1620
Fukumoto, Jay T., *see* Thompson, Lance R., *T-ED Jul 93* 1270-1276
Furuhata, Naoki, *see* Shimawaki, Hidenori, *T-ED Nov 93* 2124
Furuta, Mamoru, Tetsuya Kawamura, Tatsuo Yoshioka, and Yutaka Miyata. Bottom-gate poly-Si thin film transistors using XeCl excimer laser annealing and ion doping techniques; *T-ED Nov 93* 1964-1969

G

Gabrielson, Thomas B. Mechanical-thermal noise in micromachined acoustic and vibration sensors; *T-ED May 93* 903-909
Galloway, Kenneth F., *see* Johnson, Gregory H., *T-ED May 93* 1001-1008
Ganin, Eli, *see* Mogul, Homyar C., *T-ED Oct 93* 1823-1829
Gaquière, Christophe, *see* Théron, Didier, *T-ED Nov 93* 1935-1941
Garbinski, P. A., *see* Mastrapasqua, Marco, *T-ED Aug 93* 1371-1377
García, G. A., *see* de la Houssaye, P. R., *T-ED Nov 93* 2139-2140
Gardner, Carl L. Hydrodynamic and Monte Carlo simulation of an electron shock wave in a 1-μm N⁺-n-n⁺ diode (Brief p.); *T-ED Feb 93* 455-457
Gatt, George, *see* Brown, Dale M., *T-ED Feb 93* 325-333
Gayral, Michel, *see* Plana, Robert, *T-ED May 93* 852-858
Gee, R. C., *see* Seabury, C. W., *T-ED Nov 93* 2123-2124
Georgakilas, Alexandros, George Halkias, Aris Christou, Christos Papavassiliou, George Perantinos, George Konstantinidis, and Paul N. Panayotatos. Microwave performance of GaAs-on-Si MESFET's with Si buffer layers; *T-ED Mar 93* 507-512
George, T., *see* Line, T. L., *T-ED Nov 93* 2143
Gerlach, Willi, *see* Falck, Elmar, *T-ED Feb 93* 439-447
Gest, Joël, *see* Fawaz, Hussein, *T-ED May 93* 846-851
Ghezzi, P., *see* Papadas, C., *T-ED Aug 93* 1549-1551
Ghezzo, Mario, *see* Brown, Dale M., *T-ED Feb 93* 325-333
Ghibaudo, G., *see* Papadas, C., *T-ED Aug 93* 1549-1551
Ghibaudo, G., *see* Moison, B., *T-ED Oct 93* 1870-1872
Ghibaudo, Gérard, *see* Emrani, Ayoub, *T-ED Mar 93* 564-569
Ghione, Giovanni. Comments, with reply, on 'Numerical large-signal simulation of the diffusion noise in GaAs Gunn devices' by B. Wang and M. Curow; *T-ED Oct 93* 1902-1903 (Original paper, Sep 92 2176-2178)
Ghioni, M., *see* Lacaita, A., *T-ED Nov 93* 2145
Gibbons, J. F., *see* Welser, J., *T-ED Nov 93* 2101
Gilbert, M., *see* Crabbé, E., *T-ED Nov 93* 2100-2101
Ginley, D. S., *see* Martens, Jon S., *T-ED Mar 93* 656-660
Givelin, P., *see* Balleur, M., *T-ED Jul 93* 1340-1342
Gleason, Edward F., *see* Cohen, Simon S., *T-ED Jul 93* 1277-1283
Glogovsky, K. G., *see* Bethea, C. G., *T-ED Nov 93* 1957-1963
Gmitter, T. J., *see* Schnitzer, I., *T-ED Nov 93* 2108-2109
Gnudi, Antonio, *see* Sonissi, Kamel, *T-ED Aug 93* 1501-1507
Goldstein, David, *see* Shor, Joseph S., *T-ED Jun 93* 1093-1099
Gomez-Yanez, C., *see* Alam, Mansoor, *T-ED Aug 93* 1554-1556
Gomi, Yu-ichi, *see* Nakamura, Jun-ichi, *T-ED Feb 93* 334-341
Gong, Sheng S., Marie E. Burnham, N. David Theodore, and Dieter K. Schroder. Evaluation of Q_{bd} for electrons tunneling from the Si/SiO_2 interface compared to electron tunneling from the poly-Si/SiO_2 interface; *T-ED Jul 93* 1251-1257
Gooch, Roland W., *see* Wadsworth, Mark Vogel, *T-ED Mar 93* 487-492
Gopinath, Anand, *see* Moon, Byung-jong, *T-ED Sep 93* 1711-1713
Goswami, Subrata, Pallab Bhattacharya, and John Cowles. Temporal response characteristics of a $In_{0.53}Ga_{0.47}As/InP$ quantum well phototransistor; *T-ED Nov 93* 1970-1976
Goto, Norio, *see* Kunihiro, Kazuaki, *T-ED Mar 93* 493-497
Gotoh, Kahtaroh, *see* Suzuki, Hideo, *T-ED Mar 93* 661-665
Gowers, J. P., *see* Brotherton, S. D., *T-ED Feb 93* 407-413
Grahmann, A., *see* Hangleiter, A., *T-ED Nov 93* 2106
Graffeuil, Jacques, *see* Plana, Robert, *T-ED May 93* 852-858
Green, Keith R., and Jerry G. Fossum. A simple two-dimensional model for subthreshold channel-length modulation in short-channel MOSFET's (Brief p.); *T-ED Aug 93* 1560-1563
Grillo, D. C., Y. Fan, M. D. Ringle, J. Han, L. He, R. L. Gunshor, H. Jeon, A. Salokatve, M. Hagerott, A. V. Nurmikko, G. C. Hua, N. Otsuka, E. Oh, and A. K. Ramdas. Pseudomorphic SCH blue-green diode lasers (Abstr.); *T-ED Nov 93* 2109
Grinberg, Anatoly, and Serge Luryi. On the thermionic-diffusion theory of minority transport in heterostructure bipolar transistors; *T-ED May 93* 859-866
Grinberg, Anatoly A., and Serge Luryi. Coherent transistor; *T-ED Aug 93* 1512-1522
Groeseneken, Guido, *see* Van Houdt, Jan, *T-ED Dec 93* 2255-2263
Gross, B. Jeffrey, Raj Jayaraman, and C. G. Sodini. Reply to comment by C. Surya and T. Y. Hsiang on 'A 1/*f* noise technique to extract the oxide trap density near the conduction band edge of silicon' by R. Jayaraman and C. G. Sodini (Sep 89 1773-1782); *T-ED Mar 93* 680-681 (Original comment, Mar 93 680)
Grot, Annette C., *see* Shenoy, Krishna V., *T-ED Nov 93* 2138-2139
Grotjohn, Timothy A., *see* Huang, Chi-Jung, *T-ED Sep 93* 1669-1674
Gruhle, A., H. Kibble, U. Erben, and E. Kasper. Base thickness and high-frequency performance of SiGe HBT's (Abstr.); *T-ED Nov 93* 2100
Gruppen, Matt, and Karl Hess. The self-consistent simulation of the modulation responses of quantum well lasers (Abstr.); *T-ED Nov 93* 2105-2106
Guha, S., *see* Haase, M. A., *T-ED Nov 93* 2110
Gunasekaran, N., *see* Rajanna, K., *T-ED Mar 93* 521-524
Gunshor, R. L., *see* Grillo, D. C., *T-ED Nov 93* 2109
Guo, Jwin-Yen, and Ching-Yuan Wu. A new 2-D analytic threshold-voltage model for fully depleted short-channel SOI MOSFET's; *T-ED Sep 93* 1653-1661
Gupta, R. S., *see* Bhatia, Manju, *T-ED Mar 93* 681-682
Gutmann, Ronald J., *see* Chuang, Tien-Min, *T-ED Apr 93* 796-803
Gutmann, Ronald J., *see* Khan, Sanjay A., *T-ED Sep 93* 1695-1699
Gvozdic, Dejan M., *see* Radunovic, Jovan B., *T-ED Jul 93* 1238-1244

H

Haar, Wim, *see* Theuwissen, Albert J. P., *T-ED Sep 93* 1621-1629
Haase, M. A., P. F. Bande, M. S. Hagedorn, J. Qui, J. M. DePuydt, H. Cheng, S. Guha, G. E. Höfler, and B. J. Wu. Blue-green buried-ridge laser diodes (Abstr.); *T-ED Nov 93* 2110
Hack, M., I-Wei Wu, A. G. Lewis, and T. J. King. Numerical simulations of on and off state characteristics of poly-silicon thin film transistors (Abstr.); *T-ED Nov 93* 2128
Hack, Michael, *see* Martin, Russel A., *T-ED Mar 93* 634-644
Hack, Michael, Alan G. Lewis, and I-Wei Wu. Physical models for degradation effects in polysilicon thin-film transistors; *T-ED May 93* 890-897
Haddad, G. I., *see* Chen, W. L., *T-ED Nov 93* 2133-2134
Haddad, George I., *see* Teeter, Douglas A., *T-ED May 93* 837-845
Hafizi, H., T. Liu, D. B. Rensch, and W. E. Stanchina. Effects of collector doping on DC and RF performance of AlInAs/GaInAs/InP double heterojunction bipolar transistors (Abstr.); *T-ED Nov 93* 2122-2123
Hafizi, Madjid, William E. Stanchina, Robert A. Metzger, Perry A. Macdonald, and Freddie Williams, Jr. Temperature dependence of DC and RF characteristics of AlInAs/GaInAs HBT's; *T-ED Sep 93* 1583-1588
Hafizi, Madjid, William E. Stanchina, Robert A. Metzger, Joseph F. Jensen, and Freddie Williams. Reliability of AlInAs/GaInAs heterojunction bipolar transistors; *T-ED Dec 93* 2178-2185
Hagedorn, M. S., *see* Haase, M. A., *T-ED Nov 93* 2110
Hagerott, M., *see* Grillo, D. C., *T-ED Nov 93* 2109
Hahn, Dietmar, Karsten Hansen, Lubomir Malacky, and Andreas Schlachetzki. Optically triggered $In_{0.53}Ga_{0.47}As$-transferred-electron devices for repeater applications; *T-ED Dec 93* 2199-2203
Håkansson, Jan, *see* Brammer, Ronald, *T-ED Nov 93* 2089-2091
Halkias, George, *see* Georgakilas, Alexandros, *T-ED Mar 93* 507-512
Hallén, Anders, *see* Linnros, Jan, *T-ED Nov 93* 2065-2073
Hallén, Anders, *see* Brammer, Ronald, *T-ED Nov 93* 2089-2091
Hallmark, Jerald A., *see* Abrokwah, Jonathan K., *T-ED Feb 93* 278-284
Ham, Thomas E., *see* Kizilyalli, Isik C., *T-ED May 93* 966-973
Hamada, Akemi, *see* Woltjer, Reinout, *T-ED Feb 93* 392-401
Hamakawa, Yoshihiro, *see* Fukao, Ryuzo, *T-ED Jan 93* 64-68
Hamel, John Starr, *see* Parker, James R., *T-ED Mar 93* 605-612

Hamel, John Starr. Integral relations for determining non-quasi-static charge partitioning in bipolar devices from static charge distributions (Brief p.); *T-ED Sep 93* 1713-1716
Han, J., *see* Grillo, D. C., *T-ED Nov 93* 2109
Han, Kyung Joon, *see* Abbate, Agostino, *T-ED Oct 93* 1830-1835
Handel, Peter H. Absence of quantum 1/*f* noise in the photoelectric current of junction or MIS photodetectors (Corresp.); *T-ED Apr 93* 833
Hane, Masami, and Hiroshi Matsumoto. A model for boron short time annealing after ion implantation; *T-ED Jul 93* 1215-1222
Hangleiter, A., A. Grabmaier, and G. Fuchs. Anomalous damping in MQW lasers due to slow inter-well transport (Abstr.); *T-ED Nov 93* 2106
Hansen, Ethan, *see* Lee, Yung-Huei, *T-ED Jan 93* 163-168
Hansen, Karsten, *see* Hahn, Dietmar, *T-ED Dec 93* 2199-2203
Hara, Hisashi, *see* Tsuchiaki, Masakatsu, *T-ED Oct 93* 1768-1779
Hara, Hisashi, *see* Saito, Masanobu, *T-ED Dec 93* 2264-2272
Harame, D., *see* Crabbé, E., *T-ED Nov 93* 2100-2101
Harrang, Jeff P., *see* Daniels, Robert R., *T-ED Oct 93* 1723-1729
Harris, G. S., *see* Johnson, F. S., *T-ED Nov 93* 2099-2100
Hartog, Peter B., *see* Theuwissen, Albert J. P., *T-ED Sep 93* 1621-1629
Hashemi, M. M., *see* Shealy, J. B., *T-ED Nov 93* 2115
Hashimoto, Chiemi M., Hideo Miura, Kyoichiro Asayama, Hiroyuki Ohta, and Shuji Ikeda. Dislocation free gate process using in situ doped polysilicon thin films by crystallization-induced stress of the films (Abstr.); *T-ED Nov 93* 2127-2128
Hashimoto, Kazuhiko, *see* Matsuo, Naoto, *T-ED Apr 93* 750-754
Hasnain, G., *see* Wu, Y. A., *T-ED Nov 93* 2116-2117
Haspeslagh, Luc, *see* Van Houdt, Jan, *T-ED Dec 93* 2255-2263
Hasuo, Shinya, *see* Suzuki, Hideo, *T-ED Mar 93* 661-665
Hatanaka, Yoshinori, *see* Tomita, Yasuhiro, *T-ED Feb 93* 315-319
Hatle, M., and J. Vobecky. A new approach to the simulation of small-signal current gains of pnpn structures (Brief p.); *T-ED Oct 93* 1864-1866
Hayashi, Hidetaka, *see* Nakamura, Jun-ichi, *T-ED Feb 93* 334-341
Hayden, James D., *see* Pfiester, James R., *T-ED Jan 93* 207-213
Hayden, James D., *see* Tseng, Hsing-Huang, *T-ED Mar 93* 613-618
Hayden, James D., J. David Burnett, Asanga H. Perera, Thomas C. Mele, Fred W. Walczyk, Vidya Kaushik, Craig S. Lage, and Yee-Chaung See. Integration of a double-polysilicon emitter–base self-aligned bipolar transistor into a 0.5-μm BiCMOS technology for fast 4-Mb SRAM's; *T-ED Jun 93* 1121-1128
Hayes, J. R., *see* Chough, K. B., *T-ED Nov 93* 2111
He, L., *see* Grillo, D. C., *T-ED Nov 93* 2109
Heime, Klaus, *see* Küsters, Antonio Mesquida, *T-ED Dec 93* 2164-2170
Held, Raban, *see* Korec, Jacek, *T-ED Oct 93* 1845-1854
Helix, Max J., *see* Moon, Byung-jong, *T-ED Jan 93* 32-34
Helkey, Roger, Wei-Xiong Zou, Alan Mar, D. Bruce Young, and John Browers. Curved and tapered waveguide mode-locked InGaAs/AlGaAs semiconductor lasers fabricated by impurity induced disordering (Abstr.); *T-ED Nov 93* 2107
Henderson, Timothy, *see* Liu, William, *T-ED Jul 93* 1351-1353
Henderson, Timothy S., *see* Liu, William, *T-ED Aug 93* 1384-1389
Hess, Karl, *see* Grupen, Matt, *T-ED Nov 93* 2105-2106
Hietala, Vincent M., *see* Martens, Jon S., *T-ED Mar 93* 656-660
Higgins, J. A., *see* Ho, W. J., *T-ED Nov 93* 2113-2114
Higgins, J. A., *see* Seabury, C. W., *T-ED Nov 93* 2123-2124
Higgins, J. Alden. Thermal properties of power HBT's; *T-ED Dec 93* 2171-2177
Hill, D. G., T. S. Kim, and H. Q. Tserng. AlGaAs/GaAs Pnp HBT with 54 GHz f_{max} and application to high-performance complementary technology (Abstr.); *T-ED Nov 93* 2113
Hill, Darrell G., *see* Liu, William, *T-ED Nov 93* 1917-1927
Hinckley, John M., *see* Sankaran, Vasudevan, *T-ED Sep 93* 1589-1596
Hirashita, Norio, *see* Uchida, Hidetsugu, *T-ED Oct 93* 1818-1822
Hirashita, Norio, *see* Tanaka, Hiroyuki, *T-ED Dec 93* 2231-2236
Ho, Fat Duen, *see* Doghish, Mohamed Yehya, *T-ED Aug 93* 1446-1454
Ho, Pin, *see* Tzeng, Yen-Chang, *T-ED Feb 93* 348-352
Ho, W. J., M. F. Chang, A. Sailer, P. Zampardi, D. Deakin, B. McDermott, R. Pierson, and J. A. Higgins. GaInP/GaAs HBT's for high-speed integrated circuit applications (Abstr.); *T-ED Nov 93* 2113-2114
Höfler, G. E., *see* Haase, M. A., *T-ED Nov 93* 2110
Hohl, Jakob H., *see* Johnson, Gregory H., *T-ED May 93* 1001-1008
Holden, Anthony J., *see* Kleinpenning, Theo G. M., *T-ED Jun 93* 1148-1153
Homma, Noriyuki, *see* Onai, Takahiro, *T-ED Feb 93* 402-406
Homma, Tetsuya, *see* Horiuchi, Tadahiko, *T-ED Aug 93* 1455-1460
Hong, Merit Y. Simulation and fabrication of submicron channel length DMOS transistors for analog applications; *T-ED Dec 93* 2222-2230
Hong, W.-P., *see* Chough, K. B., *T-ED Nov 93* 2111
Honjo, Kazuhiko, *see* Tanaka, Shin-ichi, *T-ED Jul 93* 1194-1201
Honjo, Kazuhiko, *see* Shimawaki, Hidenori, *T-ED Nov 93* 2124
Hor, Charles, *see* Shih, Arnold, *T-ED Apr 93* 824-829
Hori, Atsushi, Mizuki Segawa, Shuichi Kameyama, and Mitsuo Yasuhira. High-performance dual-gate CMOS utilizing a novel self-aligned pocket implantation (SPI) technology; *T-ED Sep 93* 1675-1681
Horie, Hiroshi, *see* Suzuki, Kunihiro, *T-ED Dec 93* 2326-2329
Horie, Kazuo, *see* Yamaguchi, Yasuo, *T-ED Jan 93* 179-186
Horiuchi, M., *see* Mochizuki, K., *T-ED Nov 93* 2124-2125
Horiuchi, Tadahiko, Kouji Kanba, Tetsuya Homma, Yukinobu Murao, and Koichiro Okumura. A 7-mask CMOS process with selective oxide deposition; *T-ED Aug 93* 1455-1460
Hossaini, Shahab, *see* Lee, Yung-Huei, *T-ED Jan 93* 163-168
Houghton, D. C., *see* Manku, Tanjinder, *T-ED Nov 93* 1990-1996
Houston, Peter A., *see* Lee, Tae-Woo, *T-ED Aug 93* 1390-1397
Hoyt, J. L., *see* Welser, J., *T-ED Nov 93* 2101
Hsiang, T. Y., *see* Liu, M. Y., *T-ED Nov 93* 2145-2146
Hsiang, Thomas Y., *see* Surya, Charles, *T-ED Mar 93* 680
Hsin, Y. M., *see* Lin, K. C., *T-ED Dec 93* 2361-2362
Hsu, Rong-Tay, *see* Hsu, Wei-Chou, *T-ED Sep 93* 1630-1635
Hsu, Shun-Liang, Lu-Min Liu, Chung-Hsin Fang, Shu-Lan Ying, Tien-Li Chen, Mou-Shiung Lin, and Chun-Yen Chang. Field inversion generated in the CMOS double-metal process due to PETEOS and SOG interactions; *T-ED Jan 93* 49-53
Hsu, Wei-Chou, Hir-Ming Shieh, Ming-Jer Kao, Rong-Tay Hsu, and Yu-Huei Wu. On the improvement of gate voltage swings in δ-doped GaAs/$In_xGa_{1-x}As$/GaAs pseudomorphic heterostructures; *T-ED Sep 93* 1630-1635
Hu, Chenming, *see* Liu, Zhi-Hong, *T-ED Jan 93* 86-95
Hu, Chenming, *see* Tao, Jiang, *T-ED Aug 93* 1398-1405
Hu, Chenming, *see* Quader, Khandker N., *T-ED Dec 93* 2245-2254
Hu, Chenming, *see* Rosenbaum, Elyse, *T-ED Dec 93* 2287-2295
Hu, E. L., *see* Dudley, J. J., *T-ED Nov 93* 2119-2120
Hu, Juntao, *see* Chau, Hin-Fai, *T-ED Jan 93* 2-8
Hua, G. C., *see* Grillo, D. C., *T-ED Nov 93* 2109
Huang, C. I., *see* Bayraktaroglu, B., *T-ED Nov 93* 2112-2113
Huang, Cheng-Liang, John V. Faricelli, and Narain D. Arora. A new technique for measuring MOSFET inversion layer mobility; *T-ED Jun 93* 1134-1139
Huang, Chen-Liang, and Narain D. Arora. Measurements and modeling of MOSFET *I–V* characteristics with polysilicon depletion effect; *T-ED Dec 93* 2330-2337
Huang, Chern I., *see* Liou, Lee L., *T-ED Jan 93* 35-43
Huang, Chern I., *see* Liou, Juin J., *T-ED Sep 93* 1570-1577
Huang, Chi-Jung, Timothy A. Grotjohn, C. Jack Sun, Don K. Reinhard, and Chen-Cheng W. Yu. Temperature dependence of hot-electron degradation in bipolar transistors; *T-ED Sep 93* 1669-1674
Huang, J. H., *see* Abrokwah, J. K., *T-ED Jun 93* 1185-1187
Huang, J. S. T. Characteristics of bilateral MOS-controlled thyristors (BMCT); *T-ED Aug 93* 1523-1529
Huang, Jammy Chin-Ming, *see* Reich, Robert K., *T-ED Jul 93* 1231-1237
Huang, Jenn-Hwa, *see* Abrokwah, Jonathan K., *T-ED Feb 93* 278-284
Huang, Jian-Hui, *see* Liu, Zhi-Hong, *T-ED Jan 93* 86-95
Huang, K. F., K. Tai, C. C. Wu, and J. D. Wynn. Continuous wave visible InGaP/InGaAlP quantum-well surface-emitting laser diodes (Abstr.); *T-ED Nov 93* 2119
Huang, Ruey-Shing, *see* Chen, Heng-Tien Henry, *T-ED Mar 93* 583-590
Hueschen, Mark R., *see* Patil, Mahesh B., *T-ED Mar 93* 480-486
Humphries, Stanley, Jr., *see* Rees, Daniel E., *T-ED Aug 93* 1543-1548
Hur, Katerina Y., and Richard C. Compton. Airbridged-gate MESFET's fabricated by isotropic reactive ion etching; *T-ED Oct 93* 1736-1739
Hurkx, Fred, Herman L. Peek, Jan W. Slotboom, and Rob A. Windgassen. Anomalous behavior of surface leakage currents in heavily doped gated-diodes; *T-ED Dec 93* 2273-2281
Hutchinson, Albert L., *see* Mastrapasqua, Marco, *T-ED Feb 93* 250-258
Hwang, Jun-Dar, *see* Fang, Y. K., *T-ED May 93* 918-922
Hwang, Jun-Dar, *see* Hwang, Sheng-Beng, *T-ED Apr 93* 721-726
Hwang, Nam, Burnette S. S. Or, and Leonard Forbes. Tunneling and thermal emission of electrons from a distribution of deep traps in SiO_2; *T-ED Jun 93* 1100-1103
Hwang, Robert, *see* Zhao, Jian H., *T-ED Jun 93* 1172-1174
Hwang, Sheng-Beng, Y. K. Fang, Kuin-Hui Chen, Ching-Ru Liu, Jun-Dar Hwang, and Min-Hong Chou. An a-Si:H/a-Si,Ge:H bulk barrier phototransistor with a-SiC:H barrier enhancement layer for high-gain IR optical detector; *T-ED Apr 93* 721-726
Hwu, Jenn-Gwo, *see* Lu, Wei-Shin, *T-ED Sep 93* 1597-1603

I

Iijima, Tadashi, Akira Nishiyama, Yukihiro Ushiku, Tatsuya Ohguro, Iwao Kunishima, Kyoichi Suguro, and Hiroshi Iwai. A new contact plug technique for deep-submicrometer ULSI's employing selective nickel silicidation of polysilicon with a titanium nitride stopper; *T-ED Feb 93* 371-377
Ikawa, Eiji, *see* Kikkawa, Takamaro, *T-ED Feb 93* 296-302
Ikeda, Shuji, *see* Hashimoto, Chiemi M., *T-ED Nov 93* 2127-2128

Vol. 40
1993

Ikossi-Anastasiou, Kiki. GaAsSb for heterojunction bipolar transistors; *T-ED May 93* 878-884
Iliadis, Agisilaos A., *see* Martin, Eric A., *T-ED Mar 93* 466-470
Imamura, Takeshi, *see* Suzuki, Hideo, *T-ED Mar 93* 661-665
Imoriya, Tadashi, *see* Watanabe, Hisashi, *T-ED Dec 93* 2211-2215
Inoue, Masataka, *see* Yoh, Kanji, *T-ED Nov 93* 2134-2135
Inoue, Morio, *see* Watanabe, Hisashi, *T-ED Dec 93* 2211-2215
Inoue, Yasuo, *see* Joachim, Hans-Oliver, *T-ED Oct 93* 1812-1817
Ioannou, Dimitris E., *see* Mazhari, Baquer, *T-ED Jun 93* 1129-1133
Ishibashi, Atsuhiko, *see* Yamaguchi, Yasuo, *T-ED Jan 93* 179-186
Ishibashi, Tadao, *see* Nakajima, Hiroki, *T-ED Nov 93* 1950-1956
Ishii, T., *see* Omura, Y., *T-ED May 93* 1019-1022
Ishikawa, Hideto, *see* Kamada, Mikio, *T-ED Aug 93* 1358-1363
Ishikawa, Kiyoshi, *see* Joachim, Hans-Oliver, *T-ED Oct 93* 1812-1817
Ishikawa, Yosuke, *see* Kusano, Chushirou, *T-ED Jan 93* 25-31
Ito, Akira. Effects of high field generation of charge trapping in the oxide and interface traps on MOS capacitors and MOSFET's (Brief p.); *T-ED Jul 93* 1347-1350
Itô, T., *see* Sato, A., *T-ED Nov 93* 2126
Itoh, S., G. Q. Lo, D. L. Kwong, V. K. Mathews, and P. C. Fazan. Formation of high-quality oxide/nitride stacked layers on rugged polysilicon electrodes by rapid thermal oxidation (Brief p.); *T-ED Jun 93* 1176-1178
Ives, R. Lawrence, H. R. Jory, J. Neilson, M. Chodorow, Joseph Feinstein, A. D. LaRue, L. Zitelli, and Rosario Martorana. Development and test of a 500-kW, 8-GHz gyrotron; *T-ED Jul 93* 1316-1321
Iwai, Hiroshi, *see* Iijima, Tadashi, *T-ED Feb 93* 371-377
Iwai, Hiroshi, *see* Tsuchiaki, Masakatsu, *T-ED Oct 93* 1768-1779
Iwai, Hiroshi, *see* Saito, Masanobu, *T-ED Dec 93* 2264-2272
Iyer, S. S., *see* Jain, S. C., *T-ED Dec 93* 2338-2343
Izumi, K., *see* Omura, Y., *T-ED May 93* 1019-1022
Izumi, Katsutoshi, *see* Ohno, Terukazu, *T-ED Nov 93* 2074-2080

Vol. 40
1993

J

Jackson, Michael K., *see* Liu, Qing Z., *T-ED Dec 93* 2204-2210
Jackson, T. N., S. F. Nelson, J. O. Chu, and B. S. Meyerson. Undoped SiGe heterostructure field effect transistors (Abstr.); *T-ED Nov 93* 2104-2105
Jain, Raj K., and Dennis J. Flood. Design modeling of high-efficiency p⁺-n indium phosphide solar cells (Brief p.); *T-ED Jan 93* 224-227
Jain, Raj K. Calculated performance of indium phosphide solar cells under monochromatic illumination (Brief p.); *T-ED Oct 93* 1893-1895
Jain, Raj K., and Dennis J. Flood. Influence of the dislocation density on the performance of heteroepitaxial indium phosphide solar cells; *T-ED Nov 93* 1928-1934
Jain, S. C., J. Poortmans, S. S. Iyer, J. J. Loferski, J. Nijs, R. Mertens, and R. Van Overstraeten. Electrical and optical bandgaps of Ge_xSi_{1-x} strained layers; *T-ED Dec 93* 2338-2343
Jakubowski, Andrzej, *see* Lukasiak, Lidia, *T-ED Feb 93* 453-455
Jayaraman, Raj, *see* Gross, B. Jeffrey, *T-ED Mar 93* 680-681
Jelloian, Linda M., *see* Matloubian, Mehran, *T-ED Nov 93* 2112
Jeng, Min-Chie, *see* Liu, Zhi-Hong, *T-ED Jan 93* 86-95
Jenkins, David W. Emission area of a field emitter array; *T-ED Mar 93* 666-672
Jensen, Joseph F., *see* Hafizi, Madjid, *T-ED Dec 93* 2178-2185
Jeon, H., *see* Grillo, D. C., *T-ED Nov 93* 2109
Jérisian, Robert, *see* Seghir, Hachemi, *T-ED Jun 93* 1104-1111
Jessop, Paul E., *see* Kovacic, Stephen J., *T-ED Jun 93* 1154-1160
Jin, Joohyun, and Jerry G. Fossum. Analytic accounting for carrier velocity overshoot in advanced BJT's for circuit simulation; *T-ED Apr 93* 789-795
Joachim, Hans-Oliver, Yasuo Yamaguchi, Kiyoshi Ishikawa, Yasuo Inoue, and Tadashi Nishimura. Simulation and two-dimensional analytical modeling of subthreshold slope in ultrathin-film SOI MOSFET's down to 0.1 μm gate length; *T-ED Oct 93* 1812-1817
Johnson, F. S., G. S. Harris, J. J. Wortman, and M. C. Özturk. Self-aligned BJTs for VLSI using a new diffusion technique for shallow base formation (Abstr.); *T-ED Nov 93* 2099-2100
Johnson, Gregory H., Jakob H. Hohl, Ronald D. Schrimpf, and Kenneth F. Galloway. Simulating single-event burnout of n-channel power MOSFET's; *T-ED May 93* 1001-1008
Johnson, N. P., *see* Adams, James A., *T-ED Jun 93* 1047-1052
Jones, Brian K., *see* Sengouga, Nouredine, *T-ED Mar 93* 471-479
Jones, E. W., *see* Line, T. L., *T-ED Nov 93* 2143
Jory, H. R., *see* Ives, R. Lawrence, *T-ED Jul 93* 1316-1321
Joshi, A. B., *see* Lo, G. Q., *T-ED Aug 93* 1565-1567
Joshi, Abhay M., Gregory H. Olsen, Vladimir S. Ban, Edward Mykietyn, Sr., Michael J. Lange, and Daniel T. Mohr. Reduction of $1/f$ noise in multiplexed linear $In_{0.53}Ga_{0.47}As$ detector arrays via epitaxial doping; *T-ED Feb 93* 303-308
Joshi, Aniruddha B., Giwan Yoon, Jonghan Kim, G. Q. Lo, and Dim-Lee Kwong. High-field breakdown in thin oxides grown in N_2O ambient; *T-ED Aug 93* 1437-1445

K

Kaberline, Steven L., *see* Aslam, Mohammad, *T-ED Feb 93* 292-295
Kageyama, Makiko, *see* Onoda, Hiroshi, *T-ED Sep 93* 1614-1620
Kaibyshev, V., *see* El-Genk, Mohamed S., *T-ED Jul 93* 1335-1339
Kainitsky, Alexander, Jia Li, and C. E. Daniel Chen. Experimental characterization of the diode-type polysilicon loads for CMOS SRAM; *T-ED Feb 93* 358-363
Kamada, Mikio, Hideto Ishikawa, and Milton Feng. Gate current in AlInAs/GaInAs heterostructure insulated-gate field-effect transistors (HIGFET's); *T-ED Aug 93* 1358-1363
Kamei, Yoshio, *see* Ogura, Tsuneo, *T-ED Mar 93* 628-633
Kameyama, Shuichi, *see* Hori, Atsushi, *T-ED Sep 93* 1675-1681
Kamigaki, Yoshiaki, *see* Minami, Shin-ichi, *T-ED Nov 93* 2011-2017
Kanba, Kouji, *see* Horiuchi, Tadahiko, *T-ED Aug 93* 1455-1460
Kane, David E., and Richard M. Swanson. Modeling of electron–hole scattering in semiconductor devices; *T-ED Aug 93* 1496-1500
Kang, Bao-Wei, Wei Zhao, Li-Min Dong, and Yan Situ. A new type of transistor: CBT; *T-ED Oct 93* 1805-1811
Kang, S. M., *see* Leblebici, Y., *T-ED Mar 93* 673-676
Kang, Sung-Mo, *see* Ketterson, Andrew A., *T-ED Aug 93* 1406-1416
Kao, Ming-Jer, *see* Hsu, Wei-Chou, *T-ED Sep 93* 1630-1635
Kao, Y.-C., *see* Moise, T. S., *T-ED Nov 93* 2134
Kar, S., *see* Mitra, M., *T-ED Oct 93* 1890-1893
Karin, J. R., *see* Barron, C. C., *T-ED Nov 93* 2146-2147
Kärner, M., *see* Schaper, U., *T-ED Jan 93* 222-224
Karouta, F., *see* Yoffe, G. W., *T-ED Nov 93* 2144
Kasahara, Kensuke, *see* Tanaka, Shin-ichi, *T-ED Jul 93* 1194-1201
Kasper, E., *see* Gruhle, A., *T-ED Nov 93* 2100
Katsumata, Yasuhiro, *see* Saito, Masanobu, *T-ED Dec 93* 2264-2272
Kaushik, Vidya, *see* Hayden, James D., *T-ED Jun 93* 1121-1128
Kavadias, Spyros, and Konstantinos Misiakos. Three-dimensional simulation of planar semiconductor diodes (Brief p.); *T-ED Oct 93* 1875-1878
Kawachi, Genshiro, *see* Mimura, Akio, *T-ED Mar 93* 513-520
Kawai, Toshiaki, *see* Tomita, Yasuhiro, *T-ED Feb 93* 315-319
Kawamoto, Galen H., *see* Yamaguchi, Tadanori, *T-ED Aug 93* 1484-1495
Kawamura, Tetsuya, *see* Furuta, Mamoru, *T-ED Nov 93* 1964-1969
Kawata, Masahiko, *see* Kusano, Chushirou, *T-ED Jan 93* 25-31
Kean, A. H., *see* Adams, James A., *T-ED Jun 93* 1047-1052
Kearney, Joseph W., *see* Kizilyalli, Isik C., *T-ED May 93* 966-973
Keeney, Stephen, *see* Concannon, Ann, *T-ED Jul 93* 1258-1262
Kehias, L., *see* Bayraktaroglu, B., *T-ED Nov 93* 2112-2113
Kellam, Mark, *see* Bothra, Subhas, *T-ED Mar 93* 591-597
Ketterson, Andrew A., Jong-Wook Seo, Minh H. Tong, Kari L. Nummila, James J. Morikuni, Keh-Yung Cheng, Sung-Mo Kang, and Ilesanmi Adesida. A MODFET-based optoelectronic integrated circuit receiver for optical interconnects; *T-ED Aug 93* 1406-1416
Khan, Sanjay A., and Ronald J. Gutmann. Boundary-condition-induced current overshoot in short GaAs samples; *T-ED Sep 93* 1695-1699
Khatibzadeh, Ali, *see* Liu, William, *T-ED Nov 93* 1917-1927
Khokle, W. S., *see* Singh, Awatar, *T-ED Aug 93* 1551-1553
Kibble, H., *see* Gruhle, A., *T-ED Nov 93* 2100
Kido, Junji, Katsutoshi Nagai, and Yoshiyuki Okamoto. Bright organic electroluminescent devices with double-layer cathode (Brief p.); *T-ED Jul 93* 1342-1344
Kikkawa, Takamaro, Hidemitsu Aoki, Eiji Ikawa, and John M. Drynan. A quarter-micrometer interconnection technology using a TiN/Al–Si–Cu/TiN/Al–Si–Cu/TiN/Ti multilayer structure; *T-ED Feb 93* 296-302
Kim, Chang-Woo, *see* Yano, Koji, *T-ED Nov 93* 2092-2094
Kim, Jonghan, *see* Joshi, Aniruddha B., *T-ED Aug 93* 1437-1445
Kim, K. W., *see* Tian, H., *T-ED Dec 93* 2362-2365
Kim, M., *see* Bae, J. W., *T-ED Nov 93* 2117
Kim, M., *see* Brusenbach, P., *T-ED Nov 93* 2120
Kim, T. S., *see* Hill, D. G., *T-ED Nov 93* 2113
Kim, Tae S., *see* Liu, William, *T-ED Aug 93* 1378-1383
Kimura, Masakazu, *see* Yano, Koji, *T-ED Nov 93* 2092-2094
Kimura, T., *see* Onozawa, S., *T-ED Nov 93* 2139
King, T. J., *see* Hack, M., *T-ED Nov 93* 2128
Kingsley, Lawrence E., and William R. Donaldson. Numerical analysis of electric field profiles in high-voltage GaAs photoconductive switches and comparison to experiment; *T-ED Dec 93* 2344-2351
Kirchner, P. J., *see* Seabury, C. W., *T-ED Nov 93* 2123-2124
Kirsch, Howard C., *see* Pfiester, James R., *T-ED Jan 93* 207-213
Kistler, Nel, *see* Ver Ploeg, Eric, *T-ED Nov 93* 2101-2102
Kitabayashi, Hironori, *see* Ajioka, Tsuneo, *T-ED Dec 93* 2282-2286

Kiziloglu, K., *see* Shealy, J. B., *T-ED Nov 93* 2115
Kizilyalli, Isik C., Michael Artaki, Nitin J. Shah, and Amitabah Chandra. Scaling properties and short-channel effects in submicrometer AlGaAS/GaAs MODFET's: A Monte Carlo study; *T-ED Feb 93* 234-249
Kizilyalli, Isik C., Thomas E. Ham, Kumud Singhal, Joseph W. Kearney, Wen Lin, and Morgan J. Thoma. Predictive worst case statistical modeling of 0.8-μm BICMOS bipolar transistors: A methodology based on process and mixed device/circuit level simulators; *T-ED May 93* 966-973
Klapper, Stuart H., *see* Mantese, Joseph V., *T-ED Feb 93* 320-324
Kleinpenning, Theo G. M., and Anthony J. Holden. 1/*f* noise in n-p-n GaAs/AlGaAs heterojunction bipolar transistors: Impact of intrinsic transistor and parasitic series resistances; *T-ED Jun 93* 1148-1153
Ko, Ping K., *see* Liu, Zhi-Hong, *T-ED Jan 93* 86-95
Ko, Ping K., *see* Ma, Zhi-Jian, *T-ED Jun 93* 1112-1120
Ko, Ping K., *see* Quader, Khandker N., *T-ED Dec 93* 2245-2254
Kobayashi, T., *see* Nanba, M., *T-ED Aug 93* 1563-1565
Kobayashi, T., *see* Kurishima, K., *T-ED Nov 93* 2121-2122
Koch, Alan R., *see* Eray, Mete, *T-ED Nov 93* 2137-2138
Kohashi, Tadao, *see* Onishi, Hiroshi, *T-ED Jan 93* 69-74
Kohl, Andreas, *see* Küsters, Antonio Mesquida, *T-ED Dec 93* 2164-2170
Kokshoorn, Andre L., *see* Theuwissen, Albert J. P., *T-ED Sep 93* 1621-1629
Kolodzey, James, *see* Laskar, Joy, *T-ED Nov 93* 1942-1949
Komaba, Nobuyuki, *see* Ohno, Seiji, *T-ED Dec 93* 2216-2221
Kondo, M., *see* Nanba, M., *T-ED Aug 93* 1563-1565
Konishi, Nobutake, *see* Mimura, Akio, *T-ED Mar 93* 513-520
Konstantinidis, George, *see* Georgakilas, Alexandros, *T-ED Mar 93* 507-512
Korec, Jacek, *see* Falck, Elmar, *T-ED Feb 93* 439-447
Korec, Jacek, and Raban Held. Comparison of DMOS/IGBT-compatible high-voltage termination structures and passivation techniques; *T-ED Oct 93* 1845-1854
Kosaka, Koji, *see* Matsumoto, Kazuya, *T-ED Jan 93* 82-85
Kosicki, Bernard B., *see* Reich, Robert K., *T-ED Jul 93* 1231-1237
Kovacic, Stephen J., Jugnu J. Ojha, John G. Simmons, Paul E. Jessop, Ranjit S. Mand, and Anthony J. SpringThorpe. Optical and electrical oscillations in double-heterojunction negative differential resistance devices; *T-ED Jun 93* 1154-1160
Krakauer, David B., *see* Doyle, Brian S., *T-ED May 93* 980-985
Kretchmer, James W., *see* Brown, Dale M., *T-ED Feb 93* 325-333
Krishnan, S., *see* Fossum, J. G., *T-ED Feb 93* 457-459
Kroemer, H., *see* Bolognesi, C. R., *T-ED Nov 93* 2114
Ksuda, Yukihisa, *see* Ohno, Seiji, *T-ED Dec 93* 2216-2221
Kuan, C. H., D. C. Tsui, K. K. Choi, W. H. Chang, C. Chang, and C. Farley. Background limited infrared hot-electron transistor at 77 K (Abstr.); *T-ED Nov 93* 2142-2143
Kub, Fritz J., and Gordon Wood Anderson. Compressing photodetectors for long optical pulses using a lateral blooming drain structure; *T-ED Oct 93* 1740-1744
Kuehne, Stephen C., *see* Lee, V. V., *T-ED Jul 93* 1223-1230
Kühl, Karl, *see* Sandmaier, Hermann, *T-ED Oct 93* 1754-1759
Kuivalainen, P., *see* Andersson, M., *T-ED Apr 93* 330-332
Kumar, M. Jagadesh, Alexei D. Sadovnikov, and David J. Roulston. Collector design tradeoffs for low voltage applications of advanced bipolar transistors; *T-ED Aug 93* 1478-1483
Kung, William, and Arokia Nathan. Temperature coefficient of resolution of lateral bipolar magnetotransistors; *T-ED May 93* 910-917
Kunihiro, Kazuaki, Hitoshi Yano, Norio Goto, and Yasuo Ohno. Numerical analysis of kink effect in HJFET with a heterobuffer layer; *T-ED Mar 93* 493-497
Kunishima, Iwao, *see* Iijima, Tadashi, *T-ED Feb 93* 371-377
Kuo, J., *see* Wright, S. L., *T-ED Nov 93* 2128-2129
Kuo, J. B., *see* Lou, K. H., *T-ED Mar 93* 676-679
Kuo, James B., *see* Sim, Jai-hoon, *T-ED Apr 93* 755-765
Kuo, James B., *see* Lu, Tao-Cheng, *T-ED Apr 93* 766-772
Kuo, James B., *see* Liu, Chung-Min, *T-ED Sep 93* 1636-1644
Kuo, James B., Mao-Chuan Tang, and Jai-hoon Sim. An analytical back gate bias dependent threshold voltage model for SiGe-channel ultrathin SOI PMOS devices; *T-ED Dec 93* 2237-2244
Kurishima, K., T. Kobayashi, and Y. Matsuoka. Influence of launching energy on collector transport in InP/InGaAs double-heterojunction bipolar transistors (Abstr.); *T-ED Nov 93* 2121-2122
Kuroda, Yasunao, *see* Ohno, Seiji, *T-ED Dec 93* 2216-2221
Kurokawa, K. Graceful growth of technology (Abstr.); *T-ED Nov 93* 2098
Kurtz, Anthony D., *see* Shor, Joseph S., *T-ED Jun 93* 1093-1099
Kusano, Chushirou, Hiroshi Masuda, Kazuhiro Mochizuki, Yosuke Ishikawa, Masahiko Kawata, Katsuhiko Mitani, and Masaru Miyazaki. AlGaAs/GaAs HBT's for 10-Gb/s IC's using a new base ohmic contact fabrication process; *T-ED Jan 93* 25-31
Küsters, Antonio Mesquida, Andreas Kohl, Volker Sommer, Robert Müller, and Klaus Heime. Optimized double heterojunction pseudomorphic InP/$In_xGa_{1-x}AS$/InP ($0.64 \le x \le 0.82$) p-MODFET's and the role of strain in their design; *T-ED Dec 93* 2164-2170
Kwong, D. L., *see* Lo, G. Q., *T-ED May 93* 1032-1035
Kwong, D. L., *see* Itoh, S., *T-ED Jun 93* 1176-1178
Kwong, D. L., *see* Lo, G. Q., *T-ED Aug 93* 1565-1567
Kwong, Dim-Lee, *see* Joshi, Aniruddha B., *T-ED Aug 93* 1437-1445
Kwor, Richard Y., *see* Polchlopek, Stanley W., *T-ED Feb 93* 385-391

L

Lacalita, A., M. Ghioni, S. Cova, and F. Zappa. Ultrafast single photon avalanche diodes without slow tails in the pulse response (Abstr.); *T-ED Nov 93* 2145
Lacalita, Andrea L., Franco Zappa, Stefano Bigliardi, and Manfredo Manfredi. On the bremsstrahlung origin of hot-carrier-induced photons in silicon devices; *T-ED Mar 93* 577-582
Lage, Craig S., *see* Hayden, James D., *T-ED Jun 93* 1121-1128
Lai, P. T., *see* Ma, Z. J., *T-ED Jan 93* 125-130
Lai, P. T., *see* Ma, Zhi-Jian, *T-ED Jun 93* 1112-1120
Lai, K., *see* Singh, Awatar, *T-ED Aug 93* 1551-1553
Lange, Michael J., *see* Joshi, Abhay M., *T-ED Feb 93* 303-308
Lanzieri, Claudio, *see* Canali, Claudio, *T-ED Mar 93* 498-501
Lanzoni, Massimo, Jordi Suñé, Piero Olivo, and Bruno Riccò. Advanced electrical-level modeling of EEPROM cells; *T-ED May 93* 951-957
Lanzoni, Massimo, *see* Suñé, Jordi, *T-ED May 93* 1017-1019
Larkin, David J., *see* Neudeck, Philip G., *T-ED Nov 93* 2130
Larson, Dana, *see* Zhao, Jian H., *T-ED Apr 93* 817-823
Larson, L. E., *see* Brown, J. J., *T-ED Nov 93* 2111-2112
Larson, Lawrence E., *see* Matloubian, Mehran, *T-ED Nov 93* 2112
LaRue, A. D., *see* Ives, R. Lawrence, *T-ED Jul 93* 1316-1321
Laskar, J., R. N. Nottenburg, and A. F. J. Levi. Forward transit delay in $In_{0.53}Ga_{0.47}As$ heterojunction bipolar transistors with nonequilibrium electron transport (Abstr.); *T-ED Nov 93* 2122
Laskar, Joy, *see* Feng, Milton, *T-ED Jan 93* 9-17
Laskar, Joy, Richard N. Nottenburg, J. A. Baquedano, Anthony F. J. Levi, and James Kolodzey. Forward transit delay in $In_{0.53}Ga_{0.47}As$ heterojunction bipolar transistors with nonequilibrium electron transport; *T-ED Nov 93* 1942-1949
Lau, Kei May, *see* Agahi, Farid, *T-ED Mar 93* 502-506
Laux, S. E., *see* Frank, D. J., *T-ED Nov 93* 2103
Lawson, Wes, and Vicki Specht. Design comparison of single-anode and double-anode 300-MW magnetron injection gun; *T-ED Jul 93* 1322-1328
Le, Minh V., *see* Matloubian, Mehran, *T-ED Nov 93* 2112
Lear, K. L., *see* Choquette, Kent D., *T-ED Nov 93* 2117-2118
Lear, K. S., and S. A. Chalmers. High wallplug efficiency vertical-cavity top-surface-emitting laser diodes (Abstr.); *T-ED Nov 93* 2116
Leblebici, Y., W. Sun, and S. M. Kang. Parametric macro-modeling of hot-carrier-induced dynamic degradation in MOS VLSI circuits (Brief p.); *T-ED Mar 93* 673-676
Lee, Chanho, S. K. Chun, and K. L. Wang. Normal incidence detector using Ge quantum-well structures grown on Si (100) (Abstr.); *T-ED Nov 93* 2141-2142
Lee, Chien-Ping, *see* Chang, Shwu-Jing, *T-ED Apr 93* 698-704
Lee, Chien-Ping, *see* Chang, Shwu-Jing, *T-ED Dec 93* 2186-2191
Lee, Chung-Len, *see* Wu, Shye-Lin, *T-ED Oct 93* 1797-1804
Lee, Chung Len, *see* Chem, Horng Nan, *T-ED Dec 93* 2301-2306
Lee, Jenq-Sheng, *see* Chung, Steve Shao-Shiun, *T-ED Sep 93* 1709-1711
Lee, Jong Duk, *see* Lee, Woo-Hyeong, *T-ED Nov 93* 2102-2103
Lee, June S., *see* Yamaguchi, Tadanori, *T-ED Aug 93* 1484-1495
Lee, Kwyro, *see* Rho, Kwang-Myoung, *T-ED Jan 93* 131-136
Lee, L. P., *see* de la Houssaye, P. R., *T-ED Nov 93* 2139-2140
Lee, M., *see* Abbott, E. B., *T-ED May 93* 1022-1024
Lee, M., and K. Asada. Deep-submicrometer CMOS/SIMOX delay modeling by time-dependent capacitance model (Brief p.); *T-ED Oct 93* 1897-1901
Lee, M., M. Fujishima, and K. Asada. A high speed and low power on CMOS/SOI technology (Abstr.); *T-ED Nov 93* 2103-2104
Lee, S., *see* Lo, G. Q., *T-ED May 93* 1032-1035
Lee, Seonghearn, *see* Moon, Byung-jong, *T-ED Sep 93* 1711-1713
Lee, T. G. Multiple extraction cavities for high-power klystrons; *T-ED Jul 93* 1329-1334
Lee, Tae-Woo, and Peter A. Houston. Generalized analytical transport modeling of the DC characteristics of heterojunction bipolar transistors; *T-ED Aug 93* 1390-1397
Lee, V. V., Stephen C. Kuehne, Cuong T. Nguyen, Mark A. Beiley, and S. Simon Wong. A selective CVD tungsten-strapped polysilicon local interconnection technology; *T-ED Jul 93* 1223-1230
Lee, Woo-Hyeong, Young-June Park, and Jong Duk Lee. A new recessed gate MOSFET structure with the graded source/drain (Abstr.); *T-ED Nov 93* 2102-2103
Lee, Yung-Huel, Leo D. Yau, Ethan Hansen, Robert Chau, Babak Sabi, Shahab Hossaini, and Butch Asakawa. Hot-carrier degradation of submicrometer p-MOSFETs with thermal/LPCVD composite oxide; *T-ED Jan 93* 163-168

Leech, Patrick W., Erich Stumpf, Novica Petkovic, and Laurie W. Cahill. $Hg_{1-x}Cd_xTe$ metal–semiconductor–metal (MSM) photodetectors; *T-ED Aug 93* 1364-1370
Lei, Tan Fu, *see* Wu, Shye-Lin, *T-ED Oct 93* 1797-1804
Lei, Tan Fu, *see* Chern, Horng Nan, *T-ED Dec 93* 2301-2306
Leibenguth, R. E., *see* Bethea, C. G., *T-ED Nov 93* 1957-1963
Leibenguth, R. E., *see* Choquette, Kent D., *T-ED Nov 93* 2117-2118
Leibovitch, Marc G., *see* Ashkinazi, German A., *T-ED Feb 93* 285-291
Leu, I.-Yun, and Amost Neugroschel. Minority-carrier transport parameters in heavily doped p-type silicon at 296 and 77 K (Brief p.); *T-ED Oct 93* 1872-1875
Levi, A. F. J., *see* Laskar, J., *T-ED Nov 93* 2122
Levi, Anthony F. J., *see* Laskar, Joy, *T-ED Nov 93* 1942-1949
Levine, B. F., *see* Bethea, C. G., *T-ED Nov 93* 1957-1963
Lewis, A. G., *see* Hack, M., *T-ED Nov 93* 2128
Lewis, Alan G., *see* Hack, Michael, *T-ED May 93* 890-897
Li, Chester C., *see* Quader, Khandker N., *T-ED Dec 93* 2245-2254
Li, Chi-Lung, Trevor M. Barton, and Robert E. Miles. Avalanche breakdown and surface deep-level trap effects in GaAs MESFET's; *T-ED Apr 93* 811-816
Li, G. P., *see* Chang, Yang-Hua, *T-ED Apr 93* 692-697
Li, G. S., *see* Wu, Y. A., *T-ED Nov 93* 2116-2117
Li, Jia, *see* Kalnitsky, Alexander, *T-ED Feb 93* 358-363
Li, Jianmeg, *see* Liu, H. C., *T-ED Nov 93* 2142
Li, Sheng S., *see* Tzeng, Yen-Chang, *T-ED Feb 93* 348-352
Li, Xiaosong, and L. K. J. Vandamme. Transversal and longitudinal noise and their coherence in MOST; *T-ED Apr 93* 804-810
Lin, C. L., *see* Seabury, C. W., *T-ED Nov 93* 2123-2124
Lin, Hao-Hsiung, *see* Wu, Chao-Wen, *T-ED Jan 93* 227-229
Lin, K. C., Y. M. Hsin, C. Y. Chang, and E. Y. Chang. A pseudomorphic GaInP/InP MESFET with improved device performance (Brief p.); *T-ED Dec 93* 2361-2362
Lin, Kuan-Chin, *see* Lu, Wei-Shin, *T-ED Sep 93* 1597-1603
Lin, Mou-Shiung, *see* Hsu, Shun-Liang, *T-ED Jan 93* 49-53
Lin, Wallace W., and Philip C. Chan. Fix to negative output conductance problem in BSIM2 model (Brief p.); *T-ED May 93* 1024-1028
Lin, Wen, *see* Kizilyalli, Isik C., *T-ED May 93* 966-973
Line, T. L., J. Park, T. George, and E. W. Jones. Doping-spike LWIR PtSi Schottky IR detector fabricated by molecular beam epitaxy (Abstr.); *T-ED Nov 93* 2143
Linnros, Jan, Peter Norlin, and Anders Hallén. A new technique for depth resolved carrier recombination measurements applied to proton irradiated thyristors; *T-ED Nov 93* 2065-2073
Liong, Luey Chwan, and Po-ching Liu. A theoretical model for the current–voltage characteristics of a floating-gate EEPROM cell; *T-ED Jan 93* 146-151
Liou, Juin J., Lee L. Liou, Chern I. Huang, and Burhan Bayraktaroglu. A physics-based, analytical heterojunction bipolar transistor model including thermal and high-current effects; *T-ED Sep 93* 1570-1577
Liou, Lee L., John L. Ebel, and Chern I. Huang. Thermal effects on the characteristics of AlGaAs/GaAs heterojunction bipolar transistors using two-dimensional numerical simulation; *T-ED Jan 93* 35-43
Liou, Lee L., *see* Liou, Juin J., *T-ED Sep 93* 1570-1577
Lippens, Pierre-Emmanuel, *see* Vuillaume, Dominique, *T-ED Apr 93* 773-781
Littlejohn, M. A., *see* Tian, H., *T-ED Dec 93* 2362-2365
Liu, C. M., *see* Lou, K. H., *T-ED Mar 93* 676-679
Liu, Ching-Ru, *see* Fang, Y. K., *T-ED May 93* 918-922
Liu, Ching-Ru, *see* Hwang, Sheng-Beng, *T-ED Apr 93* 721-726
Liu, Chung-Min, Kou-Hou Lou, and James B. Kuo. 77 K versus 300 K operation: The quasi-saturation behavior of a DMOS device and its fully analytical model; *T-ED Sep 93* 1636-1644
Liu, David K. Y., and James D. Plummer. Design and analysis of a new conductivity-modulated power MOSFET; *T-ED Feb 93* 428-438
Liu, H. C., Jianmeg Li, J. R. Thompson, Z. R. Wasilewski, M. Buchanan, and J. G. Simmons. Multicolor voltage tunable quantum-well infrared photodetector (Abstr.); *T-ED Nov 93* 2142
Liu, Kuo-Wei, *see* Anwar, A. F. M., *T-ED Jun 93* 1174-1176
Liu, Liangjun, *see* Eray, Mete, *T-ED Nov 93* 2137-2138
Liu, Lu-Min, *see* Hsu, Shun-Liang, *T-ED Jan 93* 49-53
Liu, M. M., *see* Shealy, J. B., *T-ED Nov 93* 2115
Liu, M. Y., S. Y. Chou, S. Alexandrou, C. C. Wang, and T. Y. Hsiang. 110 GHz Si MSM photodetectors (Abstr.); *T-ED Nov 93* 2145-2146
Liu, Po-ching, *see* Liong, Luey Chwan, *T-ED Jan 93* 146-151
Liu, Qing Z., David L. Pulfrey, and Michael K. Jackson. Analysis of the transistor-related noise in integrated p-i-n-HBT optical receiver front-ends; *T-ED Dec 93* 2204-2210
Liu, T., *see* Hafizi, H., *T-ED Nov 93* 2122-2123
Liu, T. K., *see* Shealy, J. B., *T-ED Nov 93* 2115
Liu, Takyiu, *see* Matloubian, Mehran, *T-ED Nov 93* 2112
Liu, William, Shou-kong Fan, Timothy Henderson, and Dave Davito. Temperature dependences of current gains in GaInP/GaAs and AlGaAs/GaAs heterojunction bipolar transistors (Brief p.); *T-ED Jul 93* 1351-1353
Liu, William, Shou-kong Fan, Tae S. Kim, Edward A. Beam, III, and David B. Davito. Current transport mechanism in GaInP/GaAs heterojunction bipolar transistors; *T-ED Aug 93* 1378-1383
Liu, William, Alan C. Seabaugh, Timothy S. Henderson, Ayca Yuksel, Edward A. Beam, III, and Shou-kong Fan. Observation of resonant tunneling at room temperature in GaInP/GaAs/GaInP double-heterojunction bipolar transistor; *T-ED Aug 93* 1384-1389
Liu, William, Steve Nelson, Darrell G. Hill, and Ali Khatibzadeh. Current gain collapse in microwave multifinger heterojunction bipolar transistors operated at very high power densities; *T-ED Nov 93* 1917-1927
Liu, Yung S., *see* Brown, Dale M., *T-ED Feb 93* 325-333
Liu, Zhi-Hong, Chenming Hu, Jian-Hui Huang, Tung-Yi Chan, Min-Chie Jeng, Ping K. Ko, and Y. C. Cheng. Threshold voltage model for deep-submicrometer MOSFET's; *T-ED Jan 93* 86-95
Liu, Zhi Hong, *see* Ma, Zhi-Jian, *T-ED Jun 93* 1112-1120
Liu, Zhihong, *see* Rosenbaum, Elyse, *T-ED Dec 93* 2287-2295
Llopis, Olivier, *see* Plana, Robert, *T-ED May 93* 852-858
Lo, G. Q., D. L. Kwong, and S. Lee. Degradation of metal–oxide–semiconductor characteristics due to borophosphosilicate-glass reflow in O_2-containing ambient (Brief p.); *T-ED May 93* 1032-1035
Lo, G. Q., *see* Itoh, S., *T-ED Jun 93* 1176-1178
Lo, G. Q., *see* Joshi, Aniruddha B., *T-ED Aug 93* 1437-1445
Lo, G. Q., A. B. Joshi, and D. L. Kwong. Radiation hardness of MOSFET's with N_2O-nitrided gate oxides (Brief p.); *T-ED Aug 93* 1565-1567
Loferski, J. J., *see* Jain, S. C., *T-ED Dec 93* 2338-2343
Logan, R. A., *see* Chen, Y. K., *T-ED Nov 93* 2118-2119
Lombardi, Claudio, *see* Concannon, Ann, *T-ED Jul 93* 1258-1262
Lopez, Richard J., *see* Mantese, Joseph V., *T-ED Feb 93* 320-324
Lott, J. A., R. P. Schneider, Jr., and K. J. Molly. Visible (639 nm $\leq \lambda \leq$ 661 nm) vertical cavity surface emitting laser diodes (Abstr.); *T-ED Nov 93* 2115-2116
Lou, K. H., C. M. Liu, and J. B. Kuo. An analytical quasi-saturation model for vertical DMOS power transistors (Brief p.); *T-ED Mar 93* 676-679
Lou, Kou-Hou, *see* Liu, Chung-Min, *T-ED Sep 93* 1636-1644
Lozano, Manuel, *see* Santander, Joaquín, *T-ED May 93* 944-950
Lu, Jian, R. Surridge, G. Pakulski, H. van Driel, and J. M. Xu. Studies of high-speed metal–semiconductor–metal photodetector with a GaAs/AlGaAs/GaAs heterostructure; *T-ED Jun 93* 1087-1092
Lu, Pong-Fei, *see* Souissi, Kamel, *T-ED Aug 93* 1501-1507
Lu, Tao-Cheng, and James B. Kuo. A closed-form analytical forward transit time model considering specific models for bandgap-narrowing effects and concentration-dependent diffusion coefficients for BJT devices operating at 77 K; *T-ED Apr 93* 766-772
Lu, Wei-Shin, Kuan-Chin Lin, and Jenn-Gwo Hwu. Process dependency of radiation hardness of rapid thermal reoxidized nitrided gate oxides; *T-ED Sep 93* 1597-1603
Lu, Y., *see* Pamulapati, J., *T-ED Nov 93* 2144-2145
Lui, Mark, *see* Matloubian, Mehran, *T-ED Nov 93* 2112
Lukasiak, Lidia, and Andrzej Jakubowski. The influence of nonuniform doping profile on *I–V* characteristics of MOS transistors (Brief p.); *T-ED Feb 93* 453-455
Lundstrom, M. S., *see* Dodd, P. E., *T-ED Nov 93* 2141
Lundstrom, Mark S., *see* Stettler, Mark A., *T-ED Apr 93* 733-740
Lung, Gerald, *see* Mantese, Joseph V., *T-ED Feb 93* 320-324
Luo, H. C., *see* Pamulapati, J., *T-ED Nov 93* 2144-2145
Luryi, Serge, *see* Mastrapasqua, Marco, *T-ED Feb 93* 250-258
Luryi, Serge, *see* Grinberg, Anatoly A., *T-ED May 93* 859-866
Luryi, Serge, *see* Mastrapasqua, Marco, *T-ED Aug 93* 1371-1377
Luryi, Serge, *see* Grinberg, Anatoly A., *T-ED Aug 93* 1512-1522
Lyumkis, E., *see* Apanovich, Y., *T-ED Nov 93* 2094-2096

M

Ma, Tso-Ping, *see* Chen, Wenliang, *T-ED Jan 93* 187-196
Ma, Z. J., P. T. Lai, and Y. C. Cheng. Off-state instabilities in thermally nitrided-oxide n-MOSFET's; *T-ED Jan 93* 125-130
Ma, Zhi-Jian, P. T. Lai, Zhi Hong Liu, Ping K. Ko, and Yiu Chung Cheng. Mechanisms for hot-carrier-induced degradation in reoxidized-nitrided-oxide n-MOSFET's under combined AC/DC stressing; *T-ED Jun 93* 1112-1120
Macary, V., *see* Bafleur, M., *T-ED Jul 93* 1340-1342
MacDonald, Noel C. Microelectromechanics, nanomechanisms, and tips (Abstr.); *T-ED Nov 93* 2098-2099
Macdonald, Perry A., *see* Hafizi, Madjid, *T-ED Sep 93* 1583-1588
Machida, Katsuyuki, *see* Shimoyama, Nobuhiro, *T-ED Sep 93* 1682-1687
Maddox, R., *see* Batra, S., *T-ED Nov 93* 2125-2126
Maddux, Jay R., *see* Dumin, David J., *T-ED May 93* 986-993
Maes, Herman E., *see* Van Houdt, Jan, *T-ED Dec 93* 2255-2263
Magnusson, Ulf, *see* Simoen, E., *T-ED Nov 93* 2054-2059

Vol. 40
1993

Magnusson, Ulf K., *see* Rotondaro, Antonio Luis Pacheco, *T-ED Apr 93* 727-732
Mains, Richard K., *see* Teeter, Douglas A., *T-ED May 93* 837-845
Malacky, Lubomir, *see* Hahn, Dietmar, *T-ED Dec 93* 2199-2203
Mand, R. S., *see* Abbott, E. B., *T-ED May 93* 1022-1024
Mand, Ranjit S., *see* Kovacic, Stephen J., *T-ED Jun 93* 1154-1160
Manfredi, Manfredo, *see* Lacaita, Andrea L., *T-ED Mar 93* 577-582
Manfredi, Manfredo, *see* Tedesco, Carlo, *T-ED Jul 93* 1211-1214
Mankiewich, Paul, *see* Drabeck, Lawrence, *T-ED Nov 93* 2140-2141
Manku, Tanjinder, Joel M. McGregor, Arokia Nathan, David J. Roulston, J.-P. Noel, and D. C. Houghton. Drift hole mobility in strained and unstrained doped $Si_{1-x}Ge_x$ alloys; *T-ED Nov 93* 1990-1996
Manning, M., *see* Batra, S., *T-ED Nov 93* 2125-2126
Mantese, Joseph V., Adolph L. Micheli, Norman W. Schubring, Antonio B. Catalan, Kevin L. Soch, Kim Ng, Stuart H. Klapper, Richard J. Lopez, and Gerald Lung. Infrared imaging using uncooled focal plane arrays of unreticulated 10-μ potassium tantalum niobate films; *T-ED Feb 93* 320-324
Mar, Alan, *see* Helkey, Roger, *T-ED Nov 93* 2107
Marchetaux, Jean-Claude, *see* Vuillaume, Dominique, *T-ED Apr 93* 773-781
Martens, Jon S., Thomas E. Zipperian, Vincent M. Hietala, D. S. Ginley, Chris P. Tigges, Julia M. Phillips, and Michael P. Siegal. Superconducting flux flow digital circuits; *T-ED Mar 93* 656-660
Martin, Eric A., Agisilaos A. Iliadis, and Olaleye A. Aina. Charge-control modeling of InGaAs/InP heterojunction insulated-gate FET's; *T-ED Mar 93* 466-470
Martin, Russel A., Victor M. Da Costa, Michael Hack, and John G. Shaw. High-voltage amorphous silicon thin-film transistors; *T-ED Mar 93* 634-644
Martorana, Rosario, *see* Ives, R. Lawrence, *T-ED Jul 93* 1316-1321
Marty, Antoine, *see* Cruz Serra, António, *T-ED Feb 93* 353-357
Marty, Antoine, Thierry Camps, Josiane Tasselli, David L. Pulfrey, and Jean Pierre Bailbe. A self-consistent DC–AC two-dimensional electrothermal model for GaAlAs/GaAs microwave power HBT's; *T-ED Jul 93* 1202-1210
Mastrapasqua, Marco, Serge Luryi, Federico Capasso, Albert L. Hutchinson, Deborah L. Sivco, and Alfred Y. Cho. Light-emitting transistor based on real-space transfer: Electrical and optical properties; *T-ED Feb 93* 250-258
Mastrapasqua, Marco, Serge Luryi, G. L. Belenky, P. A. Garbinski, Alfred Y. Cho, and Deborah L. Sivco. Multiterminal light-emitting logic device electrically reprogrammable between OR and NAND functions; *T-ED Aug 93* 1371-1377
Masuda, H., *see* Mochizuki, K., *T-ED Nov 93* 2124-2125
Masuda, Hiroshi, *see* Kusano, Chushirou, *T-ED Jan 93* 25-31
Mathews, V. K., *see* Itoh, S., *T-ED Jun 93* 1176-1178
Mathewson, Alan, *see* Concannon, Ann, *T-ED Jul 93* 1258-1262
Mathur, M., *see* Sanders, J. W., *T-ED Nov 93* 2130-2131
Matloubian, M., *see* Brown, J. J., *T-ED Nov 93* 2111-2112
Matloubian, Mehran, Linda M. Jelloian, Mark Lui, Takyiu Liu, Lawrence E. Larson, Loi D. Nguyen, and Minh V. Le. GaInAs/InP composite channel HEMT's (Abstr.); *T-ED Nov 93* 2112
Matsuda, Satoshi, *see* Saito, Masanobu, *T-ED Dec 93* 2264-2272
Matsumoto, Hiroshi, *see* Hane, Masami, *T-ED Jul 93* 1215-1222
Matsumoto, Kazuya, Hisayoshi Yurimoto, Koji Kosaka, Kenji Miyata, Tsutomu Nakamura, and Shigeho Sueno. A novel ion imager for secondary ion mass spectrometry; *T-ED Jan 93* 82-85
Matsumoto, Satoshi, *see* Ohno, Terukazu, *T-ED Nov 93* 2074-2080
Matsumoto, Susumu, *see* Matsuo, Naoto, *T-ED Apr 93* 750-754
Matsumura, M., *see* Choi, D. H., *T-ED Nov 93* 2129
Matsumura, Masakiyo, *see* Shimizu, Kazuhiro, *T-ED Jan 93* 112-117
Matsuo, Naoto, Yoshiro Nakata, Hisashi Ogawa, Toshiki Yabu, Susumu Matsumoto, Masaru Sasago, Kazuhiko Hashimoto, and Shozo Okada. Spread-vertical-capacitor cell (SVC) for high-density dRAM's; *T-ED Apr 93* 750-754
Matsuoka, Y., *see* Kurishima, K., *T-ED Nov 93* 2121-2122
Mattauch, Robert J., *see* Bhapkar, Udayan V., *T-ED Jun 93* 1038-1046
Matus, Lawrence G., *see* Neudeck, Philip G., *T-ED Nov 93* 2130
Mayaram, Kartikeya, *see* Amerasekera, Ajith, *T-ED Oct 93* 1836-1844
Mazhari, Baquer, and Dimitris E. Ioannou. Surface potential at threshold in thin-film SOI MOSFET's; *T-ED Jun 93* 1129-1133
Mazlar, Christine M., *see* Chandramouli, V., *T-ED Nov 93* 2137
Mazzola, Michael S., *see* Roush, Randy A., *T-ED Jun 93* 1081-1086
McClean, Ian P., and Clive B. Thomas. Memory effect in ZnS:Mn AC thin-film electroluminescent devices with low Mn concentration; *T-ED May 93* 898-902
McCulloch, D. J., *see* Brotherton, S. D., *T-ED Feb 93* 407-413
McDermott, B., *see* Ho, W. J., *T-ED Nov 93* 2113-2114
McDermott, B. T., *see* Seabury, C. W., *T-ED Nov 93* 2123-2124
McGonagle, William H., *see* Reich, Robert K., *T-ED Jul 93* 1231-1237
McGregor, Joel M., *see* Manku, Tanjinder, *T-ED Nov 93* 1990-1996
Mecrow, B. C., *see* Trattles, J. T., *T-ED Jul 93* 1344-1347
Megdanis, A., *see* Crabbé, E., *T-ED Nov 93* 2100-2101
Mehregany, Mehran, *see* Chu, Wen-Hwa, *T-ED Jul 93* 1245-1250
Mehregany, Mehran, *see* Dhuler, Vijayakumar R., *T-ED Nov 93* 1977-1984
Mehregany, Mehran, *see* Dhuler, Vijayakumar R., *T-ED Nov 93* 1985-1989
Mehrota, Manoj, and B. J. Baliga. Very low forward drop JBS rectifiers fabricated using submicron technology (Abstr.); *T-ED Nov 93* 2131-2132
Mele, Thomas C., *see* Hayden, James D., *T-ED Jun 93* 1121-1128
Melendes, M. A., *see* Brown, J. J., *T-ED Nov 93* 2111-2112
Melloch, M. R., *see* Sanders, J. W., *T-ED Nov 93* 2130-2131
Melloch, M. R., *see* Eugster, C. C., *T-ED Nov 93* 2135-2136
Melloch, M. R., *see* Dodd, P. E., *T-ED Nov 93* 2141
Mena, Rafael A., *see* Young, Paul G., *T-ED Nov 93* 1905-1909
Merchán, Ramón, *see* Cuevas, Andrés, *T-ED Jun 93* 1181-1183
Mertens, R., *see* Jain, S. C., *T-ED Dec 93* 2338-2343
Mertens, Robert P., *see* Rodriguez, Angel, *T-ED May 93* 938-943
Metzger, Robert A., *see* Hafizi, Madjid, *T-ED Sep 93* 1583-1588
Metzger, Robert A., *see* Hafizi, Madjid, *T-ED Dec 93* 2178-2185
Meyer, Jack D., *see* Thompson, Lance R., *T-ED Jul 93* 1270-1276
Meyerson, B., *see* Crabbé, E., *T-ED Nov 93* 2100-2101
Meyerson, B. S., *see* Jackson, T. N., *T-ED Nov 93* 2104-2105
Meyerson, Bernard S., *see* Cressler, John D., *T-ED Mar 93* 525-541
Mezher, K., *see* Rodriguez-Tellez, J., *T-ED Nov 93* 2083-2085
Michell, Adolph L., *see* Mantese, Joseph V., *T-ED Feb 93* 320-324
Miles, Robert E., *see* Li, Chi-Lung, *T-ED Apr 93* 811-816
Miller, B. I., *see* Dudley, J. J., *T-ED Nov 93* 2119-2120
Miller, James W., *see* Tseng, Hsing-Huang, *T-ED Mar 93* 613-618
Milne, W. I., *see* Sankara Narayanan, E. M., *T-ED Oct 93* 1880-1883
Mima, Soichiro, *see* Onishi, Hiroshi, *T-ED Jan 93* 69-74
Mimura, Akio, Genshiro Kawachi, Takashi Aoyama, Takaya Suzuki, Yoshiharu Nagae, Nobutake Konishi, and Yasuhiro Mochizuki. A 10-s doping technology for the application of low-temperature polysilicon TFTs to giant microelectronics; *T-ED Mar 93* 513-520
Min, Hong-Shick, *see* Song, Jai-Hyuk, *T-ED May 93* 958-965
Minami, Shin-ichi, and Yoshiaki Kamigaki. A novel MONOS nonvolatile memory device ensuring 10-year data retention after 10^7 erase/write cycles; *T-ED Nov 93* 2011-2017
Minegishi, Kazushige, *see* Shimoyama, Nobuhiro, *T-ED Sep 93* 1682-1687
Mirin, R., *see* Dudley, J. J., *T-ED Nov 93* 2119-2120
Mishra, U. K., *see* Tian, H., *T-ED Dec 93* 2362-2365
Misiakos, Konstantinos, *see* Kavadias, Spyros, *T-ED Oct 93* 1875-1878
Misra, U. K., *see* Shealy, J. B., *T-ED Nov 93* 2115
Mistry, Kaizad R., and Brian Doyle. AC versus DC hot-carrier degradation in n-channel MOSFET's; *T-ED Jan 93* 96-104
Mistry, Kaizad R., *see* Doyle, Brian S., *T-ED Jan 93* 152-156
Mistry, Kaizad R., *see* Doyle, Brian S., *T-ED May 93* 980-985
Mistry, Kaizad R., Thomas F. Fox, Ronald P. Preston, Narain D. Arora, Brian S. Doyle, and Donald E. Nelsen. Circuit design guidelines for n-channel MOSFET hot carrier robustness; *T-ED Jul 93* 1284-1295
Mitani, Katsuhiko, *see* Kusano, Chushirou, *T-ED Jan 93* 25-31
Mitra, M., M. Das, S. Kar, and S. K. Roy. A study of the electrical series resistance of silicon IMPATT diodes (Brief p.); *T-ED Oct 93* 1890-1893
Mitra, Ved, Rachid Bouderbala, Arezki Benfdila, Hamid Bentarzi, and Akli Amrouche. Charge-extraction technique for studying the surface states in MOS devices; *T-ED May 93* 923-931
Miura, Hideo, *see* Hashimoto, Chiemi M., *T-ED Nov 93* 2127-2128
Miyamoto, Masafumi, Kazuo Yano, Yoichi Tamaki, Masaaki Aoki, Takashi Nishida, Koichi Seki, and Katsuhiro Shimohigashi. High-frequency characteristics of low-temperature pseudo-heterojunction bipolar transistors; *T-ED Feb 93* 378-384
Miyata, Kenji, *see* Matsumoto, Kazuya, *T-ED Jan 93* 82-85
Miyata, Yutaka, *see* Furuta, Mamoru, *T-ED Nov 93* 1964-1969
Miyazaki, Masaru, *see* Kusano, Chushirou, *T-ED Jan 93* 25-31
Mizuno, Tomohisa. Analytical model for high-performance shallow-junction-well transistor (SJET) with a fully depleted channel structure; *T-ED Jan 93* 105-111
Mobarek, Owaish H., *see* El-Hennawy, Adel E., *T-ED Sep 93* 1645-1652
Mochizuki, K., T. Nakamura, T. Tanoue, H. Masuda, and M. Horiuchi. AlGaAs/GaAs HBT's with reduced base–collector capacitance by using buried SiO_2 and polycrystalline GaAs in the extrinsic base and collector (Abstr.); *T-ED Nov 93* 2124-2125
Mochizuki, Kazuhiro, *see* Kusano, Chushirou, *T-ED Jan 93* 25-31
Mochizuki, Yasuhiro, *see* Mimura, Akio, *T-ED Mar 93* 513-520
Moffett, David F., *see* Eray, Mete, *T-ED Nov 93* 2137-2138
Mogul, Homyar C., Andrew J. Steckl, and Eti Ganin. Electrical properties of Si p^+-n junctions for sub-0.25 μm CMOS fabricated by Ga FIB implantation; *T-ED Oct 93* 1823-1829
Mohan, C. J., *see* Barron, C. C., *T-ED Nov 93* 2146-2147
Mohan, S., *see* Rajanna, K., *T-ED Mar 93* 521-524
Mohr, Daniel T., *see* Joshi, Abhay M., *T-ED Feb 93* 303-308

Moise, T. S., A. C. Seabaugh, E. A. Beam, III, Y.-C. Kao, and J. N. Randall. Room-temperature operation of InGaAs-based hot-electron transistors (Abstr.); *T-ED Nov 93* 2134
Moison, B., C. Papadas, G. Ghibaudo, P. Mortini, and G. Pananakakis. New method for the extraction of the coupling ratios in FLOTOX EEPROM cells (Brief p.); *T-ED Oct 93* 1870-1872
Molly, K. J., *see* Lott, J. A., *T-ED Nov 93* 2115-2116
Momiyama, Y., *see* Sato, A., *T-ED Nov 93* 2126
Momose, Hisayo Sasaki, *see* Saito, Masanobu, *T-ED Dec 93* 2264-2272
Mondry, M. J., *see* Chuang, Z.-M., *T-ED Nov 93* 2107-2108
Moon, Byung-jong, and Max J. Helix. Determination of the effective channel thickness of the MESFET's based on transconductance parameter β measurement; *T-ED Jan 93* 32-34
Moon, Byung-jong, Seongheam Lee, Michael Shur, Hadis Morkoç, and Anand Gopinath. Measurements of gate voltage dependence of electron mobility in δ-doped HFET's (Brief p.); *T-ED Sep 93* 1711-1713
Moore, Cameron A., *see* Thompson, Lance R., *T-ED Jul 93* 1270-1276
Moreno, Eugenio G., *see* Rodriguez, Angel, *T-ED May 93* 938-943
Morgan, R. A., *see* Bethea, C. G., *T-ED Nov 93* 1957-1963
Mori, Ken-ichi, *see* Takayama, Satoshi, *T-ED Feb 93* 342-347
Morii, Tomoyuki, *see* Uraoka, Yukiharu, *T-ED Aug 93* 1426-1431
Morikuni, James J., *see* Ketterson, Andrew A., *T-ED Aug 93* 1406-1416
Morimoto, Toyota, *see* Tsuchiaki, Masakatsu, *T-ED Oct 93* 1768-1779
Morkoç, Hadis, *see* Moon, Byung-jong, *T-ED Sep 93* 1711-1713
Mortini, P., *see* Moison, B., *T-ED Oct 93* 1870-1872
Motoyama, Shin-ichi, *see* Yano, Koji, *T-ED Nov 93* 2092-2094
Mountain, Robert W., *see* Reich, Robert K., *T-ED Jul 93* 1231-1237
Mukherjee, Satyen, *see* Sin, Johnny K. O., *T-ED Jul 93* 1300-1306
Müller, Robert, *see* Küsters, Antonio Mesquida, *T-ED Dec 93* 2164-2170
Munns. G. O., *see* Chen, W. L., *T-ED Nov 93* 2133-2134
Murao, Yukinobu, *see* Horiuchi, Tadahiko, *T-ED Aug 93* 1455-1460
Murase, Katsumi, *see* Shimoyama, Nobuhiro, *T-ED Sep 93* 1682-1687
Murphy, Bernard T. Minimization of transistor delay at a given power density; *T-ED Feb 93* 414-420
Murray, Chris, *see* El-Genk, Mohamed S., *T-ED Jul 93* 1335-1339
Muthunayagam, A. E., *see* Rajanna, K., *T-ED Mar 93* 521-524
Mykletyn, Edward, Sr., *see* Joshi, Abhay M., *T-ED Feb 93* 303-308

N

Nablev, R., *see* Wu, Y. A., *T-ED Nov 93* 2116-2117
Nafría, Montserrat, Jordi Suñé, and Xavier Aymerich. Characterization of SiO_2 dielectric breakdown for reliability simulation; *T-ED Sep 93* 1662-1668
Nagae, Yoshiharu, *see* Mimura, Akio, *T-ED Mar 93* 513-520
Nagae, Yoshiharu, *see* Takabatake, Masaru, *T-ED Oct 93* 1866-1870
Nagai, Katsutoshi, *see* Kido, Junji, *T-ED Jul 93* 1342-1344
Nakagawa, Akio, *see* Ogura, Tsuneo, *T-ED Mar 93* 628-633
Nakajima, Hiroki, and Tadao Ishibashi. Monte Carlo analysis of nonequilibrium electron transport in InAlGaAs/InGaAs HBT's; *T-ED Nov 93* 1950-1956
Nakamura, Jun-ichi, Yu-ichi Gomi, Masayuki Uni, and Hidetaka Hayashi. Nondestructive readout mode static induction transistor (SIT) photo sensors; *T-ED Feb 93* 334-341
Nakamura, T., *see* Nanba, M., *T-ED Aug 93* 1563-1565
Nakamura, T., *see* Mochizuki, K., *T-ED Nov 93* 2124-2125
Nakamura, Tohru, *see* Onai, Takahiro, *T-ED Feb 93* 402-406
Nakamura, Tsutomu, *see* Matsumoto, Kazuya, *T-ED Jan 93* 82-85
Nakashima, S., *see* Omura, Y., *T-ED May 93* 1019-1022
Nakata, Yoshiro, *see* Matsuo, Naoto, *T-ED Apr 93* 750-754
Nam, Joonwoo, *see* Tang, Ting-wei, *T-ED Aug 93* 1469-1477
Nanba, M., T. Uchino, M. Kondo, T. Nakamura, T. Kobayashi, Y. Tamaki, and M. Tanabe. A 64-GHz f_T and 3.6-V BV_{CEO} Si bipolar transistor using in situ phosphorus-doped and large-grained polysilicon emitter contacts (Brief p.); *T-ED Aug 93* 1563-1565
Nankou, Takahiko, *see* Onishi, Hiroshi, *T-ED Jan 93* 69-74
Nara, Akihiro, *see* Ajioka, Tsuneo, *T-ED Dec 93* 2282-2286
Nara, Y., *see* Sato, A., *T-ED Nov 93* 2126
Narayanan, C., A. Bruce Buckman, I. Busch-Vishniac, and Wanjun Wang. Position dependence of the transient response of a position-sensitive detector under periodic pulsed light modulation; *T-ED Sep 93* 1688-1694
Narayanan, E. M. Sankara, *see* Sankara Narayanan, E. M.
Nathan, Arokia, *see* Kung, William, *T-ED May 93* 910-917
Nathan, Arokia, and Walter Allegretto. Geometric factor for Hall mobility characterization using the van der Pauw dual configuration; *T-ED Aug 93* 1508-1511
Nathan, Arokia, *see* Manku, Tanjinder, *T-ED Nov 93* 1990-1996
Nathan, Menachem, *see* Ashkinazi, German A., *T-ED Feb 93* 285-291
Nathan, V., *see* Das, N. C., *T-ED Jun 93* 1179-1181
Nathan, V., and N. C. Das. Gate-induced drain leakage current in MOS devices (Brief p.); *T-ED Oct 93* 1888-1890
Nayak, M. M., *see* Rajanna, K., *T-ED Mar 93* 521-524
Neidhard, R., *see* Bayraktaroglu, B., *T-ED Nov 93* 2112-2113
Neilson, J., *see* Ives, R. Lawrence, *T-ED Jul 93* 1316-1321
Nelsen, Donald E., *see* Mistry, Kaizad R., *T-ED Jul 93* 1284-1295
Nelson, S. F., *see* Jackson, T. N., *T-ED Nov 93* 2104-2105
Nelson, S. Sam, *see* Pal, B. B., *T-ED Oct 93* 1878-1880
Nelson, Steve, *see* Liu, William, *T-ED Nov 93* 1917-1927
Nemirovsky, Yael, *see* Bloom, Ilan, *T-ED Feb 93* 309-314
Nényei, Z., *see* Bienek, R., *T-ED Sep 93* 1706-1708
Neudeck, Philip G., David J. Larkin, J. Anthony Powell, and Lawrence G. Matus. High voltage 6H-SiC rectifiers: Prospects and progress (Abstr.); *T-ED Nov 93* 2130
Neugroschel, Arnost, *see* Leu, I.-Yun, *T-ED Oct 93* 1872-1875
Neviani, Andrea, *see* Canali, Claudio, *T-ED Mar 93* 498-501
Nevin, W. Andrew, and Geoffrey Alan Chamberlain. Effect of oxide thickness on the properties of metal–insulator–organic semiconductor photovoltaic cells; *T-ED Jan 93* 75-81
Ng, Kim, *see* Mantese, Joseph V., *T-ED Feb 93* 320-324
Ng, Kwok K., S. Ali Eshraghi, and Tom D. Stanik. An improved generalized guide for MOSFET scaling (Brief p.); *T-ED Oct 93* 1895-1897
Nguyen, Cuong, *see* Ver Ploeg, Eric, *T-ED Nov 93* 2101-2102
Nguyen, Cuong T., *see* Lee, V. V., *T-ED Jul 93* 1223-1230
Nguyen, Loi D., *see* Matloubian, Mehran, *T-ED Nov 93* 2112
Nii, Hideaki, *see* Saito, Masanobu, *T-ED Dec 93* 2264-2272
Niitsu, Youichirou, *see* Shigyo, Naoyuki, *T-ED Nov 93* 2087-2089
Nijs, J., *see* Jain, S. C., *T-ED Dec 93* 2338-2343
Nijs, Johan F., *see* Rodriguez, Angel, *T-ED May 93* 938-943
Nikutta, W., *see* Terletzki, H., *T-ED Nov 93* 2081-2083
Nishida, Akira, *see* Yoh, Kanji, *T-ED Nov 93* 2134-2135
Nishida, Takashi, *see* Miyamoto, Masafumi, *T-ED Feb 93* 378-384
Nishimura, Kazumi, *see* Onodera, Kiyomitsu, *T-ED Jan 93* 18-24
Nishimura, Tadashi, *see* Yamaguchi, Yasuo, *T-ED Jan 93* 179-186
Nishimura, Tadashi, *see* Joachim, Hans-Oliver, *T-ED Oct 93* 1812-1817
Nishiyama, Akira, *see* Iijima, Tadashi, *T-ED Feb 93* 371-377
Noel, J.-P., *see* Manku, Tanjinder, *T-ED Nov 93* 1990-1996
Nordlander, Edvard, *see* Vobecky, Jan, *T-ED Dec 93* 2352-2358
Norlin, Peter, *see* Linnros, Jan, *T-ED Nov 93* 2065-2073
Nottenburg, R. N., *see* Laskar, J., *T-ED Nov 93* 2122
Nottenburg, Richard N., *see* Laskar, Joy, *T-ED Nov 93* 1942-1949
Nummila, Kari L., *see* Ketterson, Andrew A., *T-ED Aug 93* 1406-1416
Nurmikko, A. V., *see* Grillo, D. C., *T-ED Nov 93* 2109
Nuytkens, Peter R., *see* Eugster, Christopher C., *T-ED Nov 93* 1910-1916

O

Odeh, Farouk, *see* Souissi, Kamel, *T-ED Aug 93* 1501-1507
Ogawa, Hisashi, *see* Matsuo, Naoto, *T-ED Apr 93* 750-754
Ogura, Tsuneo, Akio Nakagawa, Masaki Atsuta, Yoshio Kamei, and Katsuhiko Takigami. High-frequency 6000-V double-gate GTO's; *T-ED Mar 93* 628-633
Oh, E., *see* Grillo, D. C., *T-ED Nov 93* 2109
Ohguro, Tatsuya, *see* Iijima, Tadashi, *T-ED Feb 93* 371-377
Ohmi, Tadahiro, *see* Shibata, Tadashi, *T-ED Mar 93* 570-576
Ohmi, Tadahiro, *see* Shibata, Tadashi, *T-ED May 93* 974-979
Ohnishi, Kazunori, *see* Takahashi, Yoshihiro, *T-ED Nov 93* 2006-2010
Ohno, Seiji, Yukihisa Ksuda, Nobuyuki Komaba, Yasunao Kuroda, Ken Yamashita, and Shuhei Tanaka. Integrated self-scanning light-emitting device (SLED); *T-ED Dec 93* 2216-2221
Ohno, Terukazu, Satoshi Matsumoto, and Katsutoshi Izumi. An intelligent power IC with double buried-oxide layers formed by SIMOX technology; *T-ED Nov 93* 2074-2080
Ohno, Y., M. Tsuchiya, and H. Sakaki. A novel quantum effect FET with resonantly modulated transfer characteristics (Abstr.); *T-ED Nov 93* 2135
Ohno, Yasuo, *see* Kunihiro, Kazuaki, *T-ED Mar 93* 493-497
Ohta, Hiroyuki, *see* Hashimoto, Chiemi M., *T-ED Nov 93* 2127-2128
Ojha, Jugnu J., *see* Kovacic, Stephen J., *T-ED Jun 93* 1154-1160
Okabayashi, Hidekazu. An analytical open-failure lifetime model for stress-induced voiding in aluminum lines; *T-ED Apr 93* 782-788
Okada, Shozo, *see* Matsuo, Naoto, *T-ED Apr 93* 750-754
Okamoto, Yoshiyuki, *see* Kido, Junji, *T-ED Jul 93* 1342-1344
Okumura, Koichiro, *see* Horiuchi, Tadahiko, *T-ED Aug 93* 1455-1460
Olivo, Piero, *see* Lanzoni, Massimo, *T-ED May 93* 951-957
Olivo, Piero, *see* Suñé, Jordi, *T-ED May 93* 1017-1019
Olsen, Gregory H., *see* Joshi, Abhay M., *T-ED Feb 93* 303-308
Olsson, Jörgen, *see* Edholm, Bengt, *T-ED Dec 93* 2359-2360
O'Malley, Megan, *see* Drabeck, Lawrence, *T-ED Nov 93* 2140-2141
Omura, Y., S. Nakashima, K. Izumi, and T. Ishii. 0.1-μm-gate, ultrathin-film CMOS devices using SIMOX substrate with 80-nm-thick buried oxide layer (Brief p.); *T-ED May 93* 1019-1022
Onai, Takahiro, Tohru Nakamura, and Noriyuki Homma. SEPIA: A new isolation structure for soft-error-immune LSIs; *T-ED Feb 93* 402-406

O'Neill, A. G., *see* Trattles, J. T., *T-ED Jul 93* 1344-1347
O'Neill, Anthony G., *see* Wood, Andrew C. G., *T-ED Jan 93* 157-162
Onishi, Hiroshi, Soichiro Mima, Takahiko Nankou, and Tadao Kohashi. Thermal dissolution ink transfer for full-color printing; *T-ED Jan 93* 69-74
Ono, Mizuki, *see* Saito, Masanobu, *T-ED Dec 93* 2264-2272
Onoda, Hiroshi, Makiko Kageyama, Yasuyuki Tatara, and Yasuhiro Fukuda. Analysis of electromigration-induced failures in multilayered interconnects; *T-ED Sep 93* 1614-1620
Onodera, Kiyomitsu, Kazumi Nishimura, Kazuyoshi Asai, and Suehiro Sugitani. High microwave and ultra-low noise performance of fully ion-implanted GaAs MESFET's with Au/WSiN T-shaped gate; *T-ED Jan 93* 18-24
Onozawa, S., N. Yamamoto, T. Kimura, Y. Sano, and M. Akiyama. Characterization and high-speed digital application of GaAs MESFET's on substrates (Abstr.); *T-ED Nov 93* 2139
Oolwa, Tsunemi, *see* Fukao, Ryuzo, *T-ED Jan 93* 64-68
Ooms, W., *see* Abrokwah, J. K., *T-ED Jun 93* 1185-1187
Ooms, William J., *see* Abrokwah, Jonathan K., *T-ED Feb 93* 278-284
Oppers, Jac M. A. M., *see* Theuwissen, Albert J. P., *T-ED Sep 93* 1621-1629
Or, Burnette S. S., *see* Hwang, Nam, *T-ED Jun 93* 1100-1103
Osburn, Carlton M., *see* Bothra, Subhas, *T-ED Mar 93* 591-597
Otsuka, N., *see* Grillo, D. C., *T-ED Nov 93* 2109
Oualid, Jean, *see* Seghir, Hachemi, *T-ED Jun 93* 1104-1111
Özturk, M. C., *see* Johnson, F. S., *T-ED Nov 93* 2099-2100

P

Pakulski, G., *see* Lu, Jian, *T-ED Jun 93* 1087-1092
Pal, B. B., and S. Sam Nelson. Optoelectronic charge coupled device (OECCD) using InP MIS capacitor array (Brief p.); *T-ED Oct 93* 1878-1880
Palmour, J. W., J. A. Edmond, and C. H. Carter, Jr. Demonstrating the potential of 6H-silicon carbide for power devices (Abstr.); *T-ED Nov 93* 2129-2130
Pamulapati, J., H. Shen, M. Wraback, M. Taysing-Lara, M. Dutta, H. C. Luo, and Y. Lu. Normal incidence GaAs/AlGaAs multiple-quantum-well polarization modulator using an induced uniaxial strain (Abstr.); *T-ED Nov 93* 2144-2145
Pan, J., *see* Sanders, J. W., *T-ED Nov 93* 2130-2131
Pananakakis, G., *see* Papadas, C., *T-ED Aug 93* 1549-1551
Pananakakis, G., *see* Moison, B., *T-ED Oct 93* 1870-1872
Panayotatos, Paul N., *see* Georgakilas, Alexandros, *T-ED Mar 93* 507-512
Papadas, C., G. Ghibaudo, G. Pananakakis, F. Pio, C. Riva, and P. Ghezzi. Impact of reactive ion etching using $O_2 + CHF_3$ plasma on the endurance performance of FLOTOX EEPROM cells (Brief p.); *T-ED Aug 93* 1549-1551
Papadas, C., *see* Moison, B., *T-ED Oct 93* 1870-1872
Papavassiliou, Christos, *see* Georgakilas, Alexandros, *T-ED Mar 93* 507-512
Park, J., *see* Line, T. L., *T-ED Nov 93* 2143
Park, Young-June, *see* Song, Jai-Hyuk, *T-ED May 93* 958-965
Park, Young-June, *see* Lee, Woo-Hyeong, *T-ED Nov 93* 2102-2103
Parker, Evan H. C., *see* Wood, Andrew C. G., *T-ED Jan 93* 157-162
Parker, James. Comments, with reply, on 'Transient analysis of stored charge in neutral base region' by K. Suzuki et al.; *T-ED Apr 93* 833-835 (Original paper, May 92 1164-1169)
Parker, James R., David J. Roulston, and John Starr Hamel. Partitioned-charge-based BJT model using transient charge control relations for arbitrary doping and bias conditions; *T-ED Mar 93* 605-612
Parra, Thierry, *see* Plana, Robert, *T-ED May 93* 852-858
Parrish, W. J., *see* Bethea, C. G., *T-ED Nov 93* 1957-1963
Parsons, C., *see* Bae, J. W., *T-ED Nov 93* 2117
Parsons, C., *see* Brusenbach, P., *T-ED Nov 93* 2120
Patil, Mahesh B., Umberto Ravaioli, and Mark R. Hueschent. Monte Carlo simulation of real-space transfer transistors: Device physics and scaling effects; *T-ED Mar 93* 480-486
Patterson, William R., *see* Shoucair, F. S., *T-ED Oct 93* 1760-1767
Patton, G., *see* Crabbé, E., *T-ED Nov 93* 2100-2101
Patton, Gary L., *see* Cressler, John D., *T-ED Mar 93* 525-541
Pattyn, Hugo, *see* Rodriguez, Angel, *T-ED May 93* 938-943
Pavan, Paolo, *see* Verzellesi, Giovanni, *T-ED Dec 93* 2296-2300
Pavlidis, Dimitris, *see* Chau, Hin-Fai, *T-ED Jan 93* 2-8
Peek, Herman L., *see* Theuwissen, Albert J. P., *T-ED Sep 93* 1621-1629
Peek, Herman L., *see* Hurkx, Fred, *T-ED Dec 93* 2273-2281
Pein, Howard, and James D. Plummer. A 3-D sidewall flash EPROM cell and memory array (Abstr.); *T-ED Nov 93* 2126-2127
Perantinos, George, *see* Georgakilas, Alexandros, *T-ED Mar 93* 507-512
Perera, Asanga H., *see* Hayden, James D., *T-ED Jun 93* 1121-1128
Petkovic, Novica, *see* Leech, Patrick W., *T-ED Aug 93* 1364-1370
Pettit, D., *see* Dodd, P. E., *T-ED Nov 93* 2141
Pey, Kin Leong, *see* Chan, Daniel S. H., *T-ED Aug 93* 1417-1425
Pfiester, James R., James D. Hayden, Howard C. Kirsch, Hsing-Huang Tseng, and Umberto Ravaioli. An ultra-shallow buried-channel PMOST using boron penetration; *T-ED Jan 93* 207-213
Pfirsch, F., and M. Ruff. Note on charge conservation in the transient semiconductor equations (Brief p.); *T-ED Nov 93* 2085-2087
Phang, Jacob C. H., *see* Chan, Daniel S. H., *T-ED Aug 93* 1417-1425
Phillips, Julia M., *see* Martens, Jon S., *T-ED Mar 93* 656-660
Phillips, Peter J., *see* Wood, Andrew C. G., *T-ED Jan 93* 157-162
Phillips, Stephen M., *see* Dhuler, Vijayakumar R., *T-ED Nov 93* 1977-1984
Phillips, Stephen M., *see* Dhuler, Vijayakumar R., *T-ED Nov 93* 1985-1989
Pierson, R., *see* Ho, W. J., *T-ED Nov 93* 2113-2114
Pimbley, Joseph M., *see* Brown, Dale M., *T-ED Feb 93* 325-333
Pio, F., *see* Papadas, C., *T-ED Aug 93* 1549-1551
Plana, Robert, Laurent Escotte, Olivier Llopis, Hicham Amine, Thierry Parra, Michel Gayral, and Jacques Graffeuil. Noise in AlGaAs/InGaAs/GaAs pseudomorphic HEMT's from 10 Hz to 18 GHz; *T-ED May 93* 852-858
Playez, Edouard, *see* Théron, Didier, *T-ED Nov 93* 1935-1941
Plummer, James, *see* Ver Ploeg, Eric, *T-ED Nov 93* 2101-2102
Plummer, James D., *see* Liu, David K. Y., *T-ED Feb 93* 428-438
Plummer, James D., *see* Pein, Howard, *T-ED Nov 93* 2126-2127
Pogemiller, Jay E., *see* Busta, Heinz H., *T-ED Aug 93* 1530-1536
Pogemiller, Jay E., *see* Busta, Heinz H., *T-ED Aug 93* 1537-1542
Polakos, Paul, *see* Drabeck, Lawrence, *T-ED Nov 93* 2140-2141
Polchlopek, Stanley W., Gary H. Bernstein, and Richard Y. Kwor. Properties of nitrogen-implanted SOI substrates; *T-ED Feb 93* 385-391
Polito, T., *see* Abrokwah, J. K., *T-ED Jun 93* 1185-1187
Polsky, B., *see* Apanovich, Y., *T-ED Nov 93* 2094-2096
Poortmans, J., *see* Jain, S. C., *T-ED Dec 93* 2338-2343
Powell, J. Anthony, *see* Neudeck, Philip G., *T-ED Nov 93* 2130
Prater, Thomas J., *see* Aslam, Mohammad, *T-ED Feb 93* 292-295
Preston, Ronald P., *see* Mistry, Kaizad R., *T-ED Jul 93* 1284-1295
Psaltis, Demetri, *see* Shenoy, Krishna V., *T-ED Nov 93* 2138-2139
Pulfrey, David L., *see* Zhou, Haosheng, *T-ED Jan 93* 44-48
Pulfrey, David L., and Shawn Searles. Electron quasi-Fermi level splitting at the base–emitter junction of AlGaAs/GaAs HBT's (Brief p.); *T-ED Jun 93* 1183-1185
Pulfrey, David L., *see* Marty, Antoine, *T-ED Jul 93* 1202-1210
Pulfrey, David L., *see* Liu, Qing Z., *T-ED Dec 93* 2204-2210

Q

Quader, Khandker N., Chester C. Li, Robert Tu, Elyse Rosenbaum, Ping K. Ko, and Chenming Hu. A bidirectional NMOSFET current reduction model for simulation of hot-carrier-induced circuit degradation; *T-ED Dec 93* 2245-2254
Qui, J., *see* Haase, M. A., *T-ED Nov 93* 2110
Quinn, W. E., *see* Bae, J. W., *T-ED Nov 93* 2117
Quinn, W. E., *see* Brusenbach, P., *T-ED Nov 93* 2120

R

Rabkin, Peter, *see* Frederickson, A. Robb, *T-ED May 93* 994-1000
Radunovic, Jovan B., and Dejan M. Gvozdic. Nonstationary and nonlinear response of a p-i-n photodiode made of a two-valley semiconductor; *T-ED Jul 93* 1238-1244
Raffel, Jack I., *see* Cohen, Simon S., *T-ED Jul 93* 1277-1283
Ragale, H. F., *see* Zekry, Abdelhalim, *T-ED Feb 93* 259-266
Rahat, Ido, Joseph Shappir, and Daniel Ben-Atar. Novel interface nitridation process for thin gate oxides; *T-ED Nov 93* 2047-2053
Rajanna, K., S. Mohan, M. M. Nayak, N. Gunasekaran, and A. E. Muthunayagam. Pressure transducer with Au–Ni thin-film strain gauges; *T-ED Mar 93* 521-524
Ram, R. J., *see* Dudley, J. J., *T-ED Nov 93* 2119-2120
Ramaswamy, Sridhar, *see* Tang, Ting-wei, *T-ED Aug 93* 1469-1477
Ramdas, A. K., *see* Grillo, D. C., *T-ED Nov 93* 2109
Ramos, José Carlos, *see* Cuevas, Andrés, *T-ED Jun 93* 1181-1183
Randall, J. N., *see* Moise, T. S., *T-ED Nov 93* 2134
Rao, Mulpuri V. High-energy (MeV) ion implantation and its device applications in GaAs and InP; *T-ED Jun 93* 1053-1066
Ravaioli, Umberto, *see* Pfiester, James R., *T-ED Jan 93* 207-213
Ravaioli, Umberto, *see* Patil, Mahesh B., *T-ED Mar 93* 480-486
Reczek, W., *see* Terletzki, H., *T-ED Nov 93* 2081-2083
Rees, Daniel E., Bruce E. Carlsten, Stanley Humphries, Jr., and Paul J. Tallerico. Calculation of beam loading using the induced-current method in passive cavities; *T-ED Aug 93* 1543-1548
Reich, Robert K., Robert W. Mountain, William H. McGonagle, Jammy Chin-Ming Huang, Jonathan C. Twichell, Bernard B. Kosicki, and

Eugene D. Savoye. Integrated electronic shutter for back-illuminated charge-coupled devices; *T-ED Jul 93* 1231-1237
Reinhold, Gilles, and André-Jacques Auberton-Hervé. Aging analysis of NMOS of a 1.3-μm partially depleted SIMOX SOI technology: Comparison with a 1.3-μm bulk technology; *T-ED Feb 93* 364-370
Reis, Hans-Martin, *see* Schröter, Michael, *T-ED Nov 93* 2036-2046
Reinhard, Dan K., *see* Huang, Chi-Jung, *T-ED Sep 93* 1669-1674
Resnick, D. R., *see* Hafizi, H., *T-ED Nov 93* 2122-2123
Revesz, Alton G., *see* Brown, George A., *T-ED Sep 93* 1700-1705
Rey, Gérard, *see* Cruz Serra, António, *T-ED Feb 93* 353-357
Reynolds, T., *see* Dudley, J. J., *T-ED Nov 93* 2119-2120
Rho, Kwang-Myoung, Kwyro Lee, Michael Shur, and Tor A. Fjeldly. Unified quasi-static MOSFET capacitance model; *T-ED Jan 93* 131-136
Riccò, Bruno, *see* Selmi, Luca, *T-ED Feb 93* 273-277
Riccò, Bruno, *see* Lanzoni, Massimo, *T-ED May 93* 951-957
Rinaldi, Niccolò. Modeling of minority-carrier transport in nonuniformity doped silicon regions with asymptotic expansions; *T-ED Dec 93* 2307-2317
Ringhandt, A., and H. G. Wagemann. An exact calculation of the two-dimensional capacitance of a wire and a new approximation formula (Brief p.); *T-ED May 93* 1028-1032
Ringle, M. D., *see* Grillo, D. C., *T-ED Nov 93* 2109
Riva, C., *see* Papalini, C., *T-ED Aug 93* 1549-1551
Roberts, Thomas M. Comment on "The nonlinear operation of a microwave crossed-field amplifier' by G. E. Thomas; *T-ED Jan 93* 1188-1189 (Original paper, Jan 81 27-36)
Rodríguez, Angel, Eugenio G. Moreno, Hugo Pattyn, Johan F. Nijs, and Robert P. Mertens. Model for the anomalous off-current of polysilicon thin-film transistors and diodes; *T-ED May 93* 938-943
Rodríguez-Tellez, J., and B. P. Stothard. Simulation of temperature and bias dependencies of β and V_{TO} of GaAs MESFET devices; *T-ED Oct 93* 1730-1735
Rodríguez-Tellez, J., K. Mezher, and M. Al-Daas. Improved junction capacitance model for the GaAs MESFET (Brief p.); *T-ED Nov 93* 2083-2085
Rofail, Samir S., and Mohamed I. Elmasry. Temperature-dependent characteristics of BiCMOS digital circuits; *T-ED Jan 93* 169-178
Rogers, Boyd, *see* Bothra, Subhas, *T-ED Mar 93* 591-597
Rohatgi, Ajeet, *see* Chen, Zhizhang, *T-ED Jun 93* 1161-1165
Rohatgi, Ajeet, *see* Sana, Peyman, *T-ED Aug 93* 1461-1468
Rooks, M. J., *see* Eugster, C. C., *T-ED Nov 93* 2135-2136
Rose, Kenneth, *see* Chuang, Tien-Min, *T-ED Apr 93* 796-803
Rosenbaum, Elyse, *see* Quader, Khandker N., *T-ED Dec 93* 2245-2254
Rosenbaum, Elyse, Zhihong Liu, and Chenming Hu. Silicon dioxide breakdown lifetime enhancement under bipolar bias conditions; *T-ED Dec 93* 2287-2295
Rosenbaum, S. E., *see* Brown, J. J., *T-ED Nov 93* 2111-2112
Rosling, Mats, *see* Vobecky, Jan, *T-ED Dec 93* 2352-2358
Rothwell, M. B., *see* Wright, S. L., *T-ED Nov 93* 2128-2129
Rotundaro, Antonio Luis Pacheco, Ulf K. Magnusson, Cor Claeys, Denis Flandre, Akira Terao, and Jean-Pierre Colinge. Evidence of different conduction mechanisms in accumulation-mode p-channel SOI MOSFET's at room and liquid-helium temperatures; *T-ED Apr 93* 727-732
Roulston, David J., *see* Parker, James R., *T-ED Mar 93* 605-612
Roulston, David J., *see* Kumar, M. Jagadesh, *T-ED Aug 93* 1478-1483
Roulston, David J., *see* Mauku, Tanjinder, *T-ED Nov 93* 1990-1996
Roush, Randy A., Michael S. Mazzola, and David C. Stoudt. Infrared photoconductivity via deep copper acceptors in silicon-doped, copper-compensated gallium arsenide photoconductive switches; *T-ED Jun 93* 1081-1086
Roy, S. K., *see* Mitra, M., *T-ED Oct 93* 1890-1893
Ruby, W. J., *see* de la Houssaye, P. R., *T-ED Nov 93* 2139-2140
Ruff, M., *see* Pfirsch, F., *T-ED Nov 93* 2085-2087
Russell, S. D., *see* de la Houssaye, P. R., *T-ED Nov 93* 2139-2140

S

Sahl, Bahak, *see* Lee, Yung-Huei, *T-ED Jan 93* 163-168
Sadayuki, E., *see* Choi, D. H., *T-ED Nov 93* 2129
Sadler, Robert A., George D. Studtmann, and Hamida P. Singh. High-speed GaAs multipliers fabricated with a high-yield 0.4-μm process; *T-ED Sep 93* 1578-1582
Sadovnikov, Alexei D., *see* Kumar, M. Jagadesh, *T-ED Aug 93* 1478-1483
Sala, Richard J., *see* Brown, Dale M., *T-ED Feb 93* 325-333
Salter, A., *see* Ho, W. J., *T-ED Nov 93* 2113-2114
Saito, Masanobu, Takashi Yoshitomi, Hisashi Hara, Mizuki Ono, Yasushi Akasaka, Hideaki Nii, Satoshi Matsuda, Hisayo Sasaki Momose, Yasuhiro Katsumata, Yukihiro Ushiku, and Hiroshi Iwai. P-MOSFET's with ultra-shallow solid-phase-diffused drain structure produced by diffusion from BSG gate-sidewall; *T-ED Dec 93* 2264-2272
Sakaki, H., *see* Ohno, Y., *T-ED Nov 93* 2135
Sakurai, Takayasu. Closed-form expressions for interconnection delay, coupling, and crosstalk in VLSI's; *T-ED Jan 93* 118-124
Salmi, Jalal, *see* Chen, Zhizhang, *T-ED Jun 93* 1161-1165
Salmi, Jalal, *see* Sana, Peyman, *T-ED Aug 93* 1461-1468
Salokatve, A., *see* Grillo, D. C., *T-ED Nov 93* 2109
Samria, N. K., *see* Sâl, A., *T-ED Oct 93* 1855-1863
Sana, Peyman, *see* Chen, Zhizhang, *T-ED Jun 93* 1161-1165
Sana, Peyman, Jalal Salami, and Ajeet Rohatgi. Fabrication and analysis of high-efficiency polycrystalline silicon solar cells; *T-ED Aug 93* 1461-1468
Sanders, J. W., J. Pan, W. Xie, S. T. Sheppard, M. Mathur, J. A. Cooper, Jr., and M. R. Melloch. MOS characterization of thermally oxided 6H silicon carbide (Abstr.); *T-ED Nov 93* 2130-2131
Sandmaier, Hermann, and Karl Kühl. A square-diaphragm piezoresistive pressure sensor with a rectangular central boss for low-pressure ranges; *T-ED Oct 93* 1754-1759
Sangiorgi, E., *see* Fiegna, C., *T-ED Dec 93* 2369-2370
Sangiorgi, Enrico, *see* Fiegna, Claudio, *T-ED Mar 93* 619-627
Sangiorgi, Enrico, *see* Fiegna, Claudio, *T-ED Nov 93* 2018-2022
Sankaran, Vasudevan, John M. Hinckley, and Jasprit Singh. Theoretical small-signal performance of Si/SiGe/Si HBT; *T-ED Sep 93* 1589-1596
Sankara Narayanan, E. M., G. A. J. Amaratunga, and W. I. Milne. CMOS compatible shorted anode auxiliary cathode lateral insulated gate bipolar transistors (Brief p.); *T-ED Oct 93* 1880-1883
Sano, Y., *see* Onozawa, S., *T-ED Nov 93* 2139
Santander, Joaquín, Manuel Lozano, and Carles Cané. Accurate extraction of contact resistivity on Kelvin D-resistor structures using universal curves from simulation; *T-ED May 93* 944-950
Santos, Humberto Abreu, *see* Abreu Santos, Humberto
Sarrabayrouse, G., *see* Bafleur, M., *T-ED Jul 93* 1340-1342
Sasago, Masaru, *see* Matsuo, Naoto, *T-ED Apr 93* 750-754
Sato, A., Y. Momiyama, Y. Nara, T. Sugii, Y. Arimoto, and T. Ito. A 0.5-μm EEPROM cell using poly-Si TFT technology (Abstr.); *T-ED Nov 93* 2126
Sato, Yoshiyuki, *see* Ushizaka, Hironori, *T-ED May 93* 932-937
Savoye, Eugene D., *see* Reich, Robert K., *T-ED Jul 93* 1231-1237
Schaper, U., K. H. Bachem, M. Kärner, and P. Zwicknagl. Scaling of small-signal equivalent circuit elements for GaInP/GaAs hole-barrier bipolar transistors (HBBT) (Brief p.); *T-ED Jan 93* 222-224
Scherer, A., *see* Schnitzer, I., *T-ED Nov 93* 2108-2109
Scherer, R., *see* Bayraktaroglu, B., *T-ED Nov 93* 2112-2113
Schildberg, Steffen, *see* Bahl, Sandeep R., *T-ED Nov 93* 2110-2111
Schlachetzki, Andreas, *see* Hahn, Dietmar, *T-ED Dec 93* 2199-2203
Schmitz, A. S., *see* Brown, J. J., *T-ED Nov 93* 2111-2112
Schneider, Martin V., *see* Drabeck, Lawrence, *T-ED Nov 93* 2140-2141
Schneider, R. P., Jr., *see* Lott, J. A., *T-ED Nov 93* 2115-2116
Schneider, William E., *see* Brown, Dale M., *T-ED Feb 93* 325-333
Schnitzer, I., E. Yablonovitch, A. Ersen, A. Scherer, C. Caneau, and T. J. Gmitter. Ultra-high efficiency light-emitting-diode arrays (Abstr.); *T-ED Nov 93* 2108-2109
Schrimpf, Ronald D., *see* Johnson, Gregory H., *T-ED May 93* 1001-1008
Schroder, Dieter K., *see* Gong, Sheng S., *T-ED Jul 93* 1251-1257
Schröter, Michael, Martin Friedrich, and Hans-Martin Rein. A generalized integral charge-control relation and its application to compact models for silicon-based HBT's; *T-ED Nov 93* 2036-2046
Schubring, Norman W., *see* Mantese, Joseph V., *T-ED Feb 93* 320-324
Sciortino, P. F., *see* Chen, Y. K., *T-ED Nov 93* 2118-2119
Seabaugh, A. C., *see* Moise, T. S., *T-ED Nov 93* 2134
Seabaugh, Alan C., *see* Liu, William, *T-ED Aug 93* 1384-1389
Seabury, C. W., C. W. Farley, B. T. McDermott, J. A. Higgins, C. L. Lin, P. J. Kirchner, J. M. Woodall, and R. C. Gee. Base recombination in high performance InGaAs/InP HBT's (Abstr.); *T-ED Nov 93* 2123-2124
Searles, Shawn, *see* Pulfrey, David L., *T-ED Jun 93* 1183-1185
See, Yee-Chaung, *see* Hayden, James D., *T-ED Jun 93* 1121-1128
Segawa, Mizuki, *see* Hori, Atsushi, *T-ED Sep 93* 1675-1681
Seghir, Hachemi, Sorin Cristoloveanu, Robert Jérisian, Jean Oualid, and André-Jacques Auberton-Hervé. Correlation of the leakage current and charge pumping in silicon on insulator gate-controlled diodes; *T-ED Jun 93* 1104-1111
Seifert, Wilhelm, *see* Wildau, Hans-Jürgen, *T-ED Dec 93* 2318-2325
Seitchik, Jerold A., *see* Amerasekera, Ajith, *T-ED Oct 93* 1836-1844
Seki, Koichi, *see* Miyamoto, Masafumi, *T-ED Feb 93* 378-384
Selik, J., *see* Beucic, Z., *T-ED Oct 93* 1885-1887
Selmi, Luca, and Bruno Riccò. Modeling temperature effects in the DC *I–V* characteristics of GaAs MESFET's; *T-ED Feb 93* 273-277
Selmi, Luca, *see* Fiegna, Claudio, *T-ED Nov 93* 2018-2022
Sengupta, Nasrudine, and Brian K. Jones. Modeling of the transient response of substrate traps to the substrate voltage in GaAs FET's; *T-ED Mar 93* 471-479
Seo, Jong-Wook, *see* Ketterson, Andrew A., *T-ED Aug 93* 1406-1416
Sergent, A. M., *see* Chen, Y. K., *T-ED Nov 93* 2118-2119
Serra, António Cruz, *see* Cruz Serra, António

Sethi, S., *see* Sun, H. C., *T-ED Nov 93* 2106-2107
Shacham-Diamand, Yosi. Filament formation and the final resistance modeling in amorphous-silicon vertical programmable element; *T-ED Oct 93* 1780-1788
Shah, Nitin J., *see* Kizilyalli, Isik C., *T-ED Feb 93* 234-249
Shappir, Joseph, *see* Rahat, Ido, *T-ED Nov 93* 2047-2053
Shaw, John G., *see* Martin, Russel A., *T-ED Mar 93* 634-644
Shealy, J. B., M. M. Hashemi, K. Kiziloglu, S. P. DenBaars, U. K. Misra, T. K. Liu, J. J. Brown, and M. M. Liu. High frequency, high breakdown AlInAs/GaInAs junction modulated HEMT's (JHEMT's) with regrown ohmic contacts by MOCVD (Abstr.); *T-ED Nov 93* 2115
Shen, H., *see* Pamulapati, J., *T-ED Nov 93* 2144-2145
Shenai, Krishna. A novel trench planarization technique using polysilicon refill, polysilicon oxidation, and oxide etchback (Brief p.); *T-ED Feb 93* 459-463
Shenoy, Krishna V., Clifton G. Fonstad, Jr., Annette C. Grot, and Demetri Psaltis. MBE regrowth of LED's on VLSI GaAs MESFET's (Abstr.); *T-ED Nov 93* 2138-2139
Sheppard, S. T., *see* Sanders, J. W., *T-ED Nov 93* 2130-2131
Shibata, Tadashi, and Tadahiro Ohmi. Neuron MOS binary-logic integrated circuits—Part I: Design fundamentals and soft-hardware-logic circuit implementation; *T-ED Mar 93* 570-576
Shibata, Tadashi, and Tadahiro Ohmi. Neuron MOS binary-logic integrated circuits—Part II: Simplifying techniques of circuit configuration and their practical applications; *T-ED May 93* 974-979
Shieh, Hir-Ming, *see* Hsu, Wei-Chou, *T-ED Sep 93* 1630-1635
Shigyo, Naoyuki, and Youichirou Niitsu. Physical models for bipolar device simulation and their effects on cutoff frequency (Brief p.); *T-ED Nov 93* 2087-2089
Shih, Arnold, and Charles Hor. Secondary emission properties as a function of the electron incidence angle; *T-ED Apr 93* 824-829
Shimawaki, Hidenori, *see* Tanaka, Shin-ichi, *T-ED Jul 93* 1194-1201
Shimawaki, Hidenori, Yasushi Amamiya, Naoki Furuhata, and Kazuhiko Honjo. High-f_{max} AlGaAs/InGaAs and AlGaAs/GaAs HBT's fabricated with MOMBE selective growth in extrinsic base regions (Abstr.); *T-ED Nov 93* 2124
Shimizu, Kazuhiro, Osamu Sugiura, and Masakiyo Matsumura. High-mobility poly-Si thin-film transistors fabricated by a novel excimer laser crystallization method; *T-ED Jan 93* 112-117
Shimizu, Masahiro, *see* Yamaguchi, Yasuo, *T-ED Jan 93* 179-186
Shimohigashi, Katsuhiro, *see* Miyamoto, Masafumi, *T-ED Feb 93* 378-384
Shimoyama, Nobuhiro, Katsuyuki Machida, Jun-ichi Takahashi, Katsumi Murase, Kazushige Minegishi, and Toshiaki Tsuchiya. Enhanced hot-carrier degradation due to water-related components in TEOS/O_3 oxide and water blocking with ECR-SiO_2 film; *T-ED Sep 93* 1682-1687
Shor, Joseph S., David Goldstein, and Anthony D. Kurtz. Characterization of n-type β-SiC as a piezoresistor; *T-ED Jun 93* 1093-1099
Shoucair, F. S., and William R. Patterson. Analysis and modeling of nonlinearities in VLSI MOSFETs including substrate effects; *T-ED Oct 93* 1760-1767
Shtengel, G., *see* Brusenbach, P., *T-ED Nov 93* 2120
Shur, Michael, *see* Rho, Kwang-Myoung, *T-ED Jan 93* 131-136
Shur, Michael, *see* Fjeldly, Tor A., *T-ED Jan 93* 137-145
Shur, Michael, *see* Moon, Byung-jong, *T-ED Sep 93* 1711-1713
Siegal, Michael P., *see* Martens, Jon S., *T-ED Mar 93* 656-660
Sil, A., N. K. Samria, A. Chatterjee, and D. S. Venkateswarlu. Estimation of dispenser cathode surface temperature of a practical potted heater cathode assembly; *T-ED Oct 93* 1855-1863
Silber, Moris, *see* Eray, Mete, *T-ED Nov 93* 2137-2138
Sim, Jai-hoon, and James B. Kuo. An analytical back-gate bias effect model for ultrathin SOI CMOS devices; *T-ED Apr 93* 755-765
Sim, Jai-hoon, *see* Kuo, James B., *T-ED Dec 93* 2237-2244
Simmons, J. G., *see* Liu, H. C., *T-ED Nov 93* 2142
Simmons, John G., *see* Swoger, James, *T-ED Jun 93* 1071-1080
Simmons, John G., *see* Kovacic, Stephen J., *T-ED Jun 93* 1154-1160
Simoen, E., Ulf Magnusson, and Cor Claeys. A low-frequency noise study of gate-all-around SOI transistors; *T-ED Nov 93* 2054-2059
Simoen, Eddy, Bart Dierickx, and Cor L. Claeys. Low-frequency noise behavior of Si NMOST's stressed at 4.2 K; *T-ED Jul 93* 1296-1299
Simpkins, Shaun, *see* Yamaguchi, Tadanori, *T-ED Aug 93* 1484-1495
Sin, Johnny K. O., and Satyen Mukherjee. Analysis and characterization of the segmented anode LIGBT; *T-ED Jul 93* 1300-1306
Singh, Awatar, P. D. Vyas, W. S. Khokle, Chatar Singh, and K. Lal. Discharge treatment of W-Si system for silicidation (Brief p.); *T-ED Aug 93* 1551-1553
Singh, Chatar, *see* Singh, Awatar, *T-ED Aug 93* 1551-1553
Singh, Hausila P., *see* Sadler, Robert A., *T-ED Sep 93* 1578-1582
Singh, J., *see* Sun, H. C., *T-ED Nov 93* 2106-2107
Singh, Jasprit, *see* Sankaran, Vasudevan, *T-ED Sep 93* 1589-1596
Singhal, Kumud, *see* Kizilyalli, Isik C., *T-ED May 93* 966-973
Situ, Yan, *see* Kang, Bao-Wei, *T-ED Oct 93* 1805-1811
Sivco, Deborah L., *see* Mastrapasqua, Marco, *T-ED Feb 93* 250-258
Sivco, Deborah L., *see* Mastrapasqua, Marco, *T-ED Aug 93* 1371-1377
Slotboom, Jan W., *see* Hurkx, Fred, *T-ED Dec 93* 2273-2281
Smith, Edwyn D., *see* Young, Paul G., *T-ED Nov 93* 1905-1909
Soares, Antonio M., *see* Cohen, Simon S., *T-ED Jul 93* 1277-1283
Soch, Kevin L., *see* Mantese, Joseph V., *T-ED Feb 93* 320-324
Söderbärg, Anders, *see* Edholm, Bengt, *T-ED Dec 93* 2359-2360
Sodini, C. G., *see* Gross, B. Jeffrey, *T-ED Mar 93* 680-681
Sommer, Volker, *see* Küsters, Antonio Mesquida, *T-ED Dec 93* 2164-2170
Song, J.-I., *see* Chough, K. B., *T-ED Nov 93* 2111
Song, Jai-Hyuk, Young-June Park, and Hong-Shick Min. Detection of the trapped electron distribution of PMOSFET's after hot-carrier stress; *T-ED May 93* 958-965
Soulsi, Kamel, Farouk Odeh, Henry H. K. Tang, Antonio Gnudi, and Pong-Fei Lu. Investigation of the impact ionization in the hydrodynamic model; *T-ED Aug 93* 1501-1507
Souk, J. H., *see* Wright, S. L., *T-ED Nov 93* 2128-2129
Specht, Vicki, *see* Lawson, Wes, *T-ED Jul 93* 1322-1328
SpringThorpe, Anthony J., *see* Kovacic, Stephen J., *T-ED Jun 93* 1154-1160
Stanchina, W. E., *see* Hafizi, H., *T-ED Nov 93* 2122-2123
Stanchina, William E., *see* Hafizi, Madjid, *T-ED Sep 93* 1583-1588
Stanchina, William E., *see* Hafizi, Madjid, *T-ED Dec 93* 2178-2185
Stanik, Tom D., *see* Ng, Kwok K., *T-ED Oct 93* 1895-1897
Stanis, C., *see* Crabbé, E., *T-ED Nov 93* 2100-2101
Stanley, C. R., *see* Adams, James A., *T-ED Jun 93* 1047-1052
Staudt-Fischbach, Peter, *see* Wildau, Hans-Jürgen, *T-ED Dec 93* 2318-2325
Stayt, J. W., *see* Bethea, C. G., *T-ED Nov 93* 1957-1963
Steckl, Andrew J., *see* Mogul, Homyar C., *T-ED Oct 93* 1823-1829
Stettler, Mark A., Muhammad A. Alam, and Mark S. Lundstrom. A critical examination of the assumptions underlying macroscopic transport equations for silicon devices; *T-ED Apr 93* 733-740
Stevens, Eric G. Correction to 'A unified model of carrier diffusion and sampling aperture effects on MTF in solid-state image sensors' (Nov 92 2621-2623); *T-ED Oct 93* 1903
Stiffler, Scott R., and Arturo O. Cifuentes. The effect of trench corner shapes on local stress fields: A three-dimensional finite-element modeling study; *T-ED Mar 93* 557-563
Stork, J., *see* Crabbé, E., *T-ED Nov 93* 2100-2101
Stork, Johannes M. C., *see* Cressler, John D., *T-ED Mar 93* 525-541
Stork, Johannes M. C., *see* Cressler, John D., *T-ED Mar 93* 542-556
Stothard, B. P., *see* Rodriguez-Tellez, J., *T-ED Oct 93* 1730-1735
Stoudt, David C., *see* Roush, Randy A., *T-ED Jun 93* 1081-1086
Streit, Dwight C., *see* Tedesco, Carlo, *T-ED Jul 93* 1211-1214
Studtmann, George D., *see* Sadler, Robert A., *T-ED Sep 93* 1578-1582
Stumpf, Erich, *see* Leech, Patrick W., *T-ED Aug 93* 1364-1370
Su, Yan-Kuin, Ruey-Lue Wang, and Hann-Huei Tsai. Delta-doping interband tunneling diode by metal-organic chemical vapor deposition; *T-ED Dec 93* 2192-2198
Subbanna, S., *see* Crabbé, E., *T-ED Nov 93* 2100-2101
Sueno, Shigeho, *see* Matsumoto, Kazuya, *T-ED Jan 93* 82-85
Sugii, T., *see* Sato, A., *T-ED Nov 93* 2126
Sugitani, Suehiro, *see* Onodera, Kiyomitsu, *T-ED Jan 93* 18-24
Sugiura, Emiko, *see* Watanabe, Hisashi, *T-ED Dec 93* 2211-2215
Sugiura, O., *see* Choi, D. H., *T-ED Nov 93* 2129
Sugiura, Osamu, *see* Shimizu, Kazuhiro, *T-ED Jan 93* 112-117
Suguro, Kyoichi, *see* Iijima, Tadashi, *T-ED Feb 93* 371-377
Sukegawa, Tokuzo, *see* Yano, Koji, *T-ED Nov 93* 2092-2094
Sun, C. Jack, *see* Huang, Chi-Jung, *T-ED Sep 93* 1669-1674
Sun, H. C., P. Bhattacharya, J. Singh, L. Davis, and S. Sethi. A tunneling injection quantum well laser (Abstr.); *T-ED Nov 93* 2106-2107
Sun, Jack Y.-C., *see* Cressler, John D., *T-ED Mar 93* 525-541
Sun, Jack Y.-C., *see* Cressler, John D., *T-ED Mar 93* 542-556
Sun, W., *see* Leblebici, Y., *T-ED Mar 93* 673-676
Suñé, Jordi, *see* Lanzoni, Massimo, *T-ED May 93* 951-957
Suñé, Jordi, Massimo Lanzoni, and Piero Olivo. Temperature dependence of Fowler–Nordheim injection from accumulated n-type silicon into silicon dioxide (Brief p.); *T-ED May 93* 1017-1019
Suñé, Jordi, *see* Nafría, Montserrat, *T-ED Sep 93* 1662-1668
Surridge, R., *see* Lu, Jian, *T-ED Jun 93* 1087-1092
Surya, Charles, and Thomas Y. Hsiang. Comment on 'A 1/*f* noise technique to extract the oxide trap density near the conduction band edge of silicon' by R. Jayaraman and C. G. Sodini; *T-ED Mar 93* 680 (Original paper, Sep 89 1773-1782)
Reply to comment by B. J. Gross, R. Jayaraman, and C. G. Sodini, *T-ED Mar 93* 680-681
Suzuki, Hideo, Kohtaroh Gotoh, Takeshi Imamura, and Shinya Hasuo. Multi-input Josephson AND gate with ladder structure; *T-ED Mar 93* 661-665
Suzuki, Kouhei, *see* Takayama, Satoshi, *T-ED Feb 93* 342-347
Suzuki, Kunihiro, Tetsu Tanaka, Yoshiharu Tosaka, Hiroshi Horie, and Yoshihiro Arimoto. Scaling theory for double-gate SOI MOSFET's; *T-ED Dec 93* 2326-2329
Suzuki, Takaya, *see* Mimura, Akio, *T-ED Mar 93* 513-520

Swanson, Richard M., *see* Kane, David E., *T-ED Aug 93* 1496-1500
Sweeny, M., *see* Abbott, E. B., *T-ED May 93* 1022-1024
Swirhun, S. E., *see* Bae, J. W., *T-ED Nov 93* 2117
Swirhun, S. E., *see* Brusenbach, P., *T-ED Nov 93* 2120
Swoger, James, and John G. Simmons. Electrical and optical properties of the four-terminal double-heterostructure opto-electronic switch (DOES); *T-ED Jun 93* 1071-1080
Syau, Tsengyou, and B. Jayant Baliga. Mobility study on RIE etched silicon surfaces using SF_6/O_2 gas etchants; *T-ED Nov 93* 1997-2005

T

Tacano, Munecazu. Hooge fluctuation parameter of semiconductor microstructures; *T-ED Nov 93* 2060-2064
Tai, K., *see* Huang, K. F., *T-ED Nov 93* 2119
Takabatake, Masaru, Makoto Tsumura, and Yoshiharu Nagae. Consideration of feed-through voltage in amorphous-Si TFT's (Brief p.); *T-ED Oct 93* 1866-1870
Takabayashi, Toshio, *see* Tomita, Yasuhiro, *T-ED Feb 93* 315-319
Takahashi, Jun-ichi, *see* Shimoyama, Nobuhiro, *T-ED Sep 93* 1682-1687
Takahashi, Yoshihiro, and Kazunori Ohnishi. Estimation of insulation layer conductance in MNOS structure; *T-ED Nov 93* 2006-2010
Takayama, Satoshi, Ken-ichi Mori, Kouhei Suzuki, and Chiaki Tanuma. An a-Si:H photoconductive sensor with a gate electrode; *T-ED Feb 93* 342-347
Takeda, Eiji, *see* Woltjer, Reinout, *T-ED Feb 93* 392-401
Takigami, Katsuhiko, *see* Ogura, Tsuneo, *T-ED Mar 93* 628-633
Tallerico, Paul J., *see* Rees, Daniel E., *T-ED Aug 93* 1543-1548
Tamaki, Y., *see* Nanba, M., *T-ED Aug 93* 1563-1565
Tamaki, Yoichi, *see* Miyamoto, Masafumi, *T-ED Feb 93* 378-384
Tanabe, M., *see* Nanba, M., *T-ED Aug 93* 1563-1565
Tanaka, Akira, *see* Yano, Koji, *T-ED Nov 93* 2092-2094
Tanaka, Hiroyuki, Hidetsugu Uchida, Tsuneo Ajioka, and Norio Hirashita. The degradation of TDDB characteristics of $SiO_2/Si_3N_4/SiO_2$ stacked films caused by surface roughness of Si_3N_4 films; *T-ED Dec 93* 2231-2236
Tanaka, Shin-ichi, Hidenori Shimawaki, Kensuke Kasahara, and Kazuhiko Honjo. Characterization of current-induced degradation in Be-doped HBT's based in GaAs and InP; *T-ED Jul 93* 1194-1201
Tanaka, Shuhei, *see* Ohno, Seiji, *T-ED Dec 93* 2216-2221
Tanaka, Tetsu, *see* Suzuki, Kunihiro, *T-ED Dec 93* 2326-2329
Tanbun-Ek, T., *see* Chen, Y. K., *T-ED Nov 93* 2118-2119
Tang, Henry H. K., *see* Souissi, Kamel, *T-ED Aug 93* 1501-1507
Tang, Mao-Chuan, *see* Kuo, James B., *T-ED Dec 93* 2237-2244
Tang, Ting-wei, Sridhar Ramaswamy, and Joonwoo Nam. An improved hydrodynamic transport model for silicon; *T-ED Aug 93* 1469-1477
Tanoue, T., *see* Mochizuki, K., *T-ED Nov 93* 2124-2125
Tantasood, Prateep, *see* Chen, Hung-Sheng, *T-ED Jan 93* 220-222
Tanuma, Chiaki, *see* Takayama, Satoshi, *T-ED Feb 93* 342-347
Tao, Jiang, K. Konrad Young, Nathan W. Cheung, and Chenming Hu. Electromigration reliability of tungsten and aluminum vias and improvements under AC current stress; *T-ED Aug 93* 1398-1405
Tasselli, Josiane, *see* Marty, Antoine, *T-ED Jul 93* 1202-1210
Tatara, Yasuyuki, *see* Onoda, Hiroshi, *T-ED Sep 93* 1614-1620
Tate, A., *see* Chen, Y. K., *T-ED Nov 93* 2118-2119
Taysing-Lara, M., *see* Pamulapati, J., *T-ED Nov 93* 2144-2145
Tedesco, Carlo, *see* Canali, Claudio, *T-ED Mar 93* 498-501
Tedesco, Carlo, Enrico Zanoni, Claudio Canali, Stefano Bigliardi, Manfredo Manfredi, Dwight C. Streit, and Wallace T. Anderson. Impact ionization and light emission in high-power pseudomorphic AlGaAs/InGaAs HEMT's; *T-ED Jul 93* 1211-1214
Teeter, Douglas A., Jack R. East, Richard K. Mains, and George I. Haddad. Large-signal numerical and analytical HBT models; *T-ED May 93* 837-845
Temkin, H., *see* Bae, J. W., *T-ED Nov 93* 2117
Temkin, H., *see* Brusenbach, P., *T-ED Nov 93* 2120
Teng, Chih-Sieh, *see* Chen, Hung-Sheng, *T-ED Jan 93* 220-222
Terao, Akira, *see* Rotondaro, Antonio Luis Pacheco, *T-ED Apr 93* 727-732
Terletzki, H., W. Nikutta, and W. Reczek. Influence of the series resistance of on-chip power supply buses on internal device failure after ESD stress (Brief p.); *T-ED Nov 93* 2081-2083
Thayne, I. G., *see* Adams, James A., *T-ED Jun 93* 1047-1052
Theodore, N. David, *see* Gong, Sheng S., *T-ED Jul 93* 1251-1257
Théron, Didier, Bertrand Bonte, Christophe Gaquière, Edouard Playez, and Yves Crosnier. Characterization of GaAs and InGaAs double-quantum well heterostructure FETs; *T-ED Nov 93* 1935-1941
Theuwissen, Albert J. P., Herman L. Peek, Martien J. H. van de Steeg, Rob M. G. Boesten, Peter B. Hartog, Andre L. Kokshorn, Eelco A. De Koning, Jac M. A. M. Oppers, Frans F. Vledder, Peter G. M. Centen, Henk Blom, and Wim Haar. A 2.2 M pixel FT-CCD imager according to the Eureka HDTV standard; *T-ED Sep 93* 1621-1629
Thibeault, B. J., *see* Barron, C. C., *T-ED Nov 93* 2146-2147
Thoma, Morgan J., *see* Kizilyalli, Isik C., *T-ED May 93* 966-973
Thomas, Clive B., *see* McClean, Ian P., *T-ED May 93* 898-902
Thompson, J. R., *see* Liu, H. C., *T-ED Nov 93* 2142
Thompson, Lance R., James R. Buser, Jack D. Meyer, Cameron A. Moore, Jay T. Fukumoto, and George J. Collins. NMOS device characteristics in electron-beam-recrystallized SOI; *T-ED Jul 93* 1270-1276
Thompson, M. A., *see* Brown, J. J., *T-ED Nov 93* 2111-2112
Throngnumchai, K. Ultralow on-resistance p-channel lateral DMOS fabricated on (110)-oriented Si substrate (Abstr.); *T-ED Nov 93* 2132-2133
Tian, H., K. W. Kim, M. A. Littlejohn, and U. K. Mishra. Characteristics of $In_{0.52}Al_{0.48}As/In_{0.53}Ga_{0.47}As/InP$ HEMT's with n- and p-channel doping (Brief p.); *T-ED Dec 93* 2362-2365
Tigges, Chris P., *see* Martens, Jon S., *T-ED Mar 93* 656-660
Tiwari, Sandip, *see* Akhtar, Salman, *T-ED Dec 93* 2154-2163
Tobin, Philip J., *see* Tseng, Hsing-Huang, *T-ED Mar 93* 613-618
Todokoro, Yoshihiro, *see* Watanabe, Hisashi, *T-ED Dec 93* 2211-2215
Tominaga, Yukihiro, *see* Ajioka, Tsuneo, *T-ED Dec 93* 2282-2286
Tomita, Yasuhiro, Yoshinori Hatanaka, Toshio Takabayashi, and Toshiaki Kawai. *X*-ray imaging camera tube using sputter-deposited CdTe/CdS heterojunction; *T-ED Feb 93* 315-319
Tomizawa, Kazutaka, *see* Chau, Hin-Fai, *T-ED Jan 93* 2-8
Tong, Linsu, *see* Cui, Zheng, *T-ED Feb 93* 448-452
Tong, Minh H., *see* Ketterson, Andrew A., *T-ED Aug 93* 1406-1416
Tosaka, Yoshiharu, *see* Suzuki, Kunihiro, *T-ED Dec 93* 2326-2329
Trambarulo, Ralph, *see* Drabeck, Lawrence, *T-ED Nov 93* 2140-2141
Tran, L., *see* Batra, S., *T-ED Nov 93* 2125-2126
Trattles, J. T., A. G. O'Neill, and B. C. Mecrow. Three-dimensional finite-element investigation of current crowding and peak temperatures in VLSI multilevel interconnections (Brief p.); *T-ED Jul 93* 1344-1347
Tsai, Hann-Huei, *see* Su, Yan-Kuin, *T-ED Dec 93* 2192-2198
Tsai, Jiunn-Yann, *see* Tsui, Bing-Yue, *T-ED Jan 93* 54-63
Tseng, Hsing-Huang, *see* Pfiester, James R., *T-ED Jan 93* 207-213
Tseng, Hsing-Huang, Philip J. Tobin, James D. Hayden, Ko-Min Chang, and James W. Miller. A comparison of CVD stacked gate oxide and thermal gate oxide for 0.5-μm transistors subjected to process-induced damage; *T-ED Mar 93* 613-618
Tserng, H. Q., *see* Hill, D. G., *T-ED Nov 93* 2113
Tsuchiaki, Masakatsu, Hisashi Hara, Toyota Morimoto, and Hiroshi Iwai. A new charge pumping method for determining the spatial distribution of hot-carrier-induced fixed charge in p-MOSFET's; *T-ED Oct 93* 1768-1779
Tsuchiya, M., *see* Ohno, Y., *T-ED Nov 93* 2135
Tsuchiya, Toshiaki, *see* Shimoyama, Nobuhiro, *T-ED Sep 93* 1682-1687
Tsui, Bing-Yue, Jiunn-Yann Tsai, Tzong-Shien Wu, and Mao-Chieh Chen. Effect of fluorine incorporation on the thermal stability of PtSi/Si structure; *T-ED Jan 93* 54-63
Tsui, Bing-Yue, and Mao-Chieh Chen. Series resistance of self-aligned silicided source/drain structure; *T-ED Jan 93* 197-206
Tsui, D. C., *see* Kuan, C. H., *T-ED Nov 93* 2142-2143
Tsui, Daniel C., *see* Zhao, Y., *T-ED Jun 93* 1067-1070
Tsuji, Kazuhiro, *see* Uraoka, Yukiharu, *T-ED Aug 93* 1426-1431
Tsukamoto, Katsuhiro, *see* Yamaguchi, Yasuo, *T-ED Jan 93* 179-186
Tsumura, Makoto, *see* Takabatake, Masaru, *T-ED Oct 93* 1866-1870
Tsutsu, Noriko, *see* Uraoka, Yukiharu, *T-ED Aug 93* 1426-1431
Tu, Robert, *see* Quader, Khandker N., *T-ED Dec 93* 2245-2254
Tu, Shang-hui L., and B. Jayant Baliga. Controlling the characteristics of the MPS rectifier by variation of area of Schottky region; *T-ED Jul 93* 1307-1315
Twichell, Jonathan C., *see* Reich, Robert K., *T-ED Jul 93* 1231-1237
Tzeng, Yen-Chang, Sheng S. Li, and Pin Ho. A GaAs Schottky-barrier photodiode with high quantum efficiency–bandwidth product using a multilayer reflector; *T-ED Feb 93* 348-352

U

Uchida, Hidetsugu, Norio Hirashita, and Tsuneo Ajioka. The effect of oxide charges at LOCOS isolation edges on oxide breakdown; *T-ED Oct 93* 1818-1822
Uchida, Hidetsugu, *see* Tanaka, Hiroyuki, *T-ED Dec 93* 2231-2236
Uchida, T., *see* Bae, J. W., *T-ED Nov 93* 2117
Uchida, T. K., *see* Brusenbach, P., *T-ED Nov 93* 2120
Uchino, T., *see* Nanba, M., *T-ED Aug 93* 1563-1565
Uenae, Keiichiro, *see* Fukao, Ryuzo, *T-ED Jan 93* 64-68
Uni, Masayuki, *see* Nakamura, Jun-ichi, *T-ED Feb 93* 334-341
Upplli, Sudarsan, *see* Yamaguchi, Tadanori, *T-ED Aug 93* 1484-1495
Uraoka, Yukiharu, Noriko Tsutsu, Tomoyuki Morii, and Kazuhiro Tsuji. Hot carrier evaluation of MOSFET's in ULSI circuits using the photon emission method; *T-ED Aug 93* 1426-1431
Ushikoshi, Takatoshi, *see* Ajioka, Tsuneo, *T-ED Dec 93* 2282-2286

Ushiku, Yukihiro, *see* Iijima, Tadashi, *T-ED Feb 93* 371-377
Ushiku, Yukihiro, *see* Saito, Masanobu, *T-ED Dec 93* 2264-2272
Ushizaka, Hironori, and Yoshiyuki Sato. The process dependence on positive bias temperature aging instability of p⁺(B) polysilicon-gate MOS devices; *T-ED May 93* 932-937

V

Van Calster, A., *see* Zhou, Ming-Jiang, *T-ED Nov 93* 2132
Vandamme, L. K. J., *see* Li, Xiaosong, *T-ED Apr 93* 804-810
Van der Toi, Michael J., and Savvas G. Chamberlain. Drain-induced barrier lowering in buried-channel MOSFET's; *T-ED Apr 93* 741-749
van der Vleuten, W. C., *see* Yoffe, G. W., *T-ED Nov 93* 2144
van de Steeg, Martien J. H., *see* Theuwissen, Albert J. P., *T-ED Sep 93* 1621-1629
van Driel, H., *see* Lu, Jian, *T-ED Jun 93* 1087-1092
Van Houdt, Jan, Luc Haspeslagh, Dirk Wellekens, Ludo Deferm, Guido Groeseneken, and Herman E. Maes. HIMOS—A high efficiency flash E²PROM cell for embedded memory applications; *T-ED Dec 93* 2255-2263
van Mieghem, P. Origin of the difference between the capacitance intercept voltage and the built-in potential (Brief p.); *T-ED Dec 93* 2365-2368
Van Overstraeten, R., *see* Jain, S. C., *T-ED Dec 93* 2338-2343
Van Vliet, Carolyne M. Bandgap narrowing and emitter efficiency in heavily doped emitter structures revisited; *T-ED Jun 93* 1140-1147
Van Wie, Bernard J., *see* Eray, Mete, *T-ED Nov 93* 2137-2138
Vaughan, Rodney M. Secondary emission formulas (Brief p.); *T-ED Apr 93* 830
Vendrame, Loris, *see* Verzellesi, Giovanni, *T-ED Dec 93* 2296-2300
Venkatesan, V., J. A. von Windheim, and K. Das. Deep-level effects on forward characteristics of rectifying contacts on semiconducting diamond (Brief p.); *T-ED Aug 93* 1556-1558
Venkateswarlu, D. S., *see* Sil, A., *T-ED Oct 93* 1855-1863
Ver Ploeg, Eric, Cuong Nguyen, Nel Kistler, Simon Wong, Jason Woo, and James Plummer. First direct beta measurement for parasitic lateral bipolar transistors in fully-depleted SOI MOSFET's (Abstr.); *T-ED Nov 93* 2101-2102
Verzellesi, Giovanni, Giorgio Baccarani, Claudio Canali, Paolo Pavan, Loris Vendrame, and Enrico Zanoni. Prediction of impact-ionization-induced snap-back in advanced Si n-p-n BJT's by means of a nonlocal analytical model for the avalanche multiplication factor; *T-ED Dec 93* 2296-2300
Vidal, M. Puig, *see* Bafleur, M., *T-ED Jul 93* 1340-1342
Vledder, Frans F., *see* Theuwissen, Albert J. P., *T-ED Sep 93* 1621-1629
Vobecky, J., *see* Hátle, M., *T-ED Oct 93* 1864-1866
Vobecky, Jan, Henry Bleichner, Mats Rosling, and Edvard Nordlander. A time-dependent two-dimensional analysis of the turn-off process in a gate turn-off thyristor (GTO); *T-ED Dec 93* 2352-2358
von Windheim, J. A., *see* Venkatesan, V., *T-ED Aug 93* 1556-1558
Vuillaume, Dominique, Jean-Claude Marchetaux, Pierre-Emmanuel Lippens, Alain Bravaix, and Alain Boudou. A coupled study by floating-gate and charge-pumping techniques of hot-carrier-induced defects in submicrometer LDDN-MOSFET's; *T-ED Apr 93* 773-781
Vyas, P. D., *see* Singh, Awatar, *T-ED Aug 93* 1551-1553

W

Wadsworth, Mark Vogel, and Roland W. Gooch. Field-extended field-effect transistors in 0.25-eV bandgap HgCdTe; *T-ED Mar 93* 487-492
Wagemann, H. G., *see* Ringhandt, A., *T-ED May 93* 1028-1032
Wagemann, Hans G., *see* Wildau, Hans-Jürgen, *T-ED Dec 93* 2318-2325
Walczyk, Fred W., *see* Hayden, James D., *T-ED Jun 93* 1121-1128
Wang, C. C., *see* Liu, M. Y., *T-ED Nov 93* 2145-2146
Wang, G., *see* Barron, C. C., *T-ED Nov 93* 2146-2147
Wang, K. L., *see* Lee, Chanho, *T-ED Nov 93* 2141-2142
Wang, Keh-Chung, *see* Chang, Charles E., *T-ED Apr 93* 685-691
Wang, Ruey-Lue, *see* Su, Yan-Kuin, *T-ED Dec 93* 2192-2198
Wang, Wanjun, *see* Narayanan, C., *T-ED Sep 93* 1688-1694
Wang, Y., and S. Y. Chou. A new quantum dot transistor (Abstr.); *T-ED Nov 93* 2136
Wasilewski, Z. R., *see* Liu, H. C., *T-ED Nov 93* 2142
Watanabe, Hisashi, Emiko Sugiura, Tadashi Imoriya, Yoshihiro Todokoro, and Morio Inoue. Repair technique for phase-shifting masks using silicon-containing resist; *T-ED Dec 93* 2211-2215
Webb, Paul W. Thermal modeling of power gallium arsenide microwave integrated circuits; *T-ED May 93* 867-877
Wecht, K. W., *see* Chen, Y. K., *T-ED Nov 93* 2118-2119
Weiner, Maurice, *see* Zhao, Jian H., *T-ED Apr 93* 817-823
Wellekens, Dirk, *see* Van Houdt, Jan, *T-ED Dec 93* 2255-2263
Welser, J., J. L. Hoyt, and J. F. Gibbons. Temperature and scaling behavior of strained-Si N-MOSFET's (Abstr.); *T-ED Nov 93* 2101
Wernsman, Bernard, *see* El-Genk, Mohamed S., *T-ED Jul 93* 1335-1339
Whall, Terry E., *see* Wood, Andrew C. G., *T-ED Jan 93* 157-162
Wheeler, Clive B. Optimum neutralization of negative space charge in cylindrical and spherical diodes; *T-ED Jun 93* 1166-1171
Wildau, Hans-Jürgen, Helmut Bernt, Detlef Friedrich, Wilhelm Seifert, Peter Staudt-Fischbach, Hans G. Wagemann, and Wolfgang Windbracke. The inversion layer of subhalf-micrometer n- and p-channel MOSFET's in the temperature range 208–403 K; *T-ED Dec 93* 2318-2325
Wilkinson, C. D. W., *see* Adams, James A., *T-ED Jun 93* 1047-1052
Williams, Freddie, *see* Hafizi, Madjid, *T-ED Dec 93* 2178-2185
Williams, Freddie, Jr., *see* Hafizi, Madjid, *T-ED Sep 93* 1583-1588
Wilson, Richard A., *see* Chen, Jing, *T-ED Feb 93* 267-272
Windbracke, Wolfgang, *see* Wildau, Hans-Jürgen, *T-ED Dec 93* 2318-2325
Windgassen, Rob A., *see* Hurkx, Fred, *T-ED Dec 93* 2273-2281
Witters, J., *see* Zhou, Ming-Jiang, *T-ED Nov 93* 2132
Wolter, J. H., *see* Yoffe, G. W., *T-ED Nov 93* 2144
Woltjer, Reinout, Akemi Hamada, and Eiji Takeda. Time dependence of p-MOSFET hot-carrier degradation measured and interpreted consistently over ten orders of magnitude; *T-ED Feb 93* 392-401
Wong, S. Simon, *see* Lee, V. V., *T-ED Jul 93* 1223-1230
Wong, Simon, *see* Ver Ploeg, Eric, *T-ED Nov 93* 2101-2102
Woo, Jason, *see* Ver Ploeg, Eric, *T-ED Nov 93* 2101-2102
Wood, Andrew C. G., Anthony G. O'Neill, Peter J. Phillips, Robin G. Biswas, Terry E. Whall, and Evan H. C. Parker. Transconductance and mobility of Si:B delta MOSFET's; *T-ED Jan 93* 157-162
Woodall, J. M., *see* Seabury, C. W., *T-ED Nov 93* 2123-2124
Woodall, J. M., *see* Dodd, P. E., *T-ED Nov 93* 2141
Wortman, J. J., *see* Johnson, F. S., *T-ED Nov 93* 2099-2100
Wraback, M., *see* Pamulapati, J., *T-ED Nov 93* 2144-2145
Wright, S. L., M. B. Rothwell, J. H. Souk, and J. Kuo. a-Si thin film transistors using dilute-gas plasma-enhanced chemical vapor deposition (Abstr.); *T-ED Nov 93* 2128-2129
Wu, B. J., *see* Haase, M. A., *T-ED Nov 93* 2110
Wu, C. C., *see* Huang, K. F., *T-ED Nov 93* 2119
Wu, Chao-Wen, and Hao-Hsiung Lin. Injection current model of a MOS diode under charge-sharing mode readout operation (Brief p.); *T-ED Jan 93* 227-229
Wu, Ching-Yuan, *see* Chin, Shan-Ping, *T-ED Apr 93* 712-720
Wu, Ching-Yuan, *see* Guo, Jwin-Yen, *T-ED Sep 93* 1653-1661
Wu, I-Wei, *see* Hack, Michael, *T-ED May 93* 890-897
Wu, I-Wei, *see* Hack, M., *T-ED Nov 93* 2128
Wu, Shye-Lin, Chung-Len Lee, Tan Fu Lei, and Hue-Chen Chang. Characteristics of polysilicon contacted shallow junction diode formed with a stacked-amorphous-silicon film; *T-ED Oct 93* 1797-1804
Wu, Tzong-Shien, *see* Tsui, Bing-Yue, *T-ED Jan 93* 54-63
Wu, Y. A., C. J. Chang-Hasnain, G. S. Li, R. Nabiev, C. Caneau, L. T. Florez, K. D. Choquette, and G. Hasnain. Single-transverse mode, low threshold current vertical-cavity surface-emitting laser (Abstr.); *T-ED Nov 93* 2116-2117
Wu, Yu-Huei, *see* Hsu, Wei-Chou, *T-ED Sep 93* 1630-1635
Wyatt, Peter W., *see* Cohen, Simon S., *T-ED Jul 93* 1277-1283
Wynn, J. D., *see* Huang, K. F., *T-ED Nov 93* 2119

X

Xie, W., *see* Sanders, J. W., *T-ED Nov 93* 2130-2131
Xu, J. M., *see* Abbott, E. B., *T-ED May 93* 1022-1024
Xu, J. M., *see* Lu, Jian, *T-ED Jun 93* 1087-1092

Y

Yablonovitch, E., *see* Schnitzer, I., *T-ED Nov 93* 2108-2109
Yabu, Toshiki, *see* Matsuo, Naoto, *T-ED Apr 93* 750-754
Yamaguchi, Tadanori, Sudarsan Uppili, June S. Lee, Galen H. Kawamoto, Taner Dosluoglu, and Shaun Simpkins. Process and device characterization for a 30-GHz f_T submicrometer double poly-Si bipolar technology using BF_2-implanted base with rapid thermal process; *T-ED Aug 93* 1484-1495
Yamaguchi, Yasuo, Atsuhiko Ishibashi, Masahiro Shimizu, Tadashi Nishimura, Katsuhiro Tsukamoto, Kazuo Horie, and Yoichi Akasaka. A high-speed 0.6-μm 16K CMOS gate array on a thin SIMOX film; *T-ED Jan 93* 179-186
Yamaguchi, Yasuo, *see* Joachim, Hans-Oliver, *T-ED Oct 93* 1812-1817
Yamamoto, N., *see* Onozawa, S., *T-ED Nov 93* 2139
Yamashita, Ken, *see* Ohno, Seiji, *T-ED Dec 93* 2216-2221
Yang, Andrew T., *see* Daniels, Robert R., *T-ED Oct 93* 1723-1729
Yang, Chia-Hung, *see* Chen, Jing, *T-ED Feb 93* 267-272
Yang, Jian-Xun, *see* Agahi, Farid, *T-ED Mar 93* 502-506
Yang, L., *see* Dudley, J. J., *T-ED Nov 93* 2119-2120

Yano, Hitoshi, *see* Kunihiro, Kazuaki, *T-ED Mar 93* 493-497
Yano, Kazuo, *see* Miyamoto, Masafumi, *T-ED Feb 93* 378-384
Yano, Koji, Chang-Woo Kim, Masakazu Kimura, Akira Tanaka, Shin-Ichi Motoyama, and Tokuzo Sukegawa. Influence of majority carrier accumulation in the SIT with a high-purity channel on voltage amplification factor (Brief p.); *T-ED Nov 93* 2092-2094
Yasuhira, Mitsuo, *see* Hori, Atsushi, *T-ED Sep 93* 1675-1681
Yau, Leo D., *see* Lee, Yung-Huei, *T-ED Jan 93* 163-168
Yeh, Chune-Sin, *see* Chen, Hung-Sheng, *T-ED Jan 93* 220-222
Yeh, Ping-Chin, *see* Fossum, Jerry G., *T-ED Mar 93* 598-604
Ying, Shu-Lan, *see* Hsu, Shun-Liang, *T-ED Jan 93* 49-53
Yngvesson, K. Sigfrid, *see* Agahi, Farid, *T-ED Mar 93* 502-506
Yoffe, G. W., J. Brübach, W. C. van der Vleuten, F. Karouta, and J. H. Wolter. Low voltage hetero-nipi wavelength modulators (Abstr.); *T-ED Nov 93* 2144
Yoh, Kanji, Akira Nishida, and Masataka Inoue. Split-gate InGaAs quantum wire device operated at 80 K (Abstr.); *T-ED Nov 93* 2134-2135
Yoon, Giwan, *see* Joshi, Aniruddha B., *T-ED Aug 93* 1437-1445
Yoshioka, Tatsuo, *see* Furuta, Mamoru, *T-ED Nov 93* 1964-1969
Yoshitomi, Takashi, *see* Saito, Masanobu, *T-ED Dec 93* 2264-2272
Young, D. B., *see* Chuang, Z.-M., *T-ED Nov 93* 2107-2108
Young, D. Bruce, *see* Helkey, Roger, *T-ED Nov 93* 2107
Young, K. Konrad, *see* Tao, Jiang, *T-ED Aug 93* 1398-1405
Young, Paul G., Samuel A. Alterovitz, Rafael A. Mena, and Edwyn D. Smith. RF properties of epitaxial lift-off HEMT devices; *T-ED Nov 93* 1905-1909
Yu, Chen-Cheng W., *see* Huang, Chi-Jung, *T-ED Sep 93* 1669-1674
Yu, Tan-hua, *see* Zhao, Jian H., *T-ED Apr 93* 817-823
Yuan, Chi-Min. Calculation of one-dimensional lithographic aerial images using the vector theory; *T-ED Sep 93* 1604-1613
Yuan, J. S. Comments, with reply, on 'AlGaAs/GaAs HBT for high-temperature application' by K. Fricke et al.; *T-ED Sep 93* 1717-1718 (Original paper, Sep 92 1977-1981)
Yuksel, Ayca, *see* Liu, William, *T-ED Aug 93* 1384-1389
Yurimoto, Hisayoshi, *see* Matsumoto, Kazuya, *T-ED Jan 93* 82-85

Z

Zaidman, Ernest G. Simulation of field emission microtriodes; *T-ED May 93* 1009-1016
Zampardi, P., *see* Ho, W. J., *T-ED Nov 93* 2113-2114
Zanoni, Enrico, *see* Canali, Claudio, *T-ED Mar 93* 498-501
Zanoni, Enrico, *see* Tedesco, Carlo, *T-ED Jul 93* 1211-1214
Zanoni, Enrico, *see* Verzellesi, Giovanni, *T-ED Dec 93* 2296-2300
Zappa, F., *see* Lacaita, A., *T-ED Nov 93* 2145
Zappa, Franco, *see* Lacaita, Andrea L., *T-ED Mar 93* 577-582
Zekry, Abdelhalim, M. Abdel-Naby, H. F. Ragaie, and F. El Akkad. Capacitance and conductance of $Zn_xCd_{1-x}S$/ZnTe heterojunctions; *T-ED Feb 93* 259-266
Zhao, Jian H., Terence Burke, Dana Larson, Maurice Weiner, Albert Chin, James M. Ballingall, and Tan-hua Yu. Sensitive optical gating of reverse-biased AlGaAs/GaAs optothyristors for pulsed power switching applications; *T-ED Apr 93* 817-823
Zhao, Jian H., Robert Hwang, and Steve Chang. A transconductance spectroscopy approach to device level surface state characterization (Brief p.); *T-ED Jun 93* 1172-1174
Zhao, Wei, *see* Kang, Bao-Wei, *T-ED Oct 93* 1805-1811
Zhao, Y., Daniel C. Tsui, and P. C. Chao. Electron transport in 0.15-μm gate $In_{0.52}Al_{0.48}As/In_{0.53}Ga_{0.47}As$ HEMT; *T-ED Jun 93* 1067-1070
Zhou, Haosheng, and David L. Pulfrey. Bipolar effects on the signal delay time in HBT's at high currents; *T-ED Jan 93* 44-48
Zhou, Jing-Rong, and David K. Ferry. Modeling of quantum effects in ultrasmall HEMT devices; *T-ED Feb 93* 421-427
Zhou, Ming-Jiang, A. De Bruycker, A. Van Calster, and J. Witters. High voltage implanted RESURF p-LDMOS using BiCMOS technology (Abstr.); *T-ED Nov 93* 2132
Zimmerman, Bruce J., *see* Busta, Heinz H., *T-ED Aug 93* 1530-1536
Zimmerman, Bruce J., *see* Busta, Heinz H., *T-ED Aug 93* 1537-1542
Zimmermann, Jacques, *see* Fawaz, Hussein, *T-ED May 93* 846-851
Zipperian, Thomas E., *see* Martens, Jon S., *T-ED Mar 93* 656-660
Zitelli, L., *see* Ives, R. Lawrence, *T-ED Jul 93* 1316-1321
Zou, Wei-Xiong, *see* Helkey, Roger, *T-ED Nov 93* 2107
Zwicknagl, P., *see* Schaper, U., *T-ED Jan 93* 222-224

SUBJECT INDEX

A

Abstracts
51st (1993) Annual Device Research Conference. *T-ED Nov 93* 2097-2147
Acoustic measurements; cf. Acoustic transducers
Acoustic signal processing; cf. Acoustooptic signal processing
Acoustic surface wave devices
technique for profiling epilayer channel of surface acoustic wave devices on piezoelectric semiconductors. *Abbate, Agostino, + , T-ED Oct 93* 1830-1835
Acoustic transducers
mechanical–thermal noise in micromachined acoustic and vibration sensors. *Gabrielson, Thomas B., T-ED May 93* 903-909
thermally excited silicon oxide beam and bridge resonators in CMOS technology. *Brand, Oliver, + , T-ED Oct 93* 1745-1753
Acoustooptic signal processing
compressing photodetectors for long optical pulses using lateral blooming drain structure. *Kub, Fritz J., + , T-ED Oct 93* 1740-1744
Active circuits; cf. Amplifiers
Admittance calculations
estimation of insulation layer conductance in MNOS structure. *Takahashi, Yoshihiro, + , T-ED Nov 93* 2006-2010
Admittance measurement
C–V and *G–V* characteristics of ZnCdS/ZnTe heterojunctions for solar cells. *Zekry, Abdelhalim, + , T-ED Feb 93* 259-266
Aging; cf. Life estimation
Air insulation; cf. Electrostatic discharges
Alpha-particle radiation effects; cf. Bipolar integrated circuits, memory
Aluminum conductors, integrated circuits
analysis of electromigration-induced failures in multilayered interconnects. *Onoda, Hiroshi, + , T-ED Sep 93* 1614-1620
analytical open-failure lifetime model for stress-induced voiding in Al lines. *Okabayashi, Hidekazu, T-ED Apr 93* 782-788
electromigration reliability of tungsten and aluminum vias and improvements under AC current stress. *Tao, Jiang, + , T-ED Aug 93* 1398-1405
quarter-micrometer interconnection technology using TiN/Al-Si-Cu/TiN/Al-Si-Cu/TiN/Ti multilayer conductor. *Kikkawa, Takamaro, + , T-ED Feb 93* 296-302
Aluminum materials/devices; cf. Gallium materials/devices
Amorphous materials/devices; cf. Amorphous semiconductor materials/devices
Amorphous semiconductor materials/devices
a-Si:H/a-Si,Ge:H bulk barrier phototransistor with a-SiC:H barrier enhancement layer for high-gain IR detector. *Hwang, Sheng-Beng, + , T-ED Apr 93* 721-726
a-Si:H photoconductive sensor with gate electrode for matrix-driven linear image sensor array. *Takayama, Satoshi, + , T-ED Feb 93* 342-347
a-Si TFTs using dilute-gas plasma-enhanced CVD. *Wright, S. L., + , T-ED Nov 93* 2128-2129
characteristics of polysilicon-contacted shallow junction diode formed with stacked a-Si film. *Wu, Shye-Lin, + , T-ED Oct 93* 1797-1804
excimer-laser crystallization of a-Si:H; TFTs fabricated from annealed Si. *Brotherton, S. D., + , T-ED Feb 93* 407-413
feedthrough voltage in a-Si TFTs. *Takabatake, Masaru, + , T-ED Oct 93* 1866-1870
filament formation and final resistance modeling in a-Si vertical programmable element. *Shacham-Diamand, Yosi, T-ED Oct 93* 1780-1788
high-voltage amorphous Si TFTs. *Martin, Russel A., + , T-ED Mar 93* 634-644
temperature coefficient and linearity of p-type polysilicon resistors fabricated from a-Si film. *Yamaguchi, Tadanori, + , T-ED Aug 93* 1484-1495
Amplifiers
simulation of field-emission-microtriode RF amplifier performance. *Zaidman, Ernest G., T-ED May 93* 1009-1016
Amplifiers; cf. Bipolar transistor amplifiers; Microwave amplifiers
Analog–digital conversion
A/D conversion architecture using electron waveguides. *Eugster, Christopher C., + , T-ED Nov 93* 1910-1916
Analog integrated circuits; cf. Bipolar integrated circuits, analog
Analog memories
floating-gate MOSFET analog memory device for neural network LSI. *Fujita, Osamu, + , T-ED Nov 93* 2029-2035
Angle modulation; cf. Phase modulation
Annealing; cf. Silicon materials/devices
Apertures
micromachined polyimide aperture for stable bilayer lipid membrane. *Eray, Mete, + , T-ED Nov 93* 2137-2138

Arithmetic; cf. Multiplication
Arrays
3-D sidewall flash EPROM cell and memory array. *Pein, Howard, + , T-ED Nov 93* 2126-2127
analysis of optoelectronic CCD using InP MIS capacitor array. *Pal, B. B., + , T-ED Oct 93* 1878-1880
reduction of 1/*f* noise in multiplexed linear InGaAs detector arrays by epitaxial doping. *Joshi, Abhay M., + , T-ED Feb 93* 303-308
ultra-high-efficiency LED arrays. *Schnitzer, I., + , T-ED Nov 93* 2108-2109
Arrays; cf. Electron emission; Image sensors; Infrared image sensors; Logic arrays; Optical arrays
Automobiles; cf. Road vehicle electrical systems
Avalanche breakdown
avalanche breakdown and surface deep-level trap effects in GaAs MESFETs. *Li, Chi-Lung, + , T-ED Apr 93* 811-816
breakdown-speed considerations in InP/InGaAs single- and double-heterostructure bipolar transistors. *Chau, Hin-Fai, + , T-ED Jan 93* 2-8
bremsstrahlung origin of hot-carried-induced photons in avalanching Si p-n junctions. *Lacaita, Andrea L., + , T-ED Mar 93* 577-582
prediction of impact-ionization-induced snap-back in advanced Si n-p-n BJTs. *Verzellesi, Giovanni, + , T-ED Dec 93* 2296-2300
Avalanche diodes; cf. Avalanche photodiodes; IMPATT diodes
Avalanche photodiodes
Monte Carlo simulation of effect of multiplication layer thickness in wide-bandwidth avalanche photodiodes with separate absorption, grading, and multiplication. *Chandramouli, V., + , T-ED Nov 93* 2137
ultrafast single-photon avalanche diodes without slow tails in pulse response. *Lacaita, A., + , T-ED Nov 93* 2145

B

Barium materials/devices; cf. Electron emission
Bearings (mechanical)
comparative study of bearing designs and operational environments for polysilicon harmonic side-drive micromotors. *Dhuler, Vijayakumar R., + , T-ED Nov 93* 1985-1989
Bibliographies
high-energy (MeV) ion implantation and its device applications in GaAs and InP. *Rao, Mulpuri V., T-ED Jun 93* 1053-1066
Monte Carlo study of scaling properties and short-channel effects in submicrometer AlGaAs/GaAs MODFETs. *Kizilyalli, Isik C., + , T-ED Feb 93* 234-249
profile design and optimization of epitaxial Si- and SiGe-base bipolar technology for 77 K applications; transistor DC design considerations. *Cressler, John D., + , T-ED Mar 93* 525-541
BiCMOS integrated circuits
high-latchup-immunity design methodology for internal circuits in standard-cell-based CMOS/BiCMOS LSIs. *Aoki, Takahiro, T-ED Aug 93* 1432-1436
high-voltage implanted RESURF p-LDMOS using BiCMOS technology. *Zhou, Ming-Jiang, + , T-ED Nov 93* 2132
predictive worst-case statistical modeling of 0.8-μm BiCMOS bipolar transistors; methodology based on process and mixed device/circuit level simulators. *Kizilyalli, Isik C., + , T-ED May 93* 966-973
self-aligned lateral bipolar transistor compatible with CMOS realized on SIMOX-material. *Edholm, Bengt, + , T-ED Dec 93* 2359-2360
temperature dependence of latch-up trigger current in CMOS/BiCMOS structures. *Aoki, Takahiro, T-ED Nov 93* 2023-2028
temperature-dependent characteristics of BiCMOS digital circuits. *Rofail, Samir S., + , T-ED Jan 93* 169-178
BiCMOS integrated circuits, memory
integration of double-polysilicon emitter–base self-aligned bipolar transistor into 0.5-μm BiCMOS technology for fast 4-Mb SRAMs. *Hayden, James D., + , T-ED Jun 93* 1121-1128
Biomedical transducers
micromachined polyimide aperture for stable bilayer lipid membrane. *Eray, Mete, + , T-ED Nov 93* 2137-2138
Bipolar-CMOS; cf. BiCMOS...
Bipolar integrated circuits
3-D finite-element model study of effect of trench corner shapes on thermally induced local stress fields associated with SiO_2-filled deep trench in Si substrate. *Stiffler, Scott R., + , T-ED Mar 93* 557-563
AlGaAs/GaAs pnp HBT with 54-GHz f_{max}; application to high-performance complementary technology. *Hill, D. G., + , T-ED Nov 93* 2113
analysis of HBT/RTD logic for low-power, high-speed digital applications. *Chang, Charles E., + , T-ED Apr 93* 685-691
profile design and optimization of epitaxial Si- and SiGe-base bipolar technology for 77 K applications; circuit performance. *Cressler, John D., + , T-ED Mar 93* 542-556
Bipolar integrated circuits; cf. BiCMOS integrated circuits; Bipolar transistors; Emitter-coupled logic; Transistor-transistor logic
Bipolar integrated circuits, analog
GaInP/GaAs HBTs for high-speed IC applications. *Ho, W. J., + , T-ED Nov 93* 2113-2114
Bipolar integrated circuits, memory
SEPIA isolation structure for soft-error-immune ULSI circuits. *Onai, Takahiro, + , T-ED Feb 93* 402-406
Bipolar integrated circuits, memory; cf. BiCMOS integrated circuits, memory
Bipolar transistor amplifiers
transistor-related noise in integrated p-i-n HBT optical receiver front-ends. *Liu, Qing Z., + , T-ED Dec 93* 2204-2210
Bipolar transistor circuits; cf. Bipolar integrated circuits
Bipolar transistors
1/*f* noise in n-p-n GaAs/AlGaAs HBTs; impact of intrinsic transistor and parasitic series resistances. *Kleinpenning, Theo G. M., + , T-ED Jun 93* 1148-1153
advantages of GaAsSb for HBTs. *Ikossi-Anastasiou, Kiki, T-ED May 93* 878-884
analytical model for electron velocity overshoot in advanced BJTs for circuit simulation. *Jin, Joohyun, + , T-ED Apr 93* 789-795
bandgap narrowing and emitter efficiency in heavily doped emitter structures. *Van Vliet, Carolyne M., T-ED Jun 93* 1140-1147
bipolar effects on signal delay time in GaAs-based HBTs at high currents. *Zhou, Haosheng, + , T-ED Jan 93* 44-48
channel-base transistors and their use in TTL NAND gates. *Kang, Bao-Wei, + , T-ED Oct 93* 1805-1811
closed-form analytical forward transit time model for BJT devices operating at 77 K. *Lu, Tao-Cheng, + , T-ED Apr 93* 766-772
collector design tradeoffs for low-voltage applications of advanced bipolar transistors. *Kumar, M. Jagadesh, + , T-ED Aug 93* 1478-1483
comments, with reply, on 'AlGaAs/GaAs HBT for high-temperature application' by K. Fricke et al. *Yuan, J. S., T-ED Sep 93* 1717-1718 (Original paper, Sep 92 1977-1981)
comments, with reply, on 'Transient analysis of stored charge in neutral base region' by K. Suzuki et al. *Parker, James, T-ED Apr 93* 833-835 (Original paper, May 92 1164-1169)
current-induced degradation in Be-doped HBTs based on GaAs and InP. *Tanaka, Shin-ichi, + , T-ED Jul 93* 1194-1201
current transport mechanism in GaInP/GaAs HBTs. *Liu, William, + , T-ED Aug 93* 1378-1383
direct beta measurement for parasitic lateral bipolar transistors in fully-depleted SOI MOSFETs. *Ver Ploeg, Eric, + , T-ED Nov 93* 2101-2102
effects of impact ionization in framework of stanard hydrodynamic model. *Souissi, Kamel, + , T-ED Aug 93* 1501-1507
electrical and optical bandgaps of heavily doped Ge_xSi_{1-x} strained layers. *Jain, S. C., + , T-ED Dec 93* 2338-2343
electron quasi-Fermi-level splitting at base–emitter junction of AlGaAs/GaAs HBTs. *Pulfrey, David L., + , T-ED Jun 93* 1183-1185
GaInP/GaAs HBTs for high-speed IC applications. *Ho, W. J., + , T-ED Nov 93* 2113-2114
generalized analytical transport modeling of DC characteristics of HBTs. *Lee, Tae-Woo, + , T-ED Aug 93* 1390-1397
generalized integral charge-control relation; application to compact models for silicon-based HBTs. *Schröter, Michael, + , T-ED Nov 93* 2036-2046
high-frequency behavior of abrupt-heterojunction transistor with collisionless (ballistic) transport of minority carriers in base. *Grinberg, Anatoly A., + , T-ED Aug 93* 1512-1522
high-frequency characteristics of low-temperature pseudo-HBTs. *Miyamoto, Masafumi, + , T-ED Feb 93* 378-384
InAs bipolar transistors for high-performance cryogenic electronics using pseudo-HBT concept. *Dodd, P. E., + , T-ED Nov 93* 2141
integral relations for determining non-quasi-static charge partitioning in bipolar devices from static charge distributions. *Hamel, John Starr, T-ED Sep 93* 1713-1716
minimization of transistor delay at given power density. *Murphy, Bernard T., T-ED Feb 93* 414-420
modeling and characterization of SIPOS emitter and quasi-SIS emitter bipolar transistors. *Chuang, Tien-Min, + , T-ED Apr 93* 796-803
Monte Carlo analysis of nonequilibrium electron transport in InAlGaAs/InGaAs HBTs. *Nakajima, Hiroki, + , T-ED Nov 93* 1950-1956
partitioned-charge-based BJT model using transient charge control relations for arbitrary doping and bias condition. *Parker, James R., + , T-ED Mar 93* 605-612
physical models for bipolar device simulation and their effects on cutoff frequency. *Shigyo, Naoyuki, + , T-ED Nov 93* 2087-2089

Vol. 40
1993

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments

physics-based analytical HBT model including thermal and high-current effects. *Liou, Juin J.*, + , *T-ED Sep 93* 1570-1577

prediction of impact-ionization-induced snap-back in advanced Si n-p-n BJTs. *Verzellesi, Giovanni*, + , *T-ED Dec 93* 2296-2300

profile design and optimization of epitaxial Si- and SiGe-base bipolar technology for 77 K applications; transistor DC design considerations. *Cressler, John D.*, + , *T-ED Mar 93* 525-541

reducing base–collector capacitance of AlGaAs/GaAs HBTs by using buried SiO_2 and polycrystalline GaAs in extrinsic base and collector. *Mochizuki, K.*, + , *T-ED Nov 93* 2124-2125

reliability of AlInAs/GaInAs HBTs. *Hafizi, Madjid*, + , *T-ED Dec 93* 2178-2185

resolving degradation mechanisms in ultra-high-performance AlGaAs/GaAs n-p-n heterojunction bipolar transistors. *Chang, Yang-Hua*, + , *T-ED Apr 93* 692-697

resonant tunneling at room temperature in GaInP/GaAs/GaInP DHBT. *Liu, William*, + , *T-ED Aug 93* 1384-1389

room-temperature operation of InGaAs-based hot-electron transistors. *Moise, T. S.*, + , *T-ED Nov 93* 2134

scaling of small-signal equivalent circuit elements for GaInP/GaAs hole-barrier bipolar transistors. *Schaper, U.*, + , *T-ED Jan 93* 222-224

self-aligned BJTs for VLSI using new diffusion technique for shallow base formation. *Johnson, F. S.*, + , *T-ED Nov 93* 2099-2100

self-aligned lateral bipolar transistor compatible with CMOS realized on SIMOX-material. *Edholm, Bengt*, + , *T-ED Dec 93* 2359-2360

temperature coefficient of resolution of lateral bipolar magnetotransistors. *Kung, William*, + , *T-ED May 93* 910-917

temperature dependence of DC and RF characteristics of AlInAs/GaInAs HBTs. *Hafizi, Madjid*, + , *T-ED Sep 93* 1583-1588

temperature dependence of hot-electron degradation. *Huang, Chi-Jung*, + , *T-ED Sep 93* 1669-1674

temperature dependences of current gains in GaInP/GaAs and AlGaAs/GaAs HBTs. *Liu, William*, + , *T-ED Jul 93* 1351-1353

theoretical small-signal performance of Si/SiGe/Si HBT. *Sankaran, Vasudevan*, + , *T-ED Sep 93* 1589-1596

thermal effects on characteristics of AlGaAs/GaAs HBTs using 2-D numerical simulation. *Liou, Lee L.*, + , *T-ED Jan 93* 35-43

thermionic-diffusion theory of minority transport in HBTs. *Grinberg, Anatoly A.*, + , *T-ED May 93* 859-866

use of charge-neutrality approximation in simulation of diffusion processes. *Buonomo, Antonio*, + , *T-ED May 93* 885-889

Bipolar transistors; cf. Bipolar integrated circuits; Insulated-gate transistors; Microwave bipolar transistors; Millimeter-wave bipolar transistors; Phototransistors; Power bipolar transistors

Boundary integral equations

optimum microemitter geometry and space-charge effects in numerically simulated vacuum microelectronic devices. *Cui, Zheng*, + , *T-ED Feb 93* 448-452

Breakdown; cf. Avalanche breakdown; Dielectric breakdown; Semiconductor device breakdown

Bremsstrahlung

bremsstrahlung origin of hot-carried-induced photons in avalanching Si p-n junctions. *Lacaita, Andrea L.*, + , *T-ED Mar 93* 577-582

C

Cadmium materials/devices; cf. FETs; Schottky devices; Semiconductor heterojunctions; X-ray image sensors

Cameras; cf. Charge-coupled image sensors; Infrared image sensors; X-ray image sensors

Capacitance

analysis of effects of floating substrate on intrinsic gate capacitance of SOI MOSFETs using 2-D device simulation. *Flandre, Denis, T-ED Oct 93* 1789-1796

deep-submicrometer CMOS/SIMOX delay modeling by time-dependent capacitance model. *Lee, M.*, + , *T-ED Oct 93* 1897-1901

improved junction capacitance model for GaAs MESFET. *Rodriguez-Tellez, J.*, + , *T-ED Nov 93* 2083-2085

modeling and experimental results for $C(V)$ in abrupt isotype-*n* AlGaAs/GaAs heterojunction. *Cruz Serra, António*, + , *T-ED Feb 93* 353-357

reducing base–collector capacitance of AlGaAs/GaAs HBTs by using buried SiO_2 and polycrystalline GaAs in extrinsic base and collector. *Mochizuki, K.*, + , *T-ED Nov 93* 2124-2125

Capacitance calculations

exact and approximate calculation of 2-D capacitance of wire. *Ringhandt, A.*, + , *T-ED May 93* 1028-1032

unified quasi-static MOSFET capacitance model. *Rho, Kwang-Myoung*, + , *T-ED Jan 93* 131-136

Capacitance measurement

C–V and *G–V* characteristics of ZnCdS/ZnTe heterojunctions for solar cells. *Zekry, Abdelhalim*, + , *T-ED Feb 93* 259-266

Capacitors; cf. MIS capacitors

Carbon materials/devices; cf. Diamond materials/devices; MIS devices; Semiconductor films

Carrier processes; cf. Charge-carrier processes

Cathodes; cf. Electron tubes

Cathodoluminescence

extracting semiconductor parameters using cathodoluminescence in scanning electron microscope. *Chan, Daniel S. H.*, + , *T-ED Aug 93* 1417-1425

Cavities

multiple extraction cavities for *X*-band high-power klystrons. *Lee, T. G., T-ED Jul 93* 1329-1334

Cavity resonators

calculation of beam loading using induced-current method in passive cavities; application to magnicon. *Rees, Daniel E.*, + , *T-ED Aug 93* 1543-1548

CCD; cf. Charge-coupled devices

Cesium materials/devices; cf. Electron emission

Charge-carrier processes

modeling electron–hole scattering in semiconductor devices. *Kane, David E.*, + , *T-ED Aug 93* 1496-1500

Charge-carrier processes; cf. *Specific topic*

Charge-coupled devices

analysis of optoelectronic CCD using InP MIS capacitor array. *Pal, B. B.*, + , *T-ED Oct 93* 1878-1880

anomalous behavior of surface leakage currents in heavily doped gated diodes. *Hurkx, Fred*, + , *T-ED Dec 93* 2273-2281

Charge-coupled image sensors

2.2-M-pixel FT-CCD imager conforming to Eureka HDTV standard. *Theuwissen, Albert J. P.*, + , *T-ED Sep 93* 1621-1629

integrated electronic shutter for back-illuminated charge-coupled imagers. *Reich, Robert K.*, + , *T-ED Jul 93* 1231-1237

Charge-injection devices

electrical and optical properties of light-emitting transistor based on real-space transfer. *Mastrapasqua, Marco*, + , *T-ED Feb 93* 250-258

injection current model of MOS diode under charge-sharing mode readout operation. *Wu, Chao-Wen*, + , *T-ED Jan 93* 227-229

CID; cf. Charge-injection devices

Circuit analysis; cf. Circuit transient analysis

Circuit reliability; cf. Integrated circuit reliability

Circuits; cf. *Specific topic*

Circuit simulation

analytical model for electron velocity overshoot in advanced BJTs for circuit simulation. *Jin, Jookyun*, + , *T-ED Apr 93* 789-795

bidirectional NMOSFET current reduction model for simulation of hot-carrier-induced circuit degradation. *Quader, Khandker N.*, + , *T-ED Dec 93* 2245-2254

transit-time model for short-channel MOSFETs. *Andersson, M.*, + , *T-ED Apr 93* 330-332

Circuit transient analysis

design of floating-gate EEPROMs based on 2-D numerical simulation of transient operation. *Concannon, Ann*, + , *T-ED Jul 93* 1258-1262

CMOSFET logic devices

neuron MOS binary-logic ICs; design fundamentals hardware-logic circuit implementation. *Shibata, Tadashi*, + , *T-ED Mar 93* 570-576

neuron MOS binary-logic ICs; techniques for simplifying circuit configuration and their practical applications. *Shibata, Tadashi*, + , *T-ED May 93* 974-979

parametric macromodeling of hot-carrier-induced dynamic degradation in MOS VLSI circuits. *Leblebici, Y.*, + , *T-ED Mar 93* 673-676

CMOSFET oscillators

high-speed low-power CMOS/SIMOX ring oscillators with reduced propagation delay. *Lee, M.*, + , *T-ED Nov 93* 2103-2104

CMOSFETs

aging analysis of NMOS fabricated with 1.3-μm partially depleted SIMOX SOI technology; comparison with 1.3-μm bulk technology. *Reimbold, Gilles*, + , *T-ED Feb 93* 364-370

analytical back-gate-bias-dependent threshold voltage model for SiGe-channel ultrathin SOI PMOS devices. *Kuo, James B.*, + , *T-ED Dec 93* 2237-2244

analytical back-gate bias effect model for ultrathin SOI CMOS devices. *Sim, Jai-hoon*, + , *T-ED Apr 93* 755-765

bidirectional NMOSFET current reduction model for simulation of hot-carrier-induced circuit degradation. *Quader, Khandker N.*, + , *T-ED Dec 93* 2245-2254

characterization of hot-carrier damage in p-channel transistors. *Doyle, Brian S.*, + , *T-ED Jan 93* 152-156

comparison of CVD stacked gate oxide and thermal gate oxide for 0.5-μm transistors subjected to process-induced damage. *Tseng, Hsing-Huang, + , T-ED Mar 93* 613-618
detection of trapped electron distribution of PMOSFETs after hot-carrier stress. *Song Jai-Hyuk, + , T-ED May 93* 958-965
different conduction mechanisms in accumulation-mode p-channel SOI MOSFETs at room and liquid-helium temperatures. *Rotondaro, Antonio Luis Pacheco, + , T-ED Apr 93* 727-732
examination of oxide damage during high-current stress of n-MOS transistors. *Doyle, Brian S., + , T-ED May 93* 980-985
high-performance dual-gate CMOS utilizing self-aligned pocket implantation technology. *Hori, Atsushi, + , T-ED Sep 93* 1675-1681
hot-carrier degradation of submicrometer p-MOSFETs with thermal/LPCVD composite oxide. *Lee, Yung-Huei, + , T-ED Jan 93* 163-168
low-frequency noise behavior of Si NMOSTs stressed at 4.2 K. *Simoen, Eddy, + , T-ED Jul 93* 1296-1299
minority carrier mobility in inversion layer of sub-half-micrometer n- and p-channel MOSFETs in temperature range 208–403 K. *Wildau, Hans-Jürgen, + , T-ED Dec 93* 2318-2325
MODFET drain current degradation as function of polysilicon gate concentration, oxide thickness, and substrate impurity concentration. *Huang, Chen-Liang, + , T-ED Dec 93* 2330-2337
monolithic cofabrication of $Y_1Ba_2Cu_3O_{7-\delta}$ and CMOS devices on same sapphire substrate. *de la Houssaye, P. R., + , T-ED Nov 93* 2139-2140
NMOS device characteristics in cold-cathode electron-beam-recrystallized SOI. *Thompson, Lance R., + , T-ED Jul 93* 1270-1276
process dependence on positive bias temperature aging instability of p⁺(B) polysilicon-gate MOS devices. *Ushizaka, Hironori, + , T-ED May 93* 932-937
time dependence of p-MOSFET hot-carrier degradation over ten orders of magnitude. *Woltjer, Reinout, + , T-ED Feb 93* 392-401
tunneling and thermal emission of electrons from distribution of deep traps in SiO_2 gate oxide on n-channel LDD CMOS devices. *Hwang, Nam, + , T-ED Jun 93* 1100-1103
ultra-shallow buried-channel PMOST fabrication using boron penetration. *Pfiester, James R., + , T-ED Jan 93* 207-213

CMOSFETs; cf. CMOS integrated circuits

CMOS integrated circuits
0.1-μm-gate ultrathin-film CMOS devices using SIMOX substrate with 80-nm-thick buried oxide layer. *Omura, Y., + , T-ED May 93* 1019-1022
circuit design guidelines for n-channel MOSFET hot-carrier robustness. *Mistry, Kaizad R., + , T-ED Jul 93* 1284-1295
CMOS-compatible shorted-anode auxiliary-cathode lateral IGBTs. *Sankara Narayanan, E. M., + , T-ED Oct 93* 1880-1883
computer-aided assessment of fully depleted SOI CMOS VLSI circuit performance. *Fossum, Jerry G., + , T-ED Mar 93* 598-604
deep-submicrometer CMOS/SIMOX delay modeling by time-dependent capacitance model. *Lee, M., + , T-ED Oct 93* 1897-1901
electrical properties of Si p⁺-n junctions for sub-0.25-μm CMOS fabricated by Ga focused-ion-beam implantation. *Mogul, Homyar C., + , T-ED Oct 93* 1823-1829
field inversion generated in CMOS double-metal process due to PETEOS and SOG interactions. *Hsu, Shun-Liang, + , T-ED Jan 93* 49-53
high-latchup-immunity design methodology for internal circuits in standard-cell-based CMOS/BiCMOS LSIs. *Aoki, Takahiro, T-ED Aug 93* 1432-1436
high-speed, 0.6-μm, 16K CMOS gate array on thin SIMOX film. *Yamaguchi, Yasuo, + , T-ED Jan 93* 179-186
hot carrier evaluation of MOSFETs in ULSI circuits using photon emission method. *Uraoka, Yukiharu, + , T-ED Aug 93* 1426-1431
intelligent power LSI with double buried-oxide layers formed by SIMOX technology. *Ohno, Terukazu, + , T-ED Nov 93* 2074-2080
interface nitridation process for thin gate oxides; oxidation of deposited oxide on nitrided silicon surface films for CMOS. *Rahat, Ido, + , T-ED Nov 93* 2047-2053
latchup-free CMOS/DMOS smart power circuits using floating well. *Bafleur, M., + , T-ED Jul 93* 1340-1342
selective CVD tungsten-strapped polysilicon local interconnection technology. *Lee, V. V., + , T-ED Jul 93* 1223-1230
seven-mask CMOS process with selective oxide deposition. *Horiuchi, Tadahiko, + , T-ED Aug 93* 1455-1460
temperature dependence of latch-up trigger current in CMOS/BiCMOS structures. *Aoki, Takahiro, T-ED Nov 93* 2023-2028
thermally excited silicon oxide beam and bridge resonators in CMOS technology. *Brand, Oliver, + , T-ED Oct 93* 1745-1753

CMOS integrated circuits; cf. BiCMOS integrated circuits; CMOSFET logic devices; CMOSFETs

CMOS integrated circuits, memory
development of polysilicon TFTs for 16-MB SRAMs and beyond. *Batra, S., + , T-ED Nov 93* 2125-2126
experimental characterization of diode-type polysilicon loads for CMOS SRAM. *Kalnitsky, Alexander, + , T-ED Feb 93* 358-363

CMOS integrated circuits, memory; cf. BiCMOS integrated circuits, memory

Communication systems; cf. Optical communication

Complementary circuits/devices
AlGaAs/GaAs pnp HBT with 54-GHz f_{max}; application to high-performance complementary technology. *Hill, D. G., + , T-ED Nov 93* 2113
anisotype-gate self-aligned p-channel AlGaAs/InGaAs heterostructure FET for complementary circuits. *Abrokwah, Jonathan K., + , T-ED Feb 93* 278-284
electrical and optical properties of light-emitting transistor based on real-space transfer. *Mastrapasqua, Marco, + , T-ED Feb 93* 250-258

Complementary MOS; cf. CMOS...

Component reliability
degradation of time-dependent dielectric breakdown characteristics of $SiO_2/Si_3N_4/SiO_2$ stacked films caused by surface roughness of Si_3N_4 films. *Tanaka, Hiroyuki, + , T-ED Dec 93* 2231-2236

Component reliability; cf. Life estimation

Computer-aided design; cf. Design automation

Computer power supplies
influence of series resistance of on-chip power supply buses on internal device failure after ESD stress. *Terletzki, H., + , T-ED Nov 93* 2081-2083

Computer vision; cf. Machine vision

Contacts
64-GHz-f_T and 3.6-V-BV_{CEO} Si bipolar transistor using in situ p-doped and large-grained polysilicon emitter contacts. *Nanba, M., + , T-ED Aug 93* 1563-1565
effects of deep level on forward characteristics of rectifying contacts on semiconducting diamond. *Venkatesan, V., + , T-ED Aug 93* 1556-1558

Contacts; cf. Gallium FETs; Integrated circuit metallization; MODFETs, power; Ohmic contacts

Coupling; cf. Electromagnetic coupling

Crossed-field devices
comment on 'The nonlinear operation of a microwave crossed-field amplifier' by G. E. Thomas. *Roberts, Thomas M., T-ED Jun 93* 1188-1189 (Original paper, Jan 81 27-36)

Crossed-field devices; cf. Magnetrons

Crosstalk
closed-form expressions for interconnection delay, coupling, and crosstalk in VLSIs. *Sakurai, Takayasu, T-ED Jan 93* 118-124

Cryogenic electronics
background-limited IR hot-electron transistor operating at 77 K. *Kuan, C. H., + , T-ED Nov 93* 2142-2143
closed-form analytical forward transit time model for BJT devices operating at 77 K. *Lu, Tao-Cheng, + , T-ED Apr 93* 766-772
different conduction mechanisms in accumulation-mode p-channel SOI MOSFETs at room and liquid-helium temperatures. *Rotondaro, Antonio Luis Pacheco, + , T-ED Apr 93* 727-732
effective mass, density, and mobility of charge carriers in 0.15-μm gate InAlAs/InGaAs HEMT. *Zhao, Y., + , T-ED Jun 93* 1067-1070
electron trapping in ONO devices at 77 K; comparison with trapping in SiO_2 devices. *Das, N. C., + , T-ED Jun 93* 1179-1181
generalized mobility law for drain current modeling in Si MOS transistors from liquid helium to room temperatures. *Emrani, Ayoub, + , T-ED Mar 93* 564-569
InAs bipolar transistors for high-performance cryogenic electronics using pseudo-HBT concept. *Dodd, P. E., + , T-ED Nov 93* 2141
low-frequency noise behavior of Si NMOSTs stressed at 4.2 K. *Simoen, Eddy, + , T-ED Jul 93* 1296-1299
model for quasi-saturation behavior of DMOS at 77 K and 300 K. *Liu, Chung-Min, + , T-ED Sep 93* 1636-1644
profile design and optimization of epitaxial Si- and SiGe-base bipolar technology for 77 K applications; circuit performance. *Cressler, John D., + , T-ED Mar 93* 542-556
profile design and optimization of epitaxial Si- and SiGe-base bipolar technology for 77 K applications; transistor DC design considerations. *Cressler, John D., + , T-ED Mar 93* 525-541
speed and noise performance of direct ion-implanted GaAs MESFETs. *Feng, Milton, + , T-ED Jan 93* 9-17
split-gate InGaAs quantum-wire device operated at 80 K. *Yoh, Kanji, + , T-ED Nov 93* 2134-2135
temperature-dependent characteristics of BiCMOS digital circuits. *Rofail, Samir S., + , T-ED Jan 93* 169-178

Curved waveguides; cf. Waveguide bends

CW lasers
visible CW InGaP/InGaAlP QW VCSELs. *Huang, K. F., + , T-ED Nov 93* 2119

Cylinders; cf. Diodes

D

Delay effects
analysis of effects of scaling on interconnect delay in ULSI circuits. *Bothra, Subhas, + , T-ED Mar 93* 591-597
bipolar effects on signal delay time in GaAs-based HBTs at high currents. *Zhou, Haosheng, + , T-ED Jan 93* 44-48
closed-form expressions for interconnection delay, coupling, and crosstalk in VLSIs. *Sakurai, Takayasu, T-ED Jan 93* 118-124
deep-submicrometer CMOS/SIMOX delay modeling by time-dependent capacitance model. *Lee, M., + , T-ED Oct 93* 1897-1901
forward transit delay in $In_{0.53}Ga_{0.47}As$ HBTs with nonequilibrium electron transport. *Laskar, J., + , T-ED Nov 93* 2122
forward transit delay in $In_{0.53}Ga_{0.47}As$ HBTs with nonequilibrium electron transport in temperature range 55–340 K. *Laskar, Joy, + , T-ED Nov 93* 1942-1949
high-speed low-power CMOS/SIMOX ring oscillators with reduced propagation delay. *Lee, M., + , T-ED Nov 93* 2103-2104
minimization of transistor delay at given power density. *Murphy, Bernard T., T-ED Feb 93* 414-420
temperature-dependent characteristics of BiCMOS digital circuits. *Rofail, Samir S., + , T-ED Jan 93* 169-178
Design automation
parametric macromodeling of hot-carrier-induced dynamic degradation in MOS VLSI circuits. *Leblebici, Y., + , T-ED Mar 93* 673-676
Device reliability; cf. Component reliability
Device Research Conference, 51st (1993) Annual
Abstracts. *T-ED Nov 93* 2097-2147
Diamond materials/devices
effects of deep level on forward characteristics of rectifying contacts on semiconducting diamond. *Venkatesan, V., + , T-ED Aug 93* 1556-1558
Diamond materials/devices; cf. Semiconductor films
Dielectric breakdown
characterization of SiO_2 dielectric breakdown for reliability simulation. *Nafría, Montserrat, + , T-ED Sep 93* 1662-1668
comparison of Q_{bd} for electrons tunneling from Si/SiO_2 interface and from poly-Si/SiO_2 interface. *Gong, Sheng S., + , T-ED Jul 93* 1251-1257
degradation of time-dependent dielectric breakdown characteristics of $SiO_2/Si_3N_4/SiO_2$ stacked films caused by surface roughness of Si_3N_4 films. *Tanaka, Hiroyuki, + , T-ED Dec 93* 2231-2236
effect of oxide charges at LOCOS isolation edges on oxide breakdown. *Uchida, Hidetsugu, + , T-ED Oct 93* 1818-1822
high-field breakdown in thin oxides grown in N_2O ambient. *Joshi, Aniruddha B., + , T-ED Aug 93* 1437-1445
method of eliminating B-mode dielectric breakdown failure in gate oxides utilizing charging phenomenon. *Ajioka, Tsuneo, + , T-ED Dec 93* 2282-2286
silicon dioxide breakdown lifetime enhancement under bipolar bias conditions. *Rosenbaum, Elyse, + , T-ED Dec 93* 2287-2295
Dielectric breakdown; cf. Electrostatic discharges
Dielectric films
characterization of SiO_2 dielectric breakdown for reliability simulation. *Nafría, Montserrat, + , T-ED Sep 93* 1662-1668
correlation of stress-induced leakage current in thin oxides with internal trap generation. *Dumin, David J., + , T-ED May 93* 986-993
degradation of time-dependent dielectric breakdown characteristics of $SiO_2/Si_3N_4/SiO_2$ stacked films caused by surface roughness of Si_3N_4 films. *Tanaka, Hiroyuki, + , T-ED Dec 93* 2231-2236
high-field breakdown in thin oxides grown in N_2O ambient. *Joshi, Aniruddha B., + , T-ED Aug 93* 1437-1445
method of eliminating B-mode dielectric breakdown failure in gate oxides utilizing charging phenomenon. *Ajioka, Tsuneo, + , T-ED Dec 93* 2282-2286
silicon dioxide breakdown lifetime enhancement under bipolar bias conditions. *Rosenbaum, Elyse, + , T-ED Dec 93* 2287-2295
uniform durable thin dielectrics prepared by rapid thermal processing in N_2O ambient. *Bienek, R., + , T-ED Sep 93* 1706-1708
using rapid thermal oxidation to improve reliability of thin Si_3N_4 films deposited on rugged polysilicon electrodes. *Itoh, S., + , T-ED Jun 93* 1176-1178
Dielectric films; cf. MIS...; MOS...
Dielectric measurements; cf. Capacitance measurement
Dielectric radiation effects
process dependence of radiation hardness of rapid thermal reoxidized nitrided gate oxides. *Lu, Wei-Shin, + , T-ED Sep 93* 1597-1603
Difference methods; cf. Finite-difference methods
Diffusion processes; cf. Bipolar transistors; MOSFETs; Silicon materials/devices
Digital communication; cf. Digital modulation/demodulation
Digital integrated circuits; cf. Bipolar integrated circuits
Digital modulation/demodulation
high-temperature-superconductor subharmonically pumped digital phase modulator/demodulator capable of gigabit/second transmission rates. *Drabeck, Lawrence, + , T-ED Nov 93* 2140-2141
Diode lasers; cf. Semiconductor lasers
Diodes
optimum neutralization of negative space charge in cylindrical and spherical diodes; application to electron-beam-pumped excimer laser in cylindrical symmetry. *Wheeler, Clive B., T-ED Jun 93* 1166-1171
Diodes; cf. Semiconductor diodes
Directional couplers; cf. Optical directional couplers
Displays
memory effect in ZnS:Mn AC thin-film electroluminescent devices with low Mn concentration. *McClean, Ian P., + , T-ED May 93* 898-902
Displays; cf. Electroluminescent materials/devices; Liquid-crystal displays
Distortion; cf. Crosstalk; Nonlinear distortion
Distributed-Bragg-reflector lasers
short optical pulse generated by integrated MQW DBR-laser/EA-modulator fabricated by selective-area MOVPE. *Chen, Y. K., + , T-ED Nov 93* 2118-2119
Distributed-reflector lasers; cf. Distributed-Bragg-reflector lasers
Doping; cf. Semiconductor device doping

E

ECL; cf. Emitter-coupled logic
EEPROM (electrically erasable programmable ROM); cf. Read-only memories
Electrical contacts; cf. Contacts
Electric variables calculations; cf. Admittance calculations; Capacitance calculations; Impedance calculations
Electric variables measurement; cf. Admittance measurement; Capacitance measurement; Resistance measurement; Resistivity measurement
Electroabsorption; cf. Optical propagation, absorbing media
Electroluminescent materials/devices
bright organic electroluminescent devices with double-layer cathode. *Kido, Junji, + , T-ED Jul 93* 1342-1344
electrical and optical properties of light-emitting transistor based on real-space transfer. *Mastrapasqua, Marco, + , T-ED Feb 93* 250-258
impact ionization and light emission in high-power pseudomorphic AlGaAs/InGaAs HEMTs. *Tedesco, Carlo, + , T-ED Jul 93* 1211-1214
memory effect in ZnS:Mn AC thin-film electroluminescent devices with low Mn concentration. *McClean, Ian P., + , T-ED May 93* 898-902
red- and green-emitting tunable-color EL device employing stacked ZnS:Tb and F/ZnS:Mn phosphor layers with color filters. *Fukao, Ryuzo, + , T-ED Jan 93* 64-68
Electroluminescent materials/devices; cf. Cathodoluminescence; Light-emitting diodes
Electromagnetic coupling
closed-form expressions for interconnection delay, coupling, and crosstalk in VLSIs. *Sakurai, Takayasu, T-ED Jan 93* 118-124
Electromagnetic propagation, absorbing media; cf. Optical propagation, absorbing media
Electromagnetic propagation, nonlinear media
hydrodynamic and Monte Carlo simulation of electron shock wave in 1-μm N^+-n-n^+ silicon diode. *Gardner, Carl L., T-ED Feb 93* 455-457
Electromagnetic propagation, nonlinear media; cf. Optical propagation, nonlinear media
Electromagnetic reflection; cf. Optical reflection
Electromechanical devices; cf. Microelectromechanical devices
Electromigration; cf. Aluminum conductors, integrated circuits; Integrated circuit interconnections
Electron beams
calculation of beam loading using induced-current method in passive cavities; application to magnicon. *Rees, Daniel E., + , T-ED Aug 93* 1543-1548
Electron carriers; cf. Charge-carrier processes
Electron emission
collector-assisted operation of micromachined field-emitter triode arrays. *Busta, Heinz H., + , T-ED Aug 93* 1537-1542
computed emisson area of Spindt field-emitter array. *Jenkins, David W., T-ED Mar 93* 666-672
emission characteristics of Si field-emitter triode arrays with four different gate geometries. *Busta, Heinz H., + , T-ED Aug 93* 1530-1536

optimum microemitter geometry and space-charge effects in numerically simulated vacuum microelectronic devices. *Cui, Zheng, + , T-ED Feb 93* 448-452
preliminary performance results for Cs-Ba tacitron inverter. *El-Genk, Mohamed S., + , T-ED Jul 93* 1335-1339
revision of formula for secondary emission yield. *Vaughan, Rodney M., T-ED Apr 93* 830
secondary emission properties as function of electron incidence angle. *Shih, Arnold, + , T-ED Apr 93* 824-829
self-supporting Si springs and electric-field drive structures with integrated, moveable field-emission and tunneling tips. *MacDonald, Noel C., T-ED Nov 93* 2098-2099
simulation of field-emission-microtriode RF amplifier performance. *Zaidman, Ernest G., T-ED May 93* 1009-1016
tunneling and thermal emission of electrons from distribution of deep traps in SiO_2 gate oxide on n-channel LDD CMOS devices. *Hwang, Nam, + , T-ED Jun 93* 1100-1103
Electron guns
feasible design regions and design optimization of single-anode and double-anode 300-MW magnetron injection guns. *Lawson, Wes, + , T-ED Jul 93* 1322-1328
Electronics; cf. Ultrafast electronics
Electron microscopy
extracting semiconductor parameters using cathodoluminescence in scanning electron microscope. *Chan, Daniel S. H., + , T-ED Aug 93* 1417-1425
Electrons
1-D to 1-D tunneling in dual-electron-waveguide devices. *Eugster, C. C., + , T-ED Nov 93* 2135-2136
A/D conversion architecture using electron waveguides. *Eugster, Christopher C., + , T-ED Nov 93* 1910-1916
Electron tubes
estimation of dispenser cathode surface temperature of practical potted heater cathode assembly. *Sil, A., + , T-ED Oct 93* 1855-1863
Electron tubes; cf. Klystrons
Electrooptic materials/devices; cf. Integrated optoelectronics
Electrooptic modulation
asymmetric Fabry–Perot modulators with 37-GHz frequency response. *Barron, C. C., + , T-ED Nov 93* 2146-2147
low-voltage hetero-nipi wavelength modulators. *Yoffe, G. W., + , T-ED Nov 93* 2144
normal incidence GaAs/AlGaAs MQW polarization modulator using induced uniaxial strain. *Pamulapati, J., + , T-ED Nov 93* 2144-2145
short optical pulse generated by integrated MQW DBR-laser/EA-modulator fabricated by selective-area MOVPE. *Chen, Y. K., + , T-ED Nov 93* 2118-2119
Electrooptic switches
electrical and optical properties of four-terminal double-heterostructure AlGaAs–GaAs optoelectronic switch. *Swoger, James, + , T-ED Jun 93* 1071-1080
optical and electrical oscillations in GaAs/AlGaAs digital optoelectronic switch operated in NDR regime. *Kovacic, Stephen J., + , T-ED Jun 93* 1154-1160
Electrostatic discharges
examination of oxide damage during high-current stress of n-MOS transistors. *Doyle, Brian S., + , T-ED May 93* 980-985
influence of series resistance of on-chip power supply buses on internal device failure after ESD stress. *Terletzki, H., + , T-ED Nov 93* 2081-2083
Emitter-coupled logic
profile design and optimization of epitaxial Si- and SiGe-base bipolar technology for 77 K applications; circuit performance. *Cressler, John D., + , T-ED Mar 93* 542-556
Epitaxial growth
doping-spike LWIR PtSi Schottky detector fabricated by MBE. *Line, T. L., + , T-ED Nov 93* 2143
high-f_{max} AlGaAs/InGaAs and AlGaAs/GaAs HBTs fabricated with MOMBE selective growth in extrinsic base regions. *Shimawaki, Hidenori, + , T-ED Nov 93* 2124
high-quality 2-D electron gas in LP-OMVPE AlGaAs/GaAs heterostructures for use in millimeter-wave detectors and mixers. *Agahi, Farid, + , T-ED Mar 93* 502-506
high-speed, high-breakdown-voltage InP/InGaAs double-HBTs grown by MOMBE. *Chau, Hin-Fai, + , T-ED Nov 93* 2121
influence of dislocation density on performance of heteroepitaxial InP solar cells. *Jain, Raj K., + , T-ED Nov 93* 1928-1934
low-voltage hetero-nipi wavelength modulators. *Yoffe, G. W., + , T-ED Nov 93* 2144
MBE regrowth of LEDs on VLSI GaAs MESFETs. *Shenoy, Krishna V., + , T-ED Nov 93* 2138-2139
numerical simulation of current–voltage characteristics of standard and heteroepitaxial GaAs Schottky-barrier diodes and diodes with InGaAs epitaxial layer grown on GaAs or InP. *Bhapkar, Udayan V., + , T-ED Jun 93* 1038-1046
profile design and optimization of epitaxial Si- and SiGe-base bipolar technology for 77 K applications; circuit performance. *Cressler, John D., + , T-ED Mar 93* 542-556
profile design and optimization of epitaxial Si- and SiGe-base bipolar technology for 77 K applications; transistor DC design considerations. *Cressler, John D., + , T-ED Mar 93* 525-541
reduction of $1/f$ noise in multiplexed linear InGaAs detector arrays by epitaxial doping. *Joshi, Abhay M., + , T-ED Feb 93* 303-308
RF properties of epitaxial lift-off GaAs channel HEMT and pseudomorphic InGaAs HEMT devices. *Young, Paul G., + , T-ED Nov 93* 1905-1909
short optical pulse generated by integrated MQW DBR-laser/EA-modulator fabricated by selective-area MOVPE. *Chen, Y. K., + , T-ED Nov 93* 2118-2119
technique for profiling epilayer channel of surface acoustic wave devices on piezoelectric semiconductors. *Abbate, Agostino, + , T-ED Oct 93* 1830-1835
EPROM (electrically programmable read-only memory); cf. Read-only memories
ESD; cf. Electrostatic discharges
Etching; cf. Integrated circuit fabrication; MESFETs; Power FETs
Excimer lasers
optimum neutralization of negative space charge in cylindrical and spherical diodes; application to electron-beam-pumped excimer laser in cylindrical symmetry. *Wheeler, Clive B., T-ED Jun 93* 1166-1171
Excimer lasers; cf. Laser applications,materials processing
Extraterrestrial radiation effects; cf. Semiconductor device radiation effects

F

Fabrication; cf. Integrated circuit fabrication; Materials processing; Semiconductor device fabrication
Fabry–Perot resonators
asymmetric Fabry–Perot modulators with 37-GHz frequency response. *Barron, C. C., + , T-ED Nov 93* 2146-2147
Ferroelectric films/devices
infrared imaging using uncooled focal plane array of unreticulated 10-μm KTN films. *Mantese, Joseph V., + , T-ED Feb 93* 320-324
FET amplifiers; cf. MODFET amplifiers
FET integrated circuits
anisotype-gate self-aligned p-channel AlGaAs/InGaAs heterostructure FET for complementary circuits. *Abrokwah, Jonathan K., + , T-ED Feb 93* 278-284
high-speed GaAs multipliers fabricated with high-yield 0.4-μm process. *Sadler, Robert A., + , T-ED Sep 93* 1578-1582
FET integrated circuits; cf. CMOS integrated circuits; FETs; MOS integrated circuits
FETs
drain-current injection technique for measurement of off-state breakdown voltage in FETs. *Bahl, Sandeep R., + , T-ED Aug 93* 1558-1560
field-extended FETs in 0.25-eV-bandgap HgCdTe. *Wadsworth, Mark Vogel, + , T-ED Mar 93* 487-492
measuring gate voltage dependence of electron mobility in δ-doped HFETs by split *C–V* method. *Moon, Byung-jong, + , T-ED Sep 93* 1711-1713
minimization of transistor delay at given power density. *Murphy, Bernard T., T-ED Feb 93* 414-420
quantum-effect FET with resonantly modulated transfer characteristics. *Ohno, Y., + , T-ED Nov 93* 2135
quantum gate current model for heterostructure field-effect transistors. *Abbott, E. B., + , T-ED May 93* 1022-1024
universal large/small-signal three-terminal FET model using non-quasi-static charge-based approach. *Daniels, Robert R., + , T-ED Oct 93* 1723-1729
FETs; cf. FET integrated circuits; Gallium FETs; IGFETs; Insulated-gate transistors; MESFETs; Millimeter-wave FETs; MISFETs; MODFETs; MOSFETs; Power FETs
FET switches; cf. Power FET switches
Field-effect transistors; cf. FET...
Field emission; cf. Electron emission
Films; cf. Dielectric films; Ferroelectric films/devices; Semiconductor films; Sputtering; Tunnel devices/effects
Filters; cf. Optical filters
Finite-difference methods
optimum microemitter geometry and space-charge effects in numerically simulated vacuum microelectronic devices. *Cui, Zheng, + , T-ED Feb 93* 448-452

Finite-element methods
3-D finite-element investigation of current crowding and peak temperatures in VLSI multilevel interconnections. *Trattles, J. T.*, + , *T-ED Jul 93* 1344-1347
3-D finite-element model study of effect of trench corner shapes on thermally induced local stress fields associated with SiO_2-filled deep trench in Si substrate. *Stiffler, Scott R.*, + , *T-ED Mar 93* 557-563
computed emisson area of Spindt field-emitter array. *Jenkins, David W.*, *T-ED Mar 93* 666-672
Fluorine materials/devices; cf. Schottky diodes
Fuses
filament formation and final resistance modeling in a-Si vertical programmable element. *Shacham-Diamand, Yosi, T-ED Oct 93* 1780-1788

G

Gallium FETs
anisotype-gate self-aligned p-channel AlGaAs/InGaAs heterostructure FET for complementary circuits. *Abrokwah, Jonathan K.*, + , *T-ED Feb 93* 278-284
charge-control modeling of InGaAs/InP heteroinjunction IGFETs. *Martin, Eric A.*, + , *T-ED Mar 93* 466-470
gate current in AlInAs/GaInAs heterostructure insulated-gate field-effect transistors. *Kamada, Mikio*, + , *T-ED Aug 93* 1358-1363
modeling transient response of substrate traps to substrate voltage in GaAs FETs. *Sengouga, Nouredine*, + , *T-ED Mar 93* 471-479
model of gate current in heterojunction FETs. *Fawaz, Hussein*, + , *T-ED May 93* 846-851
NiZnAl-based p-type ohmic contacts on AlGaAs/InGaAs heterostructures. *Abrokwah, J. K.*, + , *T-ED Jun 93* 1185-1187
numerical analysis of kink effect in AlGaAs/GaAs HJFET with heterobuffer layer due to accumulation of holes generated by impact ionization. *Kunihiro, Kazuaki*, + , *T-ED Mar 93* 493-497
Gallium FETs; cf. FET integrated circuits; MESFET...; MODFET...
Gallium materials/devices
boundary-condition-induced current overshoot in short GaAs samples. *Khan, Sanjay A.*, + , *T-ED Sep 93* 1695-1699
high-energy (MeV) ion implantation and its device applications in GaAs and InP. *Rao, Mulpuri V.*, *T-ED Jun 93* 1053-1066
temperature and electric-field dependence of Hooge fluctuation parameter of mesoscopic-GaAs filament. *Tacano, Munecazu, T-ED Nov 93* 2060-2064
Gallium materials/devices; cf. High-speed integrated circuits; *Specific topic*
Gallium materials/lasers
curved- and tapered-waveguide mode-locked InGaAs/AlGaAs semiconductor lasers fabricated by impurity-induced disordering. *Helkey, Roger*, + , *T-ED Nov 93* 2107
high-energy (MeV) ion implantation and its device applications in GaAs and InP. *Rao, Mulpuri V.*, *T-ED Jun 93* 1053-1066
high-wallplug-efficiency VCSELs. *Lear, K. S.*, + , *T-ED Nov 93* 2116
InAlGaP VCSELs emitting at 639–661-nm wavelengths. *Lott, J. A.*, + , *T-ED Nov 93* 2115-2116
low-threshold, electrically injected, 1.3-μm InGaAsP VCSELs on GaAs substrates. *Dudley, J. J.*, + , *T-ED Nov 93* 2119-2120
optical and electrical oscillations in GaAs/AlGaAs digital optoelectronic switch operated in NDR regime. *Kovacic, Stephen J.*, + , *T-ED Jun 93* 1154-1160
reflection noise in VCSELs. *Bae, J. W.*, + , *T-ED Nov 93* 2117
single-transverse-mode, low-threshold-current VCSEL. *Wu, Y. A.*, + , *T-ED Nov 93* 2116-2117
VCSELs with 14 GHz bandwidth. *Brusenbach, P.*, + , *T-ED Nov 93* 2120
Gallium materials/lasers; cf. Quantum-well lasers
Galvanomagnetism; cf. Hall devices/effects
Gas discharges; cf. Ionization
Geometry
3-D simulation of planar semiconductor diodes; geometry dependence of current. *Kavadias, Spyros*, + , *T-ED Oct 93* 1875-1878
dependence of $Ga_{0.47}In_{0.53}As/Al_xIn_{1-x}As$ power HEMT breakdown voltage on Schottky layer design and device geometry. *Brown, J. J.*, + , *T-ED Nov 93* 2111-2112
optimum microemitter geometry and space-charge effects in numerically simulated vacuum microelectronic devices. *Cui, Zheng*, + , *T-ED Feb 93* 448-452
Germanium materials/devices
drift hole mobility in strained and unstrained doped $Si_{1-x}Ge_x$ alloys. *Manku, Tanjinder*, + , *T-ED Nov 93* 1990-1996
Germanium materials/devices; cf. Bipolar transistors; CMOSFETs; Phototransistors; Quantum-well devices
Glass materials/devices; cf. MOS capacitors; MOSFETs
Gold materials/devices; cf. MESFETs
Gratings
photonic integrated tunable receiver using optical preamplifier in vertical-coupler filter structure. *Chuang, Z.-M.*, + , *T-ED Nov 93* 2107-2108
Gunn devices
comments, with reply, on 'Numerical large-signal simulation of the diffusion noise in GaAs Gunn devices' by B. Wang and M. Curow. *Ghione, Giovanni, T-ED Oct 93* 1902-1903 (Original paper, Sep 92 2176-2178)
monolithic integrated repeater employing laser-triggered InGaAs transferred-electron device. *Hahn, Dietmar*, + , *T-ED Dec 93* 2199-2203
Gyrotrons
500-kW, 8-GHz gyrotron for lower hybrid heating of FTU tokamak. *Ives, R. Lawrence*, + , *T-ED Jul 93* 1316-1321

H

Hall devices/effects
geometric factor for Hall mobility characterization using the van der Pauw dual configuration. *Nathan, Arokia*, + , *T-ED Aug 93* 1508-1511
HDTV
2.2-M-pixel FT-CCD imager conforming to Eureka HDTV standard. *Theuwissen, Albert J. P.*, + , *T-ED Sep 93* 1621-1629
HEMT; cf. MODFET...
Heterojunctions; cf. Semiconductor heterojunctions
High-definition TV; cf. HDTV
High electron mobility transistors; cf. MODFET...
High-speed circuits/devices
64-GHz-f_T and 3.6-V-BV_{CEO} Si bipolar transistor using in situ p-doped and large-grained polysilicon emitter contacts. *Nanba, M.*, + , *T-ED Aug 93* 1563-1565
breakdown-speed considerations in InP/InGaAs single- and double-heterostructure bipolar transistors. *Chau, Hin-Fai*, + , *T-ED Jan 93* 2-8
integration of double-polysilicon emitter–base self-aligned bipolar transistor into 0.5-μm BiCMOS technology for fast 4-Mb SRAMs. *Hayden, James D.*, + , *T-ED Jun 93* 1121-1128
process and device characterization for 30-GHz-f_T, submicrometer, double-poly-Si bipolar technology using BF_2-implanted base with rapid thermal process. *Yamaguchi, Tadanori*, + , *T-ED Aug 93* 1484-1495
speed and noise performance of direct ion-implanted GaAs MESFETs. *Feng, Milton*, + , *T-ED Jan 93* 9-17
High-speed circuits/devices; cf. High-speed integrated circuits; Ultrafast electronics
High-speed integrated circuits
analysis of HBT/RTD logic for low-power, high-speed digital applications. *Chang, Charles E.*, + , *T-ED Apr 93* 685-691
characterization and high-speed digital application of GaAs MESFETs on substrates. *Onozawa, S.*, + , *T-ED Nov 93* 2139
GaInP/GaAs HBTs for high-speed IC applications. *Ho, W. J.*, + , *T-ED Nov 93* 2113-2114
high-speed, 0.6-μm, 16K CMOS gate array on thin SIMOX film. *Yamaguchi, Yasuo*, + , *T-ED Jan 93* 179-186
high-speed GaAs multipliers fabricated with high-yield 0.4-μm process. *Sadler, Robert A.*, + , *T-ED Sep 93* 1578-1582
high-speed low-power CMOS/SIMOX ring oscillators with reduced propagation delay. *Lee, M.*, + , *T-ED Nov 93* 2103-2104
High-temperature factors; cf. Thermal factors
High-voltage integrated circuits; cf. Power integrated circuits
High-voltage transistors; cf. Power bipolar transistor...; Power FET...
Hole carriers; cf. Charge-carrier processes
Hot-electron transistors; cf. Bipolar transistors

I

IGFETs
charge-control modeling of InGaAs/InP heteroinjunction IGFETs. *Martin, Eric A.*, + , *T-ED Mar 93* 466-470
gate current in AlInAs/GaInAs HIGFETs. *Kamada, Mikio*, + , *T-ED Aug 93* 1358-1363
Image sensors
a-Si:H photoconductive sensor with gate electrode for matrix-driven linear image sensor array. *Takayama, Satoshi*, + , *T-ED Feb 93* 342-347
Correction to 'A unified model of carrier diffusion and sampling aperture effects on MTF in solid-state image sensors' (Nov 92 2621-2623). *Stevens, Eric G.*, *T-ED Oct 93* 1903

image detector for secondary-ion mass spectrometry ion microscope. *Matsumoto, Kazuya, + , T-ED Jan 93* 82-85
nondestructive-readout static induction transistor photosensors. *Nakamura, Jun-ichi, + , T-ED Feb 93* 334-341
Image sensors; cf. Charge-coupled image sensors; Infrared image sensors; TV image sensors; X-ray image sensors
Imaging/mapping; cf. Microscopy
IMPATT diodes
study of electrical series resistance of silicon IMPATT diodes. *Mitra, M., + , T-ED Oct 93* 1890-1893
Impedance calculations
estimation of transient thermal impedance for constant current of power thyristor using temperature field calculation. *Bencic, Z., + , T-ED Oct 93* 1885-1887
Indium materials/devices
high-energy (MeV) ion implantation and its device applications in GaAs and InP. *Rao, Mulpuri V., T-ED Jun 93* 1053-1066
Indium materials/devices; cf. Bipolar transistors; Gallium materials/devices; Infrared image sensors; Photovoltaic power cells
Inductive transducers; cf. Magnetic transducers
Infrared...; cf. Optical...
Infrared (0.70–100 μm); cf. Submillimeter-wave (300–3000 GHz)
Infrared detectors
a-Si:H/a-Si,Ge:H bulk barrier phototransistor with a-SiC:H barrier enhancement layer for high-gain IR detector. *Hwang, Sheng-Beng, + , T-ED Apr 93* 721-726
background-limited IR hot-electron transistor operating at 77 K. *Kuan, C. H., + , T-ED Nov 93* 2142-2143
doping-spike LWIR PtSi Schottky detector fabricated by MBE. *Line, T. L., + , T-ED Nov 93* 2143
multicolor voltage-tunable QW IR photodetector. *Liu, H. C., + , T-ED Nov 93* 2142
normal-incidence IR detector using Ge QW structures grown on Si(100) substrates. *Lee, Chanho, + , T-ED Nov 93* 2141-2142
Infrared detectors; cf. Infrared image sensors
Infrared image sensors
infrared imaging using uncooled focal plane array of unreticulated 10-μm KTN films. *Mantese, Joseph V., + , T-ED Feb 93* 320-324
long-wavelength-IR 128 × 128 $Al_xGa_{1-x}As$/GaAs quantum-well camera and imaging system. *Bethea, C. G., + , T-ED Nov 93* 1957-1963
surface passivation of backside-illuminated InSb focal plane array. *Bloom, Ilan, + , T-ED Feb 93* 309-314
Infrared lasers; cf. Gallium materials/lasers
Infrared radiation effects
IR photoconductivity via deep Cu acceptors in Si-doped Cu-compensated GaAs photoconductive switches. *Roush, Randy A., + , T-ED Jun 93* 1081-1086
Injection lasers; cf. Semiconductor lasers
Insulated-gate FETs; cf. IGFETs
Insulated-gate transistors
analysis and characterization of segmented anode LIGBT. *Sin, Johnny K. O., + , T-ED Jul 93* 1300-1306
CMOS-compatible shorted-anode auxiliary-cathode lateral IGBTs. *Sankara Narayanan, E. M., + , T-ED Oct 93* 1880-1883
comparison of DMOS/IGBT-compatible high-voltage termination structures and passivation techniques. *Korec, Jacek, + , T-ED Oct 93* 1845-1854
Integral equations
systematic analytical solutions for minority-carrier transport in nonuniform doped semiconductors; application to solar cells. *Cuevas, Andrés, + , T-ED Jun 93* 1181-1183
Integrated circuit design; cf. CMOS integrated circuits; Read-only memories
Integrated circuit fabrication
calculation of 1-D lithographic aerial images using vector theory. *Yuan, Chi-Min, T-ED Sep 93* 1604-1613
comparison of cleaning procedures for removing potassium from silicon wafers exposed to KOH. *Aslam, Mohammad, + , T-ED Feb 93* 292-295
repair technique for phase-shifting masks using silicon-containing resist. *Watanabe, Hisashi, + , T-ED Dec 93* 2211-2215
Integrated circuit fabrication; cf. CMOS integrated circuits; Integrated circuit metallization; MOS integrated circuits; Plasma applications, materials processing; Resists
Integrated circuit interconnections
3-D finite-element investigation of current crowding and peak temperatures in VLSI multilevel interconnections. *Trattles, J. T., + , T-ED Jul 93* 1344-1347
analysis of effects of scaling on interconnect delay in ULSI circuits. *Bothra, Subhas, + , T-ED Mar 93* 591-597
closed-form expressions for interconnection delay, coupling, and crosstalk in VLSIs. *Sakurai, Takayasu, T-ED Jan 93* 118-124
electromigration reliability of tungsten and aluminum vias and improvements under AC current stress. *Tao, Jiang, + , T-ED Aug 93* 1398-1405
exact and approximate calculation of 2-D capacitance of wire. *Ringhandt, A., + , T-ED May 93* 1028-1032
Integrated circuit interconnections; cf. Aluminum conductors, integrated circuits; CMOS integrated circuits; Power integrated circuits
Integrated circuit measurements; cf. MOS integrated circuits
Integrated circuit mechanical factors
analytical open-failure lifetime model for stress-induced voiding in Al lines. *Okabayashi, Hidekazu, T-ED Apr 93* 782-788
Integrated circuit metallization
accurate extraction of resistivity of contacts on Kelvin D-resistor structures using universal curves from simulation. *Santander, Joaquín, + , T-ED May 93* 944-950
contact plug technique for deep-submicrometer ULSIs using selective nickel silicidation of polysilicon with titanium nitride stopper. *Iijima, Tadashi, + , T-ED Feb 93* 371-377
discharge treatment of W-Si system for silicidation. *Singh, Awatar, + , T-ED Aug 93* 1551-1553
Integrated circuit metallization; cf. Aluminum conductors, integrated circuits; CMOS integrated circuits; Integrated circuit interconnections
Integrated circuit modeling; cf. Aluminum conductors, integrated circuits; BiCMOS integrated circuits; Bipolar integrated circuits; CMOS integrated circuits; MMICs; Read-only memories
Integrated circuit reliability
characterization of SiO_2 dielectric breakdown for reliability simulation. *Nafría, Montserrat, + , T-ED Sep 93* 1662-1668
Integrated circuit reliability; cf. Aluminum conductors, integrated circuits; BiCMOS integrated circuits; CMOS integrated circuits; Electrostatic discharges; Read-only memories
Integrated circuits; cf. Bipolar integrated circuits; Complementary circuits/devices; FET integrated circuits; High-speed integrated circuits; Integrated optoelectronics; Logic arrays; MMICs; Power integrated circuits; Silicon-on-insulator
Integrated circuit thermal factors; cf. BiCMOS integrated circuits; Bipolar integrated circuits; CMOS integrated circuits; Cryogenic electronics; Integrated circuit interconnections; MMICs; Read-only memories
Integrated optoelectronics
integrated self-scanning light-emitting device. *Ohno, Seiji, + , T-ED Dec 93* 2216-2221
monolithically integrated optoelectronic receiver based on pseudomorphic InGaAs-on-GaAs MODFETs and MSM photodetectors for computer optical interconnects. *Ketterson, Andrew A., + , T-ED Aug 93* 1406-1416
monolithic integrated repeater employing laser-triggered InGaAs transferred-electron device. *Hahn, Dietmar, + , T-ED Dec 93* 2199-2203
monolithic, multiterminal, light-emitting InGaAs/InAlAs/InGaAs logic device electrically reprogrammable between OR and NAND functions. *Mastrapasqua, Marco, + , T-ED Aug 93* 1371-1377
photonic integrated tunable receiver using optical preamplifier in vertical-coupler filter structure. *Chuang, Z.-M., + , T-ED Nov 93* 2107-2108
transistor-related noise in integrated p-i-n HBT optical receiver front-ends. *Liu, Qing Z., + , T-ED Dec 93* 2204-2210
Interchannel interference; cf. Crosstalk
Interconnections, integrated circuits; cf. Integrated circuit interconnections
Interference; cf. Noise
Inverters; cf. Power conversion, DC–AC
Ion implantation; cf. Semiconductor device ion implantation
Ionization
dependence of ionization current on gate bias in GaAs MESFETs. *Canali, Claudio, + , T-ED Mar 93* 498-501
effects of impact ionization in framework of stanard hydrodynamic model. *Souissi, Kamel, + , T-ED Aug 93* 1501-1507
impact ionization and light emission in high-power pseudomorphic AlGaAs/InGaAs HEMTs. *Tedesco, Carlo, + , T-ED Jul 93* 1211-1214
Monte Carlo simulation of effect of multiplication layer thickness in wide-bandwidth avalanche photodiodes with separate absorption, grading, and multiplication. *Chandramouli, V., + , T-ED Nov 93* 2137
numerical analysis of kink effect in AlGaAs/GaAs HJFET with heterobuffer layer due to accumulation of holes generated by impact ionization. *Kunihiro, Kazuaki, + , T-ED Mar 93* 493-497
prediction of impact-ionization-induced snap-back in advanced Si n-p-n BJTs. *Verzellesi, Giovanni, + , T-ED Dec 93* 2296-2300
Ionization chambers
image detector for secondary-ion mass spectrometry ion microscope. *Matsumoto, Kazuya, + , T-ED Jan 93* 82-85

Ion radiation effects; cf. CMOS integrated circuits; Semiconductor device radiation effects

J

JFETs; cf. Power FETs
Josephson devices
monolithic cofabrication of $Y_1Ba_2Cu_3O_{7-\delta}$ and CMOS devices on same sapphire substrate. *de la Houssaye, P. R., + , T-ED Nov 93* 2139-2140
Josephson logic
multi-input Josephson AND gate with ladder structure. *Suzuki, Hideo, + , T-ED Mar 93* 661-665
Junction lasers; cf. Semiconductor lasers
Junctions; cf. Semiconductor junctions

K

Klystrons
multiple extraction cavities for X-band high-power klystrons. *Lee, T. G., T-ED Jul 93* 1329-1334

L

Ladder circuits
multi-input Josephson AND gate with ladder structure. *Suzuki, Hideo, + , T-ED Mar 93* 661-665
Large-scale integration; cf. BiCMOS integrated circuits; CMOS integrated circuits; Ultra-large-scale integration; Very-large-scale integration
Laser amplifiers; cf. Semiconductor optical amplifiers
Laser application, materials processing
excimer-laser-crystallized poly-Si TFTs with mobility of more than 600 cm^2/Vs. *Choi, D. H., + , T-ED Nov 93* 2129
Laser applications; cf. Light-triggered switches
Laser applications, materials processing
bottom-gate poly-Si TFTs using XeCl excimer laser annealing and ion doping techniques. *Furuta, Mamoru, + , T-ED Nov 93* 1964-1969
excimer-laser crystallization of a-Si:H; TFTs fabricated from annealed Si. *Brotherton, S. D., + , T-ED Feb 93* 407-413
high-mobility poly-Si thin-film transistors fabricated by excimer laser crystallization method. *Shimizu, Kazuhiro, + , T-ED Jan 93* 112-117
Laser-beam effects; cf. Laser radiation effects
Laser diodes; cf. Semiconductor lasers
Laser modes
single-transverse-mode, low-threshold-current VCSEL. *Wu, Y. A., + , T-ED Nov 93* 2116-2117
VCSEL polarization switching and control. *Choquette, Kent D., + , T-ED Nov 93* 2117-2118
Laser modulation; cf. Optical modulation/demodulation
Laser noise
reflection noise in VCSELs. *Bae, J. W., + , T-ED Nov 93* 2117
Laser processing applications; cf. Laser applications, materials processing
Laser pulses; cf. Pulsed lasers
Laser radiation effects
IR photoconductivity via deep Cu acceptors in Si-doped Cu-compensated GaAs photoconductive switches. *Roush, Randy A., + , T-ED Jun 93* 1081-1086
Laser resonators
high-wallplug-efficiency VCSELs. *Lear, K. S., + , T-ED Nov 93* 2116
InAlGaP VCSELs emitting at 639–661-nm wavelengths. *Lott, J. A., + , T-ED Nov 93* 2115-2116
low-threshold, electrically injected, 1.3-μm InGaAsP VCSELs on GaAs substrates. *Dudley, J. J., + , T-ED Nov 93* 2119-2120
reflection noise in VCSELs. *Bae, J. W., + , T-ED Nov 93* 2117
single-transverse-mode, low-threshold-current VCSEL. *Wu, Y. A., + , T-ED Nov 93* 2116-2117
VCSEL polarization switching and control. *Choquette, Kent D., + , T-ED Nov 93* 2117-2118
VCSELs with 14-GHz bandwidth. *Brusenbach, P., + , T-ED Nov 93* 2120
Lasers; cf. CW lasers; Power lasers; Pulsed lasers; Visible lasers; Waveguide lasers
Layered media; cf. Nonhomogeneous media
Learning systems; cf. Neural networks
LEDs; cf. Light-emitting diodes
Life estimation
aging analysis of NMOS fabricated with 1.3-μm partially depleted SIMOX SOI technology; comparison with 1.3-μm bulk technology. *Reimbold, Gilles, + , T-ED Feb 93* 364-370
analytical open-failure lifetime model for stress-induced voiding in Al lines. *Okabayashi, Hidekazu, T-ED Apr 93* 782-788
process dependence on positive bias temperature aging instability of p+(B) polysilicon-gate MOS devices. *Ushizaka, Hironori, + , T-ED May 93* 932-937
Light-activated switches; cf. Light-triggered switches
Light-emitting devices; cf. Thyristors
Light-emitting diodes
bremsstrahlung origin of hot-carried-induced photons in avalanching Si p-n junctions. *Lacaita, Andrea L., + , T-ED Mar 93* 577-582
MBE regrowth of LEDs on VLSI GaAs MESFETs. *Shenoy, Krishna V., + , T-ED Nov 93* 2138-2139
overview of visible LED development and potential for AlInGaP devices. *Craford, M. George, T-ED Nov 93* 2098
ultra-high-efficiency LED arrays. *Schnitzer, I., + , T-ED Nov 93* 2108-2109
Light sources; cf. Light-emitting diodes
Light-triggered switches
IR photoconductivity via deep Cu acceptors in Si-doped Cu-compensated GaAs photoconductive switches. *Roush, Randy A., + , T-ED Jun 93* 1081-1086
monolithic integrated repeater employing laser-triggered InGaAs transferred-electron device. *Hahn, Dietmar, + , T-ED Dec 93* 2199-2203
numerical analysis of electric field profiles in high-voltage GaAs photoconductive switches; comparison to experiment. *Kingsley, Lawrence E., + , T-ED Dec 93* 2344-2351
sensitive optical gating of reverse-biased AlGaAs/GaAs optothyristors for pulsed power switching applications. *Zhao, Jian H., + , T-ED Apr 93* 817-823
Liquid-crystal displays
10-s doping technology for application of low-temperature polysilicon TFTs to giant microelectronics. *Mimura, Akio, + , T-ED Mar 93* 513-520
Lithography; cf. Integrated circuit fabrication
Logic arrays
high-speed, 0.6-μm, 16K CMOS gate array on thin SIMOX film. *Yamaguchi, Yasuo, + , T-ED Jan 93* 179-186
Logic arrays; cf. Programmable logic arrays
Logic circuits
digital logic circuit family based on high-T_c superconducting flux flow transistors. *Martens, Jon S., + , T-ED Mar 93* 656-660
Logic circuits; cf. Bipolar integrated circuits; Emitter-coupled logic; FET integrated circuits; Josephson logic; Logic arrays; Threshold logic circuits; Transistor-transistor logic
Logic devices; cf. Josephson logic; Optical logic devices; Semiconductor logic devices
LSI; cf. Large-scale integration
Luminescent materials/devices; cf. Electroluminescent materials/devices

M

Machine vision
compressing photodetectors for long optical pulses using lateral blooming drain structure. *Kub, Fritz J., + , T-ED Oct 93* 1740-1744
Machining; cf. Materials processing
Magnesium materials/devices; cf. Solid lasers
Magnetic confinement, plasma heating; cf. Tokamaks, plasma heating
Magnetic logic devices; cf. Josephson logic
Magnetic transducers
temperature coefficient of resolution of lateral bipolar magnetotransistors. *Kung, William, + , T-ED May 93* 910-917
Magnetrons
feasible design regions and design optimization of single-anode and double-anode 300-MW magnetron injection guns. *Lawson, Wes, + , T-ED Jul 93* 1322-1328
Masers; cf. Gyrotrons
Mass spectroscopy
image detector for secondary-ion mass spectrometry ion microscope. *Matsumoto, Kazuya, + , T-ED Jan 93* 82-85
Materials processing
collector-assisted operation of micromachined field-emitter triode arrays. *Busta, Heinz H., + , T-ED Aug 93* 1537-1542
micromachined polyimide aperture for stable bilayer lipid membrane. *Eray, Mete, + , T-ED Nov 93* 2137-2138
Materials processing; cf. Laser applications, materials processing; Plasma applications, materials processing
Measurement; cf. Mechanical variables measurement; Semiconductor device measurements; Semiconductor materials measurements
Mechanical factors; cf. Integrated circuit mechanical factors; Rotating-machine mechanical factors; Semiconductor device mechanical factors
Mechanical variables measurement
mechanical–thermal noise in micromachined acoustic and vibration sensors. *Gabrielson, Thomas B., T-ED May 93* 903-909

Mechanical variables measurement; cf. Pressure measurement; Strain measurement; Thickness measurement
Memories; cf. Analog memories; Random-access memories; Read-only memories; Semiconductor memories
Mercury materials/devices; cf. FETs; Schottky devices
MESFET integrated circuits
characterization and high-speed digital application of GaAs MESFETs on substrates. *Onozawa, S.*, + , *T-ED Nov 93* 2139
microwave performance of GaAs-on-Si MESFETs with Si buffer layers; application in monolithic integration. *Georgakilas, Alexandros*, + , *T-ED Mar 93* 507-512
MESFET integrated circuits; cf. MESFETs
MESFETs
airbridged-gate MESFETs fabricated by isotropic reactive ion etching. *Hur, Katerina Y.*, + , *T-ED Oct 93* 1736-1739
avalanche breakdown and surface deep-level trap effects in GaAs MESFETs. *Li, Chi-Lung*, + , *T-ED Apr 93* 811-816
characteristics of InAlAs/InGaAs/InP HEMTs with n- and p-channel doping. *Tian, H.*, + , *T-ED Dec 93* 2362-2365
dependence of ionization current on gate bias in GaAs MESFETs. *Canali, Claudio*, + , *T-ED Mar 93* 498-501
drain-current injection technique for measurement of off-state breakdown voltage in FETs. *Bahl, Sandeep R.*, + , *T-ED Aug 93* 1558-1560
extraction of effective channel thickness of implanted MESFETs by method based on transconductance parameter β measurement. *Moon, Byung-jong*, + , *T-ED Jan 93* 32-34
improved junction capacitance model for GaAs MESFET. *Rodriguez-Tellez, J.*, + , *T-ED Nov 93* 2083-2085
I–V model for short-gate-length MESFETs operating in turn-on region. *Chin, Shan-Ping*, + , *T-ED Apr 93* 712-720
light-induced sidegating effect in GaAs MESFETs. *Chang, Shwu-Jing*, + , *T-ED Dec 93* 2186-2191
MBE regrowth of LEDs on VLSI GaAs MESFETs. *Shenoy, Krishna V.*, + , *T-ED Nov 93* 2138-2139
microwave and ultra-low-noise performance of fully ion-implanted GaAs MESFETs with Au/WSiN T-shaped gate. *Onodera, Kiyomitsu*, + , *T-ED Jan 93* 18-24
modeling temperature effects in DC *I–V* characteristics of GaAs MESFETs. *Selmi, Luca*, + , *T-ED Feb 93* 273-277
non-quasi-static transient and small-signal two-dimensional modeling of GaAs MESFETs with emphasis on distributed effects. *Akhtar, Salman*, + , *T-ED Dec 93* 2154-2163
numerical simulation of sidegating effect in GaAs MESFETs. *Chang, Shwu-Jing*, + , *T-ED Apr 93* 698-704
pseudomorphic GaInP/InP MESFET with improved device performance. *Lin, K. C.*, + , *T-ED Dec 93* 2361-2362
short-channel effects and drain-induced barrier lowering in nanometer-scale GaAs MESFETs. *Adams, James A.*, + , *T-ED Jun 93* 1047-1052
simulation of temperature and bias dependencies of β and V_{TO} of GaAs MESFET devices. *Rodriguez-Tellez, J.*, + , *T-ED Oct 93* 1730-1735
speed and noise performance of direct ion-implanted GaAs MESFETs. *Feng, Milton*, + , *T-ED Jan 93* 9-17
transconductance spectroscopy approach to device-level surface state characterization in MESFETs. *Zhao, Jian H.*, + , *T-ED Jun 93* 1172-1174
MESFETs; cf. MESFET integrated circuits
MESFETs, power
thermal modeling of power GaAs microwave ICs. *Webb, Paul W.*, *T-ED May 93* 867-877
Metal-insulator-metal devices; cf. MIM devices
Metal-insulator-semiconductor...; cf. MIS...
Metallization; cf. Integrated circuit metallization; Semiconductor device metallization
Metal-nitride-oxide-semiconductor devices; cf. Read-only memories
Metal-oxide-semiconductor...; cf. MOS...
Metal-semiconductor devices; cf. Gallium materials/devices; MESFET...; Schottky...
Microelectromechanical devices
effect of thermal oxidation on residual stress distribution through thickness of p⁺ Si films for micromachined transducers. *Chu, Wen-Hwa*, + , *T-ED Jul 93* 1245-1250
mechanical–thermal noise in micromachined acoustic and vibration sensors. *Gabrielson, Thomas B.*, *T-ED May 93* 903-909
self-supporting Si springs and electric-field drive structures with integrated, movable field-emission and tunneling tips. *MacDonald, Noel C.*, *T-ED Nov 93* 2098-2099
Microelectromechanical devices; cf. Micromotors
Micromotors
comparative study of bearing designs and operational environments for polysilicon harmonic side-drive micromotors. *Dhuler, Vijayakumar R.*, + , *T-ED Nov 93* 1985-1989
experimental technique and model for studying operation of harmonic side-drive micromotors. *Dhuler, Vijayakumar R.*, + , *T-ED Nov 93* 1977-1984
Microscopy
image detector for secondary-ion mass spectrometry ion microscope. *Matsumoto, Kazuya*, + , *T-ED Jan 93* 82-85
Microscopy; cf. Electron microscopy
Microwave (3–30 GHz); cf. Millimeter-wave (30–300 GHz); UHF (300–3000 MHz)
Microwave amplifiers
comment on 'The nonlinear operation of a microwave crossed-field amplifier' by G. E. Thomas. *Roberts, Thomas M.*, *T-ED Jun 93* 1188-1189 (Original paper, Jan 81 27-36)
Microwave amplifiers; cf. Klystrons
Microwave bipolar transistors
AlGaAs/GaAs pnp HBT with 54-GHz f_{max}; application to high-performance complementary technology. *Hill, D. G.*, + , *T-ED Nov 93* 2113
influence of base thickness on high-frequency performance of SiGe HBTs. *Gruhle, A.*, + , *T-ED Nov 93* 2100
process and device characterization for 30-GHz-f_T, submicrometer, double-poly-Si bipolar technology using BF_2-implanted base with rapid thermal process. *Yamaguchi, Tadanori*, + , *T-ED Aug 93* 1484-1495
reducing base–collector capacitance of AlGaAs/GaAs HBTs by using buried SiO_2 and polycrystalline GaAs in extrinsic base and collector. *Mochizuki, K.*, + , *T-ED Nov 93* 2124-2125
Microwave bipolar transistors, power
current gain collapse in microwave multifinger HBTs operated at very high power densities. *Liu, William*, + , *T-ED Nov 93* 1917-1927
self-consistent DC–AC 2-D electrothermal model for GaAlAs/GaAs microwave power HBTs. *Marty, Antoine*, + , *T-ED Jul 93* 1202-1210
thermally stable AlGaAs/GaAs microwave power HBTs. *Bayraktaroglu, B.*, + , *T-ED Nov 93* 2112-2113
Microwave diodes; cf. p-i-n diodes
Microwave FET integrated circuits; cf. MESFET integrated circuits; MMICs
Microwave FETs; cf. MESFETs; MODFETs
Microwave frequency conversion; cf. Microwave mixers
Microwave generation; cf. Microwave oscillators
Microwave mixers
high-energy (MeV) ion implantation and its device applications in GaAs and InP. *Rao, Mulpuri V.*, *T-ED Jun 93* 1053-1066
Microwave modulation/demodulation; cf. Microwave mixers
Microwave oscillators
calculation of beam loading using induced-current method in passive cavities; application to magnicon. *Rees, Daniel E.*, + , *T-ED Aug 93* 1543-1548
Microwave oscillators; cf. Gyrotrons; Magnetrons
Microwave resonators; cf. Cavity resonators
Millimeter-wave (30–300 GHz); cf. Microwave (3–30 GHz)
Millimeter-wave amplifiers, power; cf. Millimeter-wave bipolar transistor amplifiers, power
Millimeter-wave bipolar transistor amplifiers, power
large-signal numerical and analytical HBT models; improved Ebers–Moll model for millimeter-wave power amplifier and oscillator design. *Teeter, Douglas A.*, + , *T-ED May 93* 837-845
Millimeter-wave bipolar transistor oscillators
large-signal numerical and analytical HBT models; improved Ebers–Moll model for millimeter-wave power amplifier and oscillator design. *Teeter, Douglas A.*, + , *T-ED May 93* 837-845
Millimeter-wave bipolar transistors
64-GHz-f_T and 3.6-V-BV_{CEO} Si bipolar transistor using in situ p-doped and large-grained polysilicon emitter contacts. *Nanba, M.*, + , *T-ED Aug 93* 1563-1565
AlGaAs/GaAs HBTs for 10-Gb/s ICs using base ohmic contact fabrication process. *Kusano, Chushirou*, + , *T-ED Jan 93* 25-31
AlGaAs/GaAs pnp HBT with 54-GHz f_{max}; application to high-performance complementary technology. *Hill, D. G.*, + , *T-ED Nov 93* 2113
breakdown–speed considerations in InP/InGaAs single- and double-heterostructure bipolar transistors. *Chau, Hin-Fai*, + , *T-ED Jan 93* 2-8
effects of collector doping on DC and RF performance of AlInAs/GaInAs/InP double HBTs. *Hafizi, H.*, + , *T-ED Nov 93* 2122-2123
fabrication and characteristics of 113-GHz-f_T graded-base SiGe HBTs. *Crabbé, E.*, + , *T-ED Nov 93* 2100-2101
forward transit delay in $In_{0.53}Ga_{0.47}As$ HBTs with nonequilibrium electron transport in temperature range 55–340 K. *Laskar, Joy*, + , *T-ED Nov 93* 1942-1949

Vol. 40
1993

high-f_{max} AlGaAs/InGaAs and AlGaAs/GaAs HBTs fabricated with MOMBE selective growth in extrinsic base regions. *Shimawaki, Hidenori*, + , *T-ED Nov 93* 2124
high-speed, high-breakdown-voltage InP/InGaAs double-HBTs grown by MOMBE. *Chau, Hin-Fai*, + , *T-ED Nov 93* 2121
influence of launching energy on collector transport in InP/InGaAs double HBTs. *Kurishima, K.*, + , *T-ED Nov 93* 2121-2122
large-signal numerical and analytical HBT models; improved Ebers–Moll model for millimeter-wave power amplifier and oscillator design. *Teeter, Douglas A.*, + , *T-ED May 93* 837-845
reducing base–collector capacitance of AlGaAs/GaAs HBTs by using buried SiO_2 and polycrystalline GaAs in extrinsic base and collector. *Mochizuki, K.*, + , *T-ED Nov 93* 2124-2125

Millimeter-wave bipolar transistors, power
base recombination in high performance InGaAs/InP HBTs. *Seabury, C. W.*, + , *T-ED Nov 93* 2123-2124

Millimeter-wave detectors
high-quality 2-D electron gas in LP-OMVPE AlGaAs/GaAs heterostructures for use in millimeter-wave detectors and mixers. *Agahi, Farid*, + , *T-ED Mar 93* 502-506

Millimeter-wave FETs
improved charge control and frequency performance in InAs/AlSb HFETs. *Bolognesi, C. R.*, + , *T-ED Nov 93* 2114

Millimeter-wave FETs, power; cf. MODFETs, power

Millimeter-wave frequency conversion; cf. Millimeter-wave mixers

Millimeter-wave mixers
high-quality 2-D electron gas in LP-OMVPE AlGaAs/GaAs heterostructures for use in millimeter-wave detectors and mixers. *Agahi, Farid*, + , *T-ED Mar 93* 502-506

Millimeter-wave modulation/demodulation
asymmetric Fabry–Perot modulators with 37-GHz frequency response. *Barron, C. C.*, + , *T-ED Nov 93* 2146-2147

Millimeter-wave modulation/demodulation; cf. Millimeter-wave detectors; Millimeter-wave mixers

Millimeter-wave transistors; cf. Millimeter-wave bipolar transistor...

MIM devices
MIM capacitor structure for use in field-programmable gate arrays as voltage-programmable link. *Cohen, Simon S.*, + , *T-ED Jul 93* 1277-1283

Minimization methods; cf. Optimization methods

MIS capacitors
analysis of optoelectronic CCD using InP MIS capacitor array. *Pal, B. B.*, + , *T-ED Oct 93* 1878-1880

MIS capacitors; cf. MOS capacitors

MIS devices
absence of quantum 1/*f* noise in photoelectric current of junction or MIS photodetectors. *Handel, Peter H.*, *T-ED Apr 93* 833
comprehensive analytical model for MIS devices; solar cell application. *Doghish, Mohamed Yehya*, + , *T-ED Aug 93* 1446-1454
estimation of insulation layer conductance in MNOS structure. *Takahashi, Yoshihiro*, + , *T-ED Nov 93* 2006-2010
Si double-switching inversion-controlled MISSIM switch for multiple-valued logic applications. *Fang, Y. K.*, + , *T-ED May 93* 918-922

MIS devices; cf. MISFETs

MISFETs
model of gate current in heterojunction FETs. *Fawaz, Hussein*, + , *T-ED May 93* 846-851
undoped SiGe heterostructure MISFETs utilizing biaxially-strained-Si channel. *Jackson, T. N.*, + , *T-ED Nov 93* 2104-2105

MISFETs; cf. MOSFETs

Mixers; cf. Microwave mixers; Millimeter-wave mixers

MMICs
thermal modeling of power GaAs microwave ICs. *Webb, Paul W., T-ED May 93* 867-877

MMICs; cf. MESFET integrated circuits

MNOS; cf. MIS...

Modeling; cf. Integrated circuit modeling; Monte Carlo methods; Semiconductor device modeling; *Specific topic*

Mode-locked lasers
curved- and tapered-waveguide mode-locked InGaAs/AlGaAs semiconductor lasers fabricated by impurity-induced disordering. *Helkey, Roger*, + , *T-ED Nov 93* 2107

MODFET amplifiers
monolithically integrated optoelectronic receiver based on pseudomorphic InGaAs-on-GaAs MODFETs and MSM photodetectors for computer optical interconnects. *Ketterson, Andrew A.*, + , *T-ED Aug 93* 1406-1416

MODFETs
characterization of GaAs and InGaAs double-quantum-well heterostructure FETs. *Théron, Didier*, + , *T-ED Nov 93* 1935-1941
drain-current injection technique for measurement of off-state breakdown voltage in FETs. *Bahl, Sandeep R.*, + , *T-ED Aug 93* 1558-1560
effective mass, density, and mobility of charge carriers in 0.15-μm gate InAlAs/InGaAs HEMT. *Zhao, Y.*, + , *T-ED Jun 93* 1067-1070
improvement of gate voltage swings in δ-doped GaAs/InGaAs/GaAs pseudomorphic heterostructures. *Hsu, Wei-Chou*, + , *T-ED Sep 93* 1630-1635
modeling of quantum effects in ultrasmall HEMT devices. *Zhou, Jing-Rong*, + , *T-ED Feb 93* 421-427
Monte Carlo study of scaling properties and short-channel effects in submicrometer AlGaAs/GaAs MODFETs. *Kizilyalli, Isik C.*, + , *T-ED Feb 93* 234-249
noise in AlGaAs/InGaAs/GaAs pseudomorphic HEMTs from 10 Hz to 18 GHz. *Plana, Robert*, + , *T-ED May 93* 852-858
noise properties of AlGaAs/GaAs MODFETs. *Anwar, A. F. M.*, + , *T-ED Jun 93* 1174-1176
OMCVD-grown AlInAs/GaInAs HEMTs with AlGaInP Schottky layer. *Chough, K. B.*, + , *T-ED Nov 93* 2111
optimized double-heterojunction pseudomorphic InP/InGaAS/InP p-MODFETs; role of strain in design. *Küsters, Antonio Mesquida*, + , *T-ED Dec 93* 2164-2170
physics of breakdown in InAlAs/InGaAs MODFETs. *Bahl, Sandeep R.*, + , *T-ED Nov 93* 2110-2111
RF properties of epitaxial lift-off GaAs channel HEMT and pseudomorphic InGaAs HEMT devices. *Young, Paul G.*, + , *T-ED Nov 93* 1905-1909

MODFETs, power
dependence of $Ga_{0.47}In_{0.53}As/Al_x\ In_{1-x}As$ power HEMT breakdown voltage on Schottky layer design and device geometry. *Brown, J. J.*, + , *T-ED Nov 93* 2111-2112
GaInAs/InP composite channel HEMTs with AlInAs Schottky layers exhibiting improved drain-to-source breakdown voltage. *Matloubian, Mehran*, + , *T-ED Nov 93* 2112
high frequency, high breakdown AlInAs/GaInAs junction-modulated HEMTs (JHEMTs) with MOCVD-regrown ohmic contacts. *Shealy, J. B.*, + , *T-ED Nov 93* 2115
impact ionization and light emission in high-power pseudomorphic AlGaAs/InGaAs HEMTs. *Tedesco, Carlo*, + , *T-ED Jul 93* 1211-1214

Modulation/demodulation; cf. Digital modulation/demodulation; Electrooptic modulation; Millimeter-wave modulation/demodulation; Optical modulation/demodulation

Monte Carlo methods
hydrodynamic and Monte Carlo simulation of electron shock wave in 1-μm N^+-n-n^+ silicon diode. *Gardner, Carl L.*, *T-ED Feb 93* 455-457
Monte Carlo analysis of nonequilibrium electron transport in InAlGaAs/InGaAs HBTs. *Nakajima, Hiroki*, + , *T-ED Nov 93* 1950-1956
Monte Carlo simulation of effect of multiplication layer thickness in wide-bandwidth avalanche photodiodes with separate absorption, grading, and multiplication. *Chandramouli, V.*, + , *T-ED Nov 93* 2137
Monte Carlo simulation of real-space transfer transistors; device physics and scaling effects. *Patil, Mahesh B.*, + , *T-ED Mar 93* 480-486
Monte Carlo simulations of p- and n-channel dual-gate Si MOSFETs at limits of scaling. *Frank, D. J.*, + , *T-ED Nov 93* 2103
Monte Carlo study of scaling properties and short-channel effects in submicrometer AlGaAs/GaAs MODFETs. *Kizilyalli, Isik C.*, + , *T-ED Feb 93* 234-249

MOS capacitors
degradation of MOS characteristics due to borophosphosilicate-glass reflow in O_2-containing ambient. *Lo, G. Q.*, + , *T-ED May 93* 1032-1035
effects of high field generation of charge trapping in oxide and interface traps on MOS capacitors and MOSFETs. *Ito, Akira*, *T-ED Jul 93* 1347-1350
modeling voltage coefficient of linear MOS capacitor. *Chen, Hung-Sheng*, + , *T-ED Jan 93* 220-222

MOS devices
charge-extraction technique for studying surface states in MOS devices. *Mitra, Ved*, + , *T-ED May 93* 923-931
correlation of leakage current and charge pumping in SOI gate-controlled diodes. *Seghir, Hachemi*, + , *T-ED Jun 93* 1104-1111
effect of oxide thickness on properties of metal–oxide–organic-semiconductor photovoltaic cells. *Nevin, W. Andrew*, + , *T-ED Jan 93* 75-81
modeling high-energy electrons in MOS devices at microscopic level. *Fiegna, Claudio*, + , *T-ED Mar 93* 619-627
MOS characterization of thermally oxided 6H-SiC. *Sanders, J. W.*, + , *T-ED Nov 93* 2130-2131
process dependence of radiation hardness of rapid thermal reoxidized nitrided gate oxides. *Lu, Wei-Shin*, + , *T-ED Sep 93* 1597-1603

MOS devices; cf. Charge-injection devices

MOSFET circuits; cf. MOS integrated circuits

MOSFET logic devices
neuron MOS binary-logic ICs; design fundamentals hardware-logic circuit implementation. *Shibata, Tadashi*, + , *T-ED Mar 93* 570-576

neuron MOS binary-logic ICs; techniques for simplifying circuit configuration and their practical applications. *Shibata, Tadashi, + , T-ED May 93* 974-979
parametric macromodeling of hot-carrier-induced dynamic degradation in MOS VLSI circuits. *Leblebici, Y., + , T-ED Mar 93* 673-676
MOSFET logic devices; cf. CMOSFET logic devices
MOSFET oscillators; cf. CMOSFET oscillators
MOSFETs
2-D analytic threshold-voltage model for fully depleted short-channel SOI MOSFETs. *Guo, Jwin-Yen, + , T-ED Sep 93* 1653-1661
AC versus DC hot-carrier degradation in n-channel MOSFETs. *Mistry, Kaizad R., + , T-ED Jan 93* 96-104
analysis of effects of floating substrate on intrinsic gate capacitance of SOI MOSFETs using 2-D device simulation. *Flandre, Denis, T-ED Oct 93* 1789-1796
analytical model for high-performance shallow-junction-well transistor with fully depleted channel structure. *Mizuno, Tomohisa, T-ED Jan 93* 105-111
characteristics of continuous-gate-control and interrupted-gate-control bilateral MOS-controlled thyristors. *Huang, J. S. T., T-ED Aug 93* 1523-1529
charge pumping method for determining spatial distribution of hot-carrier-induced fixed charge in p-MOSFETs. *Tsuchiaki, Masakatsu, + , T-ED Oct 93* 1768-1779
comment, on 'A 1/*f* noise technique to extract the oxide trap density near the conduction band edge of silicon' by R. Jayaraman and C. G. Sodini. *Surya, Charles, + , T-ED Mar 93* 680 (Original paper, Sep 89 1773-1782)†
comments on 'Inverse-narrow-width effects and small-geometry MOSFET threshold voltage model. *Bhatia, Manju, + , T-ED Mar 93* 681-682 (Original paper, Mar 88 325-338)
coupled study of hot-carrier-induced defects in submicrometer LDD n-MOSFETs using floating-gate and charge-pumping techniques. *Vuillaume, Dominique, + , T-ED Apr 93* 773-781
degradation of MOS characteristics due to borophosphosilicate-glass reflow in O_2-containing ambient. *Lo, G. Q., + , T-ED May 93* 1032-1035
determining intrinsic drain-and-source series resistance and effective channel length of LDD MOSFETs. *Chung, Steve Shao-Shiun, + , T-ED Sep 93* 1709-1711
direct beta measurement for parasitic lateral bipolar transistors in fully-depleted SOI MOSFETs. *Ver Ploeg, Eric, + , T-ED Nov 93* 2101-2102
dislocation-free gate process using in-situ doped polysilicon thin films with crystallization-induced stress. *Hashimoto, Chiemi M., + , T-ED Nov 93* 2127-2128
drain-induced barrier lowering in buried-channel MOSFETs; relationship between threshold voltage and channel length reduction. *Van der Tol, Michael J., + , T-ED Apr 93* 741-749
effects of high field generation of charge trapping in oxide and interface traps on MOS capacitors and MOSFETs. *Ito, Akira, T-ED Jul 93* 1347-1350
electron trapping in ONO devices at 77 K; comparison with trapping in SiO_2 devices. *Das, N. C., + , T-ED Jun 93* 1179-1181
enhanced hot-carrier degradation due to water-related components in TEOS/O_3 oxide; water blocking with ECR-SiO_2 film. *Shimoyama, Nobuhiro, + , T-ED Sep 93* 1682-1687
fix to negative output conductance problem in BSIM2 model. *Lin, Wallace W., + , T-ED May 93* 1024-1028
floating-gate MOSFET analog memory device for neural network LSI. *Fujita, Osamu, + , T-ED Nov 93* 2029-2035
gate-induced drain leakage current in MOS devices. *Nathan, V., + , T-ED Oct 93* 1888-1890
generalized mobility law for drain current modeling in Si MOS transistors from liquid helium to room temperatures. *Emrani, Ayoub, + , T-ED Mar 93* 564-569
improved generalized guide for MOSFET scaling. *Ng, Kwok K., + , T-ED Oct 93* 1895-1897
influence of nonuniform doping profile on *I–V* characteristics of MOS transistors. *Lukasiak, Lidia, + , T-ED Feb 93* 453-455
lateral profiling of oxide charge and interface traps near MOSFET junctions. *Chen, Wenliang, + , T-ED Jan 93* 187-196
low-frequency noise study of gate-all-around SOI transistors. *Simoen, E., + , T-ED Nov 93* 2054-2059
mechanisms for hot-carrier-induced degradation in reoxidized-nitrided-oxide n-MOSFETs under combined AC/DC stressing. *Ma, Zhi-Jian, + , T-ED Jun 93* 1112-1120
modeling high-energy electrons in MOS devices at microscopic level. *Fiegna, Claudio, + , T-ED Mar 93* 619-627
Monte Carlo simulations of p- and n-channel dual-gate Si MOSFETs at limits of scaling. *Frank, D. J., + , T-ED Nov 93* 2103
NMOS device characteristics in cold-cathode electron-beam-recrystallized SOI. *Thompson, Lance R., + , T-ED Jul 93* 1270-1276
nonisothermal analysis of breakdown in SOI transistors. *Apanovich, Y., + , T-ED Nov 93* 2094-2096
nonpinchoff gradual channel model for deep-submicron MOSFETs. *Fujishima, M., + , T-ED Oct 93* 1883-1885
off-state instabilities in thermally-nitrided-oxide n-MOSFETs. *Ma, Z. J., + , T-ED Jan 93* 125-130
oxide-field dependence of electron injection from Si into silicon dioxide. *Fiegna, Claudio, + , T-ED Nov 93* 2018-2022
parametric macromodeling of hot-carrier-induced dynamic degradation in MOS VLSI circuits. *Leblebici, Y., + , T-ED Mar 93* 673-676
p-MOSFETs with ultra-shallow solid-phase-diffused drain structure produced by diffusion from borosilicate glass (BSG) gate sidewall. *Saito, Masanobu, + , T-ED Dec 93* 2264-2272
precise modeling of hot-carrier gate current in short-channel MOSFETs. *El-Hennawy, Adel E., + , T-ED Sep 93* 1645-1652
radiation hardness of MOSFETs with N_2O-nitrided gate oxides. *Lo, G. Q., + , T-ED Aug 93* 1565-1567
recessed gate MOSFET structure with graded source/drain. *Lee, Woo-Hyeong, + , T-ED Nov 93* 2102-2103
scaling theory for double-gate SOI MOSFETs. *Suzuki, Kunihiro, + , T-ED Dec 93* 2326-2329
series resistance of self-aligned silicided source/drain structure. *Tsui, Bing-Yue, + , T-ED Jan 93* 197-206
simple 2-D model for subthreshold channel-length modulation in short-channel MOSFETs. *Green, Keith R., + , T-ED Aug 93* 1560-1563
simulation and 2-D analytical modeling of subthreshold slope in ultrathin-film SOI MOSFETs down to 0.1-μm gate length. *Joachim, Hans-Oliver, + , T-ED Oct 93* 1812-1817
simulation and fabrication of submicron channel length DMOS transistors for analog circuit applications. *Hong, Merit Y., T-ED Dec 93* 2222-2230
steady-state modeling of resistive-gate MOSFETs. *Fu, Hua, + , T-ED Jul 93* 1263-1269
study of interband tunneling under nonuniform electric field. *Chakraborty, Paritosh Kumar, T-ED Jan 93* 214-219
technique for measuring MOSFET inversion layer mobility. *Huang, Cheng-Liang, + , T-ED Jun 93* 1134-1139
temperature and scaling behavior of strained-Si N-MOSFETs. *Welser, J., + , T-ED Nov 93* 2101
theoretical model for current–voltage characteristics of floating-gate MOS EEPROM cell. *Liong, Luey Chwan, + , T-ED Jan 93* 146-151
threshold voltage model for deep-submicrometer MOSFETs. *Liu, Zhi-Hong, + , T-ED Jan 93* 86-95
threshold voltage modeling and subthreshold regime of operation of short-channel MOSFETs. *Fjeldly, Tor A., + , T-ED Jan 93* 137-145
transconductance and mobility of Si:B delta-doped MOSFETs. *Wood, Andrew C. G., + , T-ED Jan 93* 157-162
transit-time model for short-channel MOSFETs. *Andersson, M., + , T-ED Apr 93* 330-332
transversal and longitudinal noise and their coherence in MOSTs. *Li, Xiaosong, + , T-ED Apr 93* 804-810
unified quasi-static MOSFET capacitance model. *Rho, Kwang-Myoung, + , T-ED Jan 93* 131-136
MOSFETs; cf. CMOSFETs; MOS integrated circuits; Power FETs; Thin-film transistors
MOSFET switches; cf. Power FET switches
MOS integrated circuits
analysis and modeling of nonlinearities in VLSI MOSFETs including substrate effects. *Shoucair, F. S., + , T-ED Oct 93* 1760-1767
characterization of SiO_2 dielectric breakdown for reliability simulation. *Nafría, Montserrat, + , T-ED Sep 93* 1662-1668
comparison of DMOS/IGBT-compatible high-voltage termination structures and passivation techniques. *Korec, Jacek, + , T-ED Oct 93* 1845-1854
effect of oxide charges at LOCOS isolation edges on oxide breakdown. *Uchida, Hidetsugu, + , T-ED Oct 93* 1818-1822
hot carrier evaluation of MOSFETs in ULSI circuits using photon emission method. *Uraoka, Yukiharu, + , T-ED Aug 93* 1426-1431
planarization of polysilicon trench refill by sequential oxidation and oxide etch back. *Shenai, Krishna, T-ED Feb 93* 459-463
MOS integrated circuits; cf. CMOS integrated circuits; MOSFET logic devices; MOSFETs
MOS integrated circuits, analog
simulation and fabrication of submicron channel length DMOS transistors for analog circuit applications. *Hong, Merit Y., T-ED Dec 93* 2222-2230
MOS integrated circuits, memory
influence of series resistance of on-chip power supply buses on internal device failure after ESD stress. *Terletzki, H., + , T-ED Nov 93* 2081-2083

temperature dependence of Fowler–Nordheim injection from accumulated n-type Si into SiO_2; application to EEPROM cells. *Suñé, Jordi, + , T-ED May 93* 1017-1019
MOS integrated circuits, memory; cf. CMOS integrated circuits, memory
MOS transistors; cf. MOSFET...
Motors; cf. Micromotors
Multilayers; cf. Nonhomogeneous media
Multilevel systems; cf. Integrated circuit interconnections
Multiplexing
reduction of 1/*f* noise in multiplexed linear InGaAs detector arrays by epitaxial doping. *Joshi, Abhay M., + , T-ED Feb 93* 303-308
Multiplication
high-speed GaAs multipliers fabricated with high-yield 0.4-μm process. *Sadler, Robert A., + , T-ED Sep 93* 1578-1582
Multiprocessing; cf. Neural networks
Multivalued logic devices
Si double-switching inversion-controlled MISSIM switch for multiple-valued logic applications. *Fang, Y. K., + , T-ED May 93* 918-922

N

Negative-resistance devices
experimental realization of bound-state resonant tunneling transistor. *Chen, W. L., + , T-ED Nov 93* 2133-2134
optical and electrical oscillations in GaAs/AlGaAs digital optoelectronic switch operated in NDR regime. *Kovacic, Stephen J., + , T-ED Jun 93* 1154-1160
resonant tunneling at room temperature in GaInP/GaAs/GaInP DHBT. *Liu, William, + , T-ED Aug 93* 1384-1389
Negative resistance devices; cf. Tunnel diode...
Nervous system; cf. Neural networks
Neural networks
floating-gate MOSFET analog memory device for neural network LSI. *Fujita, Osamu, + , T-ED Nov 93* 2029-2035
neuron MOS binary-logic ICs; design fundamentals hardware-logic circuit implementation. *Shibata, Tadashi, + , T-ED Mar 93* 570-576
neuron MOS binary-logic ICs; techniques for simplifying circuit configuration and their practical applications. *Shibata, Tadashi, + , T-ED May 93* 974-979
Noble-gas lasers; cf. Excimer lasers
Noise
mechanical–thermal noise in micromachined acoustic and vibration sensors. *Gabrielson, Thomas B., T-ED May 93* 903-909
Noise; cf. Laser noise; Semiconductor device noise
Noncrystalline semiconductor materials/devices; cf. Amorphous semiconductor materials/devices
Nonhomogeneous media
analysis of electromigration-induced failures in multilayered interconnects. *Onoda, Hiroshi, + , T-ED Sep 93* 1614-1620
GaAs Schottky-barrier photodiode with high quantum-efficiency–bandwidth product obtained by using multilayer reflector. *Tzeng, Yen-Chang, + , T-ED Feb 93* 348-352
quarter-micrometer interconnection technology using TiN/Al-Si-Cu/TiN/Al-Si-Cu/TiN/Ti multilayer conductor. *Kikkawa, Takamaro, + , T-ED Feb 93* 296-302
Nonlinear distortion
analysis and modeling of nonlinearities in VLSI MOSFETs including substrate effects. *Shoucair, F. S., + , T-ED Oct 93* 1760-1767
Nonlinear equations
comment on 'The nonlinear operation of a microwave crossed-field amplifier' by G. E. Thomas. *Roberts, Thomas M., T-ED Jun 93* 1188-1189 (Original paper, Jan 81 27-36)
Nonlinear optics; cf. Optical propagation, nonlinear media
Nonlinear wave propagation; cf. Electromagnetic propagation, nonlinear media
Numerical methods
comments, with reply, on 'Numerical large-signal simulation of the diffusion noise in GaAs Gunn devices' by B. Wang and M. Curow. *Ghione, Giovanni, T-ED Oct 93* 1902-1903 (Original paper, Sep 92 2176-2178)
design of floating-gate EEPROMs based on 2-D numerical simulation of transient operation. *Concannon, Ann, + , T-ED Jul 93* 1258-1262
modeling of quantum effects in ultrasmall HEMT devices. *Zhou, Jing-Rong, + , T-ED Feb 93* 421-427
numerical analysis of electric field profiles in high-voltage GaAs photoconductive switches; comparison to experiment. *Kingsley, Lawrence E., + , T-ED Dec 93* 2344-2351
numerical analysis of kink effect in AlGaAs/GaAs HJFET with heterobuffer layer due to accumulation of holes generated by impact ionization. *Kunihiro, Kazuaki, + , T-ED Mar 93* 493-497
numerical simulation of current–voltage characteristics of standard and heteroepitaxial GaAs Schottky-barrier diodes and diodes with InGaAs epitaxial layer grown on GaAs or InP. *Bhapkar, Udayan V., + , T-ED Jun 93* 1038-1046
numerical simulation of on and off state characteristics of polysilicon TFTs. *Hack, M., + , T-ED Nov 93* 2128
numerical simulation of sidegating effect in GaAs MESFETs. *Chang, Shwu-Jing, + , T-ED Apr 93* 698-704
thermal effects on characteristics of AlGaAs/GaAs HBTs using 2-D numerical simulation. *Liou, Lee L., + , T-ED Jan 93* 35-43
Numerical methods; cf. Finite-difference methods; Finite-element methods; Monte Carlo methods; Optimization methods

O

Ohmic contacts
accurate extraction of resistivity of contacts on Kelvin D-resistor structures using universal curves from simulation. *Santander, Joaquín, + , T-ED May 93* 944-950
AlGaAs/GaAs HBTs for 10-Gb/s ICs using base ohmic contact fabrication process. *Kusano, Chushirou, + , T-ED Jan 93* 25-31
electrical characteristics of aluminum–CVD diamond-film–silicon structures. *Alam, Mansoor, + , T-ED Aug 93* 1554-1556
high frequency, high breakdown AlInAs/GaInAs junction-modulated HEMTs (JHEMTs) with MOCVD-regrown ohmic contacts. *Shealy, J. B., + , T-ED Nov 93* 2115
NiZnAl-based p-type ohmic contacts on AlGaAs/InGaAs heterostructures. *Abrokwah, J. K., + , T-ED Jun 93* 1185-1187
Optical amplifiers; cf. Semiconductor optical amplifiers
Optical arrays
ultra-high-efficiency LED arrays. *Schnitzer, I., + , T-ED Nov 93* 2108-2109
Optical communication
monolithically integrated optoelectronic receiver based on pseudomorphic InGaAs-on-GaAs MODFETs and MSM photodetectors for computer optical interconnects. *Ketterson, Andrew A., + , T-ED Aug 93* 1406-1416
Optical couplers; cf. Optical directional couplers
Optical detectors; cf. Photodetectors
Optical directional couplers
photonic integrated tunable receiver using optical preamplifier in vertical-coupler filter structure. *Chuang, Z.-M., + , T-ED Nov 93* 2107-2108
Optical filters
photonic integrated tunable receiver using optical preamplifier in vertical-coupler filter structure. *Chuang, Z.-M., + , T-ED Nov 93* 2107-2108
Optical interconnections; cf. Optical communication
Optical logic devices
electrical and optical properties of light-emitting transistor based on real-space transfer. *Mastrapasqua, Marco, + , T-ED Feb 93* 250-258
monolithic, multiterminal, light-emitting InGaAs/InAlAs/InGaAs logic device electrically reprogrammable between OR and NAND functions. *Mastrapasqua, Marco, + , T-ED Aug 93* 1371-1377
Optical modulation/demodulation
position dependence of transient response of position-sensitive detector under periodic pulsed light modulation. *Narayanan, C., + , T-ED Sep 93* 1688-1694
self-consistent simulation of modulation responses of QW lasers. *Grupen, Matt, + , T-ED Nov 93* 2105-2106
Optical modulation/demodulation; cf. Electrooptic modulation
Optical oscillators
optical and electrical oscillations in GaAs/AlGaAs digital optoelectronic switch operated in NDR regime. *Kovacic, Stephen J., + , T-ED Jun 93* 1154-1160
Optical polarization
low-voltage hetero-nipi wavelength modulators. *Yoffe, G. W., + , T-ED Nov 93* 2144
normal incidence GaAs/AlGaAs MQW polarization modulator using induced uniaxial strain. *Pamulapati, J., + , T-ED Nov 93* 2144-2145
VCSEL polarization switching and control. *Choquette, Kent D., + , T-ED Nov 93* 2117-2118
Optical propagation, absorbing media
low-voltage hetero-nipi wavelength modulators. *Yoffe, G. W., + , T-ED Nov 93* 2144
short optical pulse generated by integrated MQW DBR-laser/EA-modulator fabricated by selective-area MOVPE. *Chen, Y. K., + , T-ED Nov 93* 2118-2119
Optical propagation, nonlinear media
short optical pulse generated by integrated MQW DBR-laser/EA-modulator fabricated by selective-area MOVPE. *Chen, Y. K., + , T-ED Nov 93* 2118-2119

Optical pulses; cf. Pulsed lasers
Optical radiation effects; cf. MESFETs
Optical receivers
monolithically integrated optoelectronic receiver based on pseudomorphic InGaAs-on-GaAs MODFETs and MSM photodetectors for computer optical interconnects. *Ketterson, Andrew A.*, + , *T-ED Aug 93* 1406-1416
photonic integrated tunable receiver using optical preamplifier in vertical-coupler filter structure. *Chuang, Z.-M.*, + , *T-ED Nov 93* 2107-2108
transistor-related noise in integrated p-i-n HBT optical receiver front-ends. *Liu, Qing Z.*, + , *T-ED Dec 93* 2204-2210
Optical reflection
GaAs Schottky-barrier photodiode with high quantum-efficiency–bandwidth product obtained by using multilayer reflector. *Tzeng, Yen-Chang*, + , *T-ED Feb 93* 348-352
PECVD SiO_2/SiN antireflection coating for Si solar cells. *Chen, Zhizhang*, + , *T-ED Jun 93* 1161-1165
reflection noise in VCSELs. *Bae, J. W.*, + , *T-ED Nov 93* 2117
Optical resonators; cf. Fabry–Perot resonators
Optical signal processing; cf. Acoustooptic signal processing
Optical strip waveguides
blue-green buried-ridge laser diodes. *Haase, M. A.*, + , *T-ED Nov 93* 2110
Optical switches
asymmetric Fabry–Perot modulators with 37-GHz frequency response. *Barron, C. C.*, + , *T-ED Nov 93* 2146-2147
Optical switches; cf. Electrooptic switches; Light-triggered switches
Optics; cf. Ultrafast optics
Optimization methods
minimization of transistor delay at given power density. *Murphy, Bernard T., T-ED Feb 93* 414-420
optimized double-heterojunction pseudomorphic InP/InGaAS/InP p-MODFETs; role of strain in design. *Küsters, Antonio Mesquida*, + , *T-ED Dec 93* 2164-2170
optimum microemitter geometry and space-charge effects in numerically simulated vacuum microelectronic devices. *Cui, Zheng*, + , *T-ED Feb 93* 448-452
profile design and optimization of epitaxial Si- and SiGe-base bipolar technology for 77 K applications; circuit performance. *Cressler, John D.*, + , *T-ED Mar 93* 542-556
profile design and optimization of epitaxial Si- and SiGe-base bipolar technology for 77 K applications; transistor DC design considerations. *Cressler, John D.*, + , *T-ED Mar 93* 525-541
Optoelectronic devices; cf. Charge-coupled devices; Integrated optoelectronics
Optothyristors; cf. Thyristors
Organic materials/devices; cf. Carbon materials/devices; Electroluminescent materials/devices; Photovoltaic power cells
Oscillators; cf. CMOSFET oscillators; Microwave oscillators; Optical oscillators

P

Parameter estimation
comment, on 'A 1/*f* noise technique to extract the oxide trap density near the conduction band edge of silicon' by R. Jayaraman and C. G. Sodini. *Surya, Charles*, + , *T-ED Mar 93* 680 (Original paper, Sep 89 1773-1782)†
determining intrinsic drain-and-source series resistance and effective channel length of LDD MOSFETs. *Chung, Steve Shao-Shiun*, + , *T-ED Sep 93* 1709-1711
extracting semiconductor parameters using cathodoluminescence in scanning electron microscope. *Chan, Daniel S. H.*, + , *T-ED Aug 93* 1417-1425
extraction of effective channel thickness of implanted MESFETs by method based on transconductance parameter β measurement. *Moon, Byung-jong*, + , *T-ED Jan 93* 32-34
Particle beams; cf. Electron beams
Particle spectroscopy; cf. Mass spectroscopy
Phase modulation
high-temperature-superconductor subharmonically pumped digital phase modulator/demodulator capable of gigabit/second transmission rates. *Drabeck, Lawrence*, + , *T-ED Nov 93* 2140-2141
Photoconducting materials/devices
a-Si:H photoconductive sensor with gate electrode for matrix-driven linear image sensor array. *Takayama, Satoshi*, + , *T-ED Feb 93* 342-347
Photoconducting materials/devices; cf. Light-triggered switches
Photodetectors
110-GHz-bandwidth Si MSM photodetectors with 3.7-ps response time. *Liu, M. Y.*, + , *T-ED Nov 93* 2145-2146
absence of quantum 1/*f* noise in photoelectric current of junction or MIS photodetectors. *Handel, Peter H., T-ED Apr 93* 833
compressing photodetectors for long optical pulses using lateral blooming drain structure. *Kub, Fritz J.*, + , *T-ED Oct 93* 1740-1744
HgCdTe MSM photodetectors. *Leech, Patrick W.*, + , *T-ED Aug 93* 1364-1370
high-speed MSM photodetector with GaAs/AlGaAs/GaAs heterostructure. *Lu, Jian*, + , *T-ED Jun 93* 1087-1092
position dependence of transient response of position-sensitive detector under periodic pulsed light modulation. *Narayanan, C.*, + , *T-ED Sep 93* 1688-1694
reduction of 1/*f* noise in multiplexed linear InGaAs detector arrays by epitaxial doping. *Joshi, Abhay M.*, + , *T-ED Feb 93* 303-308
Photodetectors; cf. Image sensors; Infrared detectors; Photodiodes; Phototransistors; Photovoltaic detectors; Ultraviolet detectors
Photodiodes
GaAs Schottky-barrier photodiode with high quantum-efficiency–bandwidth product obtained by using multilayer reflector. *Tzeng, Yen-Chang*, + , *T-ED Feb 93* 348-352
SiC UV photodiodes for high-temperature operation. *Brown, Dale M.*, + , *T-ED Feb 93* 325-333
Photodiodes; cf. Avalanche photodiodes; p-i-n photodiodes
Phototransistors
a-Si:H/a-Si,Ge:H bulk barrier phototransistor with a-SiC:H barrier enhancement layer for high-gain IR detector. *Hwang, Sheng-Beng*, + , *T-ED Apr 93* 721-726
background-limited IR hot-electron transistor operating at 77 K. *Kuan, C. H.*, + , *T-ED Nov 93* 2142-2143
temporal response characteristics of $In_{0.53}Ga_{0.47}As$/InP quantum-well phototransistor. *Goswami, Subrata*, + , *T-ED Nov 93* 1970-1976
Photovoltaic detectors
surface passivation of backside-illuminated InSb focal plane array. *Bloom, Ilan*, + , *T-ED Feb 93* 309-314
Photovoltaic power cell doping
systematic analytical solutions for minority-carrier transport in nonuniform doped semiconductors; application to solar cells. *Cuevas, Andrés*, + , *T-ED Jun 93* 1181-1183
Photovoltaic power cell fabrication
fabrication and analysis of high-efficiency polysilicon solar cells. *Sana, Peyman*, + , *T-ED Aug 93* 1461-1468
Photovoltaic power cell materials
calculated performance of InP solar cells under monochromatic illumination. *Jain, Raj K., T-ED Oct 93* 1893-1895
PECVD SiO_2/SiN antireflection coating for Si solar cells. *Chen, Zhizhang*, + , *T-ED Jun 93* 1161-1165
window materials for surface passivation of GaAs solar cells. *DeSalvo, Gregory C.*, + , *T-ED Apr 93* 705-711
Photovoltaic power cell measurements
comments, with reply, on 'A scanning electron- or light-beam-induced current method for determination of grain boundary recombination velocity in polycrystalline semiconductors' by C. A. Dimitriadis. *Donolato, C., T-ED Jun 93* 1190-1191 (Original paper, Sep 85 1761-1765)
Photovoltaic power cells
calculated performance of InP solar cells under monochromatic illumination. *Jain, Raj K., T-ED Oct 93* 1893-1895
comprehensive analytical model for MIS devices; solar cell application. *Doghish, Mohamed Yehya*, + , *T-ED Aug 93* 1446-1454
C–V and *G–V* characteristics of ZnCdS/ZnTe heterojunctions for solar cells. *Zekry, Abdelhalim*, + , *T-ED Feb 93* 259-266
design modeling of high-efficiency p⁺-n InP solar cells. *Jain, Raj K.*, + , *T-ED Jan 93* 224-227
effect of oxide thickness on properties of metal–oxide–organic-semiconductor photovoltaic cells. *Nevin, W. Andrew*, + , *T-ED Jan 93* 75-81
fabrication and analysis of high-efficiency polysilicon solar cells. *Sana, Peyman*, + , *T-ED Aug 93* 1461-1468
influence of dislocation density on performance of heteroepitaxial InP solar cells. *Jain, Raj K.*, + , *T-ED Nov 93* 1928-1934
Piezoelectric materials/devices; cf. Acoustic surface wave devices
Piezoelectric semiconductor materials/devices
technique for profiling epilayer channel of surface acoustic wave devices on piezoelectric semiconductors. *Abbate, Agostino*, + , *T-ED Oct 93* 1830-1835
Piezoresistive materials/devices
characterization of n-type β-SiC as high-temperaturer piezoresistor. *Shor, Joseph S.*, + , *T-ED Jun 93* 1093-1099
square-diaphragm piezoresistive pressure sensor with rectangular central boss for low-pressure ranges. *Sandmaier, Hermann*, + , *T-ED Oct 93* 1754-1759
thermally excited silicon oxide beam and bridge resonators in CMOS technology. *Brand, Oliver*, + , *T-ED Oct 93* 1745-1753

p-i-n diodes
controlling characteristics of MPS rectifier by varying area of Schottky region. *Tu, Shang-hui L., + , T-ED Jul 93* 1307-1315
correlation of leakage current and charge pumping in SOI gate-controlled diodes. *Seghir, Hachemi, + , T-ED Jun 93* 1104-1111
delta-doped InGaAs/GaAs interband tunneling diode fabricated by MOCVD. *Su, Yan-Kuin, + , T-ED Dec 93* 2192-2198
high-energy (MeV) ion implantation and its device applications in GaAs and InP. *Rao, Mulpuri V., T-ED Jun 93* 1053-1066
modeling electron–hole scattering in semiconductor devices. *Kane, David E., + , T-ED Aug 93* 1496-1500
p-i-n photodiodes
nonstationary and nonlinear response of p-i-n photodiode made of two-valley semiconductor. *Radunovic, Jovan B., + , T-ED Jul 93* 1238-1244
transistor-related noise in integrated p-i-n HBT optical receiver front-ends. *Liu, Qing Z., + , T-ED Dec 93* 2204-2210
PLA; cf. Programmable logic arrays
Plasma applications, materials processing
a-Si TFTs using dilute-gas plasma-enhanced CVD. *Wright, S. L., + , T-ED Nov 93* 2128-2129
discharge treatment of W-Si system for silicidation. *Singh, Awatar, + , T-ED Aug 93* 1551-1553
effects of H_2–O_2-plasma treatment on characteristics of polysilicon TFTs. *Chern, Horng Nan, + , T-ED Dec 93* 2301-2306
enhanced hot-carrier degradation due to water-related components in TEOS/O_3 oxide; water blocking with ECR-SiO_2 film. *Shimoyama, Nobuhiro, + , T-ED Sep 93* 1682-1687
impact of reactive ion etching using O_2 + CHF_3 plasma on endurance performance of FLOTOX EEPROM cells. *Papadas, C., + , T-ED Aug 93* 1549-1551
PECVD SiO_2/SiN antireflection coating for Si solar cells. *Chen, Zhizhang, + , T-ED Jun 93* 1161-1165
Plasma etching; cf. Plasma applications, materials processing
Plasma heating; cf. Tokamaks, plasma heating
Plastic films; cf. Polyimide films
Platinum materials/devices; cf. Schottky devices; Schottky diodes
PM; cf. Phase modulation
p-n junctions; cf. Semiconductor junctions
Polarization; cf. Optical polarization
Polyimide films
micromachined polyimide aperture for stable bilayer lipid membrane. *Eray, Mete, + , T-ED Nov 93* 2137-2138
Power bipolar transistor amplifiers; cf. Millimeter-wave bipolar transistor amplifiers, power
Power bipolar transistors
potential of 6H-SiC for power devices; vertical UMOS power MOSFETs, BJTs, and p-n-p-n thyristors. *Palmour, J. W., + , T-ED Nov 93* 2129-2130
thermal properties of AlGaAs/GaAs power HBTs. *Higgins, J. Aiden, T-ED Dec 93* 2171-2177
Power bipolar transistors; cf. Insulated-gate transistors; Microwave bipolar transistors, power; Millimeter-wave bipolar transistors, power
Power conversion, DC–AC
preliminary performance results for Cs-Ba tacitron inverter. *El-Genk, Mohamed S., + , T-ED Jul 93* 1335-1339
Power FETs
analytical quasi-saturation model for vertical DMOS power transistors. *Lou, K. H., + , T-ED Mar 93* 676-679
comparison of 6H-SiC, 3C-SiC, and Si for power devices. *Bhatnagar, Mohit, + , T-ED Mar 93* 645-655
design and analysis of conductivity-modulated power MOSFET. *Liu, David K. Y., + , T-ED Feb 93* 428-438
high-voltage amorphous Si TFTs. *Martin, Russel A., + , T-ED Mar 93* 634-644
high-voltage implanted RESURF p-LDMOS using BiCMOS technology. *Zhou, Ming-Jiang, + , T-ED Nov 93* 2132
mobility study on RIE etched Si surfaces for power trench MOSFETs using SF_6/O_2 gas etchants. *Syau, Tsengyou, + , T-ED Nov 93* 1997-2005
model for quasi-saturation behavior of DMOS at 77 K and 300 K. *Liu, Chung-Min, + , T-ED Sep 93* 1636-1644
potential of 6H-SiC for power devices; vertical UMOS power MOSFETs, BJTs, and p-n-p-n thyristors. *Palmour, J. W., + , T-ED Nov 93* 2129-2130
simulating single-event burnout of n-channel power MOSFETs due to heavy ions. *Johnson, Gregory H., + , T-ED May 93* 1001-1008
ultralow-on-resistance p-channel lateral DMOS fabricated on (110)-oriented Si substrate. *Throngnumchai, K., T-ED Nov 93* 2132-2133
Power FETs; cf. Insulated-gate transistors; MESFETs, power; MODFETs, power
Power FET switches
latchup-free CMOS/DMOS smart power circuits using floating well. *Bafleur, M., + , T-ED Jul 93* 1340-1342
Power integrated circuits
CMOS-compatible shorted-anode auxiliary-cathode lateral IGBTs. *Sankara Narayanan, E. M., + , T-ED Oct 93* 1880-1883
comparison of DMOS/IGBT-compatible high-voltage termination structures and passivation techniques. *Korec, Jacek, + , T-ED Oct 93* 1845-1854
influence of interconnections on breakdown voltage of planar high-voltage p-n junctions. *Falck, Elmar, + , T-ED Feb 93* 439-447
intelligent power LSI with double buried-oxide layers formed by SIMOX technology. *Ohno, Terukazu, + , T-ED Nov 93* 2074-2080
thermal modeling of power GaAs microwave ICs. *Webb, Paul W., T-ED May 93* 867-877
Power lasers
curved- and tapered-waveguide mode-locked InGaAs/AlGaAs semiconductor lasers fabricated by impurity-induced disordering. *Helkey, Roger, + , T-ED Nov 93* 2107
Power semiconductor devices; cf. Power bipolar transistor...; Power FET...; Power integrated circuits; Thyristor...
Power semiconductor diodes
AlGaAs and GaAsP high-power ultrafast high-temperature p⁺-n-n⁺ diodes based on heterojunctions and graded-gap base. *Ashkinazi, German A., + , T-ED Feb 93* 285-291
high-voltage 6H-SiC rectifier prospects and progress. *Neudeck, Philip G., + , T-ED Nov 93* 2130
simulation of proton-induced local lifetime reduction in 10-kV diodes. *Brammer, Ronald, + , T-ED Nov 93* 2089-2091
Power supplies; cf. Computer power supplies
Power transistors; cf. Insulated-gate transistors; Power bipolar transistor...; Power FET...
Prediction methods
predictive worst-case statistical modeling of 0.8-μm BiCMOS bipolar transistors; methodology based on process and mixed device/circuit level simulators. *Kizilyalli, Isik C., + , T-ED May 93* 966-973
Pressure measurement
pressure transducer with Au–Ni thin-film strain gauges. *Rajanna, K., + , T-ED Mar 93* 521-524
square-diaphragm piezoresistive pressure sensor with rectangular central boss for low-pressure ranges. *Sandmaier, Hermann, + , T-ED Oct 93* 1754-1759
Printing
thermal-dissolution ink transfer for full-color printing. *Onishi, Hiroshi, + , T-ED Jan 93* 69-74
Programmable circuits
filament formation and final resistance modeling in a-Si vertical programmable element. *Shacham-Diamand, Yosi, T-ED Oct 93* 1780-1788
Programmable circuits; cf. Programmable logic arrays
Programmable logic arrays
MIM capacitor structure for use in field-programmable gate arrays as voltage-programmable link. *Cohen, Simon S., + , T-ED Jul 93* 1277-1283
Programmable logic circuits
monolithic, multiterminal, light-emitting InGaAs/InAlAs/InGaAs logic device electrically reprogrammable between OR and NAND functions. *Mastrapasqua, Marco, + , T-ED Aug 93* 1371-1377
Protection/safety
influence of series resistance of on-chip power supply buses on internal device failure after ESD stress. *Terletzki, H., + , T-ED Nov 93* 2081-2083
Proton radiation effects; cf. Power semiconductor diodes; Thyristors
Pulsed lasers
short optical pulse generated by integrated MQW DBR-laser/EA-modulator fabricated by selective-area MOVPE. *Chen, Y. K., + , T-ED Nov 93* 2118-2119
Pulse power systems, switches
IR photoconductivity via deep Cu acceptors in Si-doped Cu-compensated GaAs photoconductive switches. *Roush, Randy A., + , T-ED Jun 93* 1081-1086
numerical analysis of electric field profiles in high-voltage GaAs photoconductive switches; comparison to experiment. *Kingsley, Lawrence E., + , T-ED Dec 93* 2344-2351
sensitive optical gating of reverse-biased AlGaAs/GaAs optothyristors for pulsed power switching applications. *Zhao, Jian H., + , T-ED Apr 93* 817-823
Pyroelectric materials/devices
infrared imaging using uncooled focal plane array of unreticulated 10-μm KTN films. *Mantese, Joseph V., + , T-ED Feb 93* 320-324

Q

Quantum-effect semiconductor devices
modeling of quantum effects in ultrasmall HEMT devices. *Zhou, Jing-Rong, + , T-ED Feb 93* 421-427

Quantum-effect semiconductor devices; cf. Quantum-well devices; Quantum-well lasers; Tunnel...
Quantum theory; cf. Photodetectors
Quantum-well devices
background-limited IR hot-electron transistor operating at 77 K. *Kuan, C. H.*, + , *T-ED Nov 93* 2142-2143
characterization of GaAs and InGaAs double-quantum-well heterostructure FETs. *Théron, Didier*, + , *T-ED Nov 93* 1935-1941
delta-doped InGaAs/GaAs interband tunneling diode fabricated by MOCVD. *Su, Yan-Kuin*, + , *T-ED Dec 93* 2192-2198
long-wavelength-IR 128 × 128 $Al_xGa_{1-x}As$/GaAs quantum-well camera and imaging system. *Bethea, C. G.*, + , *T-ED Nov 93* 1957-1963
low-voltage hetero-nipi wavelength modulators. *Yoffe, G. W.*, + , *T-ED Nov 93* 2144
multicolor voltage-tunable QW IR photodetector. *Liu, H. C.*, + , *T-ED Nov 93* 2142
normal incidence GaAs/AlGaAs MQW polarization modulator using induced uniaxial strain. *Pamulapati, J.*, + , *T-ED Nov 93* 2144-2145
normal-incidence IR detector using Ge QW structures grown on Si(100) substrates. *Lee, Chanho*, + , *T-ED Nov 93* 2141-2142
quantum-dot transistor consisting of nanoscale-dot gate inside gap of split gate. *Wang, Y.*, + , *T-ED Nov 93* 2136
quantum-effect FET with resonantly modulated transfer characteristics. *Ohno, Y.*, + , *T-ED Nov 93* 2135
short optical pulse generated by integrated MQW DBR-laser/EA-modulator fabricated by selective-area MOVPE. *Chen, Y. K.*, + , *T-ED Nov 93* 2118-2119
split-gate InGaAs quantum-wire device operated at 80 K. *Yoh, Kanji*, + , *T-ED Nov 93* 2134-2135
temporal response characteristics of $In_{0.53}Ga_{0.47}As$/InP quantum-well phototransistor. *Goswami, Subrata*, + , *T-ED Nov 93* 1970-1976
unipolar three-terminal transistor based on switching on and off of resonant-tunneling probability of hot electrons. *Chen, Jing*, + , *T-ED Feb 93* 267-272
Quantum-well lasers
anomalous damping in MQW lasers due to slow interwell transport. *Hangleiter, A.*, + , *T-ED Nov 93* 2106
self-consistent simulation of modulation responses of QW lasers. *Grupen, Matt*, + , *T-ED Nov 93* 2105-2106
short optical pulse generated by integrated MQW DBR-laser/EA-modulator fabricated by selective-area MOVPE. *Chen, Y. K.*, + , *T-ED Nov 93* 2118-2119
tunneling injection QW laser. *Sun, H. C.*, + , *T-ED Nov 93* 2106-2107
visible CW InGaP/InGaAlP QW VCSELs. *Huang, K. F.*, + , *T-ED Nov 93* 2119
Quantum wires; cf. Quantum-well devices

R

Radiation detectors; cf. Infrared detectors; Ionization chambers; Millimeter-wave detectors; Photodetectors
Radiation effects; cf. Dielectric radiation effects; Infrared radiation effects; Laser radiation effects; Semiconductor device radiation effects; X-ray effects
RAM; cf. Random-access memories
Random-access memories
development of polysilicon TFTs for 16-MB SRAMs and beyond. *Batra, S.*, + , *T-ED Nov 93* 2125-2126
experimental characterization of diode-type polysilicon loads for CMOS SRAM. *Kalnitsky, Alexander*, + , *T-ED Feb 93* 358-363
influence of series resistance of on-chip power supply buses on internal device failure after ESD stress. *Terletzki, H.*, + , *T-ED Nov 93* 2081-2083
integration of double-polysilicon emitter–base self-aligned bipolar transistor into 0.5-μm BiCMOS technology for fast 4-Mb SRAMs. *Hayden, James D.*, + , *T-ED Jun 93* 1121-1128
SEPIA isolation structure for soft-error-immune ULSI circuits. *Onai, Takahiro*, + , *T-ED Feb 93* 402-406
spread-vertical-capacitor cell for high-density DRAMs. *Matsuo, Naoto*, + , *T-ED Apr 93* 750-754
using rapid thermal oxidation to improve reliability of thin Si_3N_4 films deposited on rugged polysilicon electrodes. *Itoh, S.*, + , *T-ED Jun 93* 1176-1178
Rapid thermal processing; cf. Dielectric films; Microwave bipolar transistors
Read-only memories
0.5-μm EEPROM cell using poly-Si TFT technology. *Sato, A.*, + , *T-ED Nov 93* 2126
3-D sidewall flash EPROM cell and memory array. *Pein, Howard*, + , *T-ED Nov 93* 2126-2127
advanced electrical-level modeling of EEPROM cells. *Lanzoni, Massimo*, + , *T-ED May 93* 951-957
design of floating-gate EEPROMs based on 2-D numerical simulation of transient operation. *Concannon, Ann*, + , *T-ED Jul 93* 1258-1262
high-injection MOS (HIMOS) flash E²PROM cell for embedded memory applications. *Van Houdt, Jan*, + , *T-ED Dec 93* 2255-2263
impact of reactive ion etching using O_2 + CHF_3 plasma on endurance performance of FLOTOX EEPROM cells. *Papadas, C.*, + , *T-ED Aug 93* 1549-1551
method for extraction of coupling ratios in FLOTOX EEPROM cells. *Moison, B.*, + , *T-ED Oct 93* 1870-1872
MONOS nonvolatile memory device for EEPROMs ensuring 10-year data retention after 10^7 erase/write cycles. *Minami, Shin-ichi*, + , *T-ED Nov 93* 2011-2017
temperature dependence of Fowler–Nordheim injection from accumulated n-type Si into SiO_2: application to EEPROM cells. *Suñé, Jordi*, + , *T-ED May 93* 1017-1019
theoretical model for current–voltage characteristics of floating-gate MOS EEPROM cell. *Liong, Luey Chwan*, + , *T-ED Jan 93* 146-151
Receivers; cf. Optical receivers
Rectifiers
comparison of 6H-SiC, 3C-SiC, and Si for power devices. *Bhatnagar, Mohit*, + , *T-ED Mar 93* 645-655
controlling characteristics of MPS rectifier by varying area of Schottky region. *Tu, Shang-hui L.*, + , *T-ED Jul 93* 1307-1315
high-voltage 6H-SiC rectifier prospects and progress. *Neudeck, Philip G.*, + , *T-ED Nov 93* 2130
very-low-forward-drop junction-barrier-controlled Schottky rectifiers fabricated using submicron technology. *Mehrota, Manoj*, + , *T-ED Nov 93* 2131-2132
Relays; cf. Repeaters
Reliability; cf. Semiconductor device reliability
Reliability estimation; cf. Life estimation
Repeaters
monolithic integrated repeater employing laser-triggered InGaAs transferred-electron device. *Hahn, Dietmar*, + , *T-ED Dec 93* 2199-2203
Resistance
1/*f* noise in n-p-n GaAs/AlGaAs HBTs; impact of intrinsic transistor and parasitic series resistances. *Vinpenning, Theo G. M.*, + , *T-ED Jun 93* 1148-1153
determining intrinsic drain-and-source series resistance and effective channel length of LDD MOSFETs. *Chung, Steve Shao-Shiun*, + , *T-ED Sep 93* 1709-1711
filament formation and final resistance modeling in a-Si vertical programmable element. *Shacham-Diamand, Yosi, T-ED Oct 93* 1780-1788
influence of series resistance of on-chip power supply buses on internal device failure after ESD stress. *Terletzki, H.*, + , *T-ED Nov 93* 2081-2083
series resistance of self-aligned silicided source/drain structure. *Tsui, Bing-Yue*, + , *T-ED Jan 93* 197-206
ultralow-on-resistance p-channel lateral DMOS fabricated on (110)-oriented Si substrate. *Throngnumchai, K.*, *T-ED Nov 93* 2132-2133
Resistance measurement
study of electrical series resistance of silicon IMPATT diodes. *Mitra, M.*, + , *T-ED Oct 93* 1890-1893
Resistivity measurement
accurate extraction of resistivity of contacts on Kelvin D-resistor structures using universal curves from simulation. *Santander, Joaquín*, + , *T-ED May 93* 944-950
Resistors
accurate extraction of resistivity of contacts on Kelvin D-resistor structures using universal curves from simulation. *Santander, Joaquín*, + , *T-ED May 93* 944-950
experimental characterization of diode-type polysilicon loads for CMOS SRAM. *Kalnitsky, Alexander*, + , *T-ED Feb 93* 358-363
self-heating effects in basic semiconductor structures. *Amerasekera, Ajith*, + , *T-ED Oct 93* 1836-1844
Resistors; cf. Thin-film resistors
Resists
repair technique for phase-shifting masks using silicon-containing resist. *Watanabe, Hisashi*, + , *T-ED Dec 93* 2211-2215
Resonance
quantum-effect FET with resonantly modulated transfer characteristics. *Ohno, Y.*, + , *T-ED Nov 93* 2135
unipolar three-terminal transistor based on switching on and off of resonant-tunneling probability of hot electrons. *Chen, Jing*, + , *T-ED Feb 93* 267-272
Resonance; cf. Tunnel ...
Resonators
thermally excited silicon oxide beam and bridge resonators in CMOS technology. *Brand, Oliver*, + , *T-ED Oct 93* 1745-1753

Vol. 40
1993

Resonators; cf. Cavity resonators; Laser resonators
Ridge waveguides; cf. Optical strip waveguides
Road vehicle electrical systems
latchup-free CMOS/DMOS smart power circuits using floating well. *Bafleur, M., + , T-ED Jul 93* 1340-1342
ROM; cf. Read-only memories
Rotating-machine mechanical factors
experimental technique and model for studying operation of harmonic side-drive micromotors. *Dhuler, Vijayakumar R., + , T-ED Nov 93* 1977-1984
Rough surfaces
comparison of Q_M for electrons tunneling from Si/SiO_2 interface and from poly-Si/SiO_2 interface. *Gong, Sheng S., + , T-ED Jul 93* 1251-1257
degradation of time-dependent dielectric breakdown characteristics of $SiO_2/Si_3N_4/SiO_2$ stacked films caused by surface roughness of Si_3N_4 films. *Tanaka, Hiroyuki, + , T-ED Dec 93* 2231-2236

S

Safety; cf. Protection/safety
Schottky devices
110-GHz-bandwidth Si MSM photodetectors with 3.7-ps response time. *Liu, M. Y., + , T-ED Nov 93* 2145-2146
dependence of $Ga_{0.47}In_{0.53}As/Al_xIn_{1-x}As$ power HEMT breakdown voltage on Schottky layer design and device geometry. *Brown, J. J., + , T-ED Nov 93* 2111-2112
doping-spike LWIR PtSi Schottky detector fabricated by MBE. *Line, T. L., + , T-ED Nov 93* 2143
electrical characteristics of aluminum–CVD diamond-film–silicon structures. *Alam, Mansoor, + , T-ED Aug 93* 1554-1556
HgCdTe MSM photodetectors. *Leech, Patrick W., + , T-ED Aug 93* 1364-1370
monolithically integrated optoelectronic receiver based on pseudomorphic InGaAs-on-GaAs MODFETs and MSM photodetectors for computer optical interconnects. *Ketterson, Andrew A., + , T-ED Aug 93* 1406-1416
OMCVD-grown AlInAs/GaInAs HEMTs with AlGaInP Schottky layer. *Chough, K. B., + , T-ED Nov 93* 2111
Schottky diodes
comparison of 6H-SiC, 3C-SiC, and Si for power devices. *Bhatnagar, Mohit, + , T-ED Mar 93* 645-655
controlling characteristics of MPS rectifier by varying area of Schottky region. *Tu, Shang-hui L., + , T-ED Jul 93* 1307-1315
effect of fluorine incorporation on thermal stability of PtSi/Si structure. *Tsui, Bing-Yue, + , T-ED Jan 93* 54-63
GaAs Schottky-barrier photodiode with high quantum-efficiency–bandwidth product obtained by using multilayer reflector. *Tzeng, Yen-Chang, + , T-ED Feb 93* 348-352
numerical simulation of current–voltage characteristics of standard and heteroepitaxial GaAs Schottky-barrier diodes and diodes with InGaAs epitaxial layer grown on GaAs or InP. *Bhapkar, Udayan V., + , T-ED Jun 93* 1038-1046
very-low-forward-drop junction-barrier-controlled Schottky rectifiers fabricated using submicron technology. *Mehrota, Manoj, + , T-ED Nov 93* 2131-2132
Schottky FETs; cf. MESFET...; Millimeter-wave FETs; MODFET...
Secondary emission; cf. Electron emission
Self-pulsing lasers; cf. Pulsed lasers
Semiconductor charge carriers; cf. Charge-carrier processes
Semiconductor defects; cf. MOSFETs; Photovoltaic power cells
Semiconductor device breakdown
self-heating effects in basic semiconductor structures. *Amerasekera, Ajith, + , T-ED Oct 93* 1836-1844
Semiconductor device breakdown; cf. Avalanche breakdown; FETs; MESFETs; Millimeter-wave bipolar transistors; MODFETs, power; MODFETs; MOSFETs; MOS integrated circuits; Semiconductor junctions
Semiconductor device doping
bandgap narrowing and emitter efficiency in heavily doped emitter structures. *Van Vliet, Carolyne M., T-ED Jun 93* 1140-1147
resolving degradation mechanisms in ultra-high-performance AlGaAs/GaAs n-p-n heterojunction bipolar transistors. *Chang, Yang-Hua, + , T-ED Apr 93* 692-697
systematic analytical solutions for minority-carrier transport in nonuniform doped semiconductors; application to solar cells. *Cuevas, Andrés, + , T-ED Jun 93* 1181-1183
Semiconductor device doping; cf. Bipolar transistors; Germanium materials/devices; Light-triggered switches; MESFETs; Millimeter-wave bipolar transistors; MODFETs; MOSFETs; Photodetectors; Photovoltaic power cell doping; Semiconductor device ion implantation; Silicon materials/devices; Thin-film transistors; Tunnel diodes
Semiconductor device fabrication; cf. Bipolar transistors; CMOSFETs; Epitaxial growth; Integrated circuit fabrication; Laser applications, materials processing; Millimeter-wave bipolar transistors; MOS capacitors; MOSFETS; MOSFETs; Photovoltaic power cell fabrication; Plasma applications, materials processing; Schottky diodes; Semiconductor device doping; Thin-film transistors
Semiconductor device ion implantation; cf. Gallium materials/devices; Indium materials/devices; MESFETs; Microwave bipolar transistors; Silicon materials/devices; Silicon-on-insulator; Thin-film transistors
Semiconductor device measurements
geometric factor for Hall mobility characterization using the van der Pauw dual configuration. *Nathan, Arokia, + , T-ED Aug 93* 1508-1511
Semiconductor device measurements; cf. Bipolar transistors; CMOSFETs; FETs; IMPATT diodes; MESFETs; MODFETs; MOS devices; MOSFETs; Photovoltaic power cell measurements; Piezoresistive materials/devices; Thyristors
Semiconductor device mechanical factors
dislocation-free gate process using in-situ doped polysilicon thin films with crystallization-induced stress. *Hashimoto, Chiemi M., + , T-ED Nov 93* 2127-2128
drift hole mobility in strained and unstrained doped $Si_{1-x}Ge_x$ alloys. *Manku, Tanjinder, + , T-ED Nov 93* 1990-1996
electrical and optical bandgaps of heavily doped Ge_xSi_{1-x} strained layers. *Jain, S. C., + , T-ED Dec 93* 2338-2343
normal incidence GaAs/AlGaAs MQW polarization modulator using induced uniaxial strain. *Pamulapati, J., + , T-ED Nov 93* 2144-2145
optimized double-heterojunction pseudomorphic InP/InGaAs/InP p-MODFETs; role of strain in design. *Küsters, Antonio Mesquida, + , T-ED Dec 93* 2164-2170
temperature and scaling behavior of strained-Si N-MOSFETs. *Welser, J., + , T-ED Nov 93* 2101
undoped SiGe heterostructure MISFETs utilizing biaxially-strained-Si channel. *Jackson, T. N., + , T-ED Nov 93* 2104-2105
Semiconductor device mechanical factors; cf. Integrated circuit mechanical factors; Microelectromechanical devices
Semiconductor device metallization; cf. Integrated circuit metallization; Semiconductor junctions
Semiconductor device modeling
effects of impact ionization in framework of stanard hydrodynamic model. *Souissi, Kamel, + , T-ED Aug 93* 1501-1507
modeling electron–hole scattering in semiconductor devices. *Kane, David E., + , T-ED Aug 93* 1496-1500
Semiconductor device modeling; cf. *Specific topic*
Semiconductor device noise; cf. Bipolar transistor amplifiers; Bipolar transistors; CMOSFETs; Gallium materials/devices; Gunn devices; MESFETs; MIS devices; MODFETs; MOSFETs; Photodetectors
Semiconductor device radiation effects
radiation hardness of MOSFETs with N_2O-nitrided gate oxides. *Lo, G. Q., + , T-ED Aug 93* 1565-1567
simulating single-event burnout of n-channel power MOSFETs due to heavy ions. *Johnson, Gregory H., + , T-ED May 93* 1001-1008
Semiconductor device reliability
using rapid thermal oxidation to improve reliability of thin Si_3N_4 films deposited on rugged polysilicon electrodes. *Itoh, S., + , T-ED Jun 93* 1176-1178
Semiconductor device reliability; cf. Bipolar transistors; CMOSFETs; Electrostatic discharges; Integrated circuit reliability; MOS capacitors; MOSFETs; Power FETs; Semiconductor device radiation effects; Thin-film transistors
Semiconductor devices
comments on 'Determination of space-dependent electron distribution function by combined use of energy and Boltzmann transport equations: Improvement, evaluation, and 'explanation' by S.-L. Wang et al. *Fiegna, C., + , T-ED Dec 93* 2369-2370 (Original paper, Aug 92 1821-1828)
modified continuity equations for charge conservation in transient simulation of semiconductor devices. *Pfirsch, F., + , T-ED Nov 93* 2085-2087
Semiconductor devices; cf. Charge-coupled devices; Complementary circuits/devices; Quantum-effect semiconductor devices; Semiconductor diodes; Semiconductor heterojunctions; Transistors; Vacuum microelectronics
Semiconductor device thermal factors
self-heating effects in basic semiconductor structures. *Amerasekera, Ajith, + , T-ED Oct 93* 1836-1844

Semiconductor device thermal factors; cf. Cryogenic electronics; *Specific topic*
Semiconductor diodes
3-D simulation of planar semiconductor diodes; geometry dependence of current. *Kavadias, Spyros, + , T-ED Oct 93* 1875-1878
anomalous behavior of surface leakage currents in heavily doped gated diodes. *Hurkx, Fred, + , T-ED Dec 93* 2273-2281
characteristics of polysilicon-contacted shallow junction diode formed with stacked a-Si film. *Wu, Shye-Lin, + , T-ED Oct 93* 1797-1804
critical examination of assumptions underlying macroscopic transport equations for Si devices. *Stettler, Mark A., + , T-ED Apr 93* 733-740
hydrodynamic and Monte Carlo simulation of electron shock wave in 1-μm N⁺-n-n⁺ silicon diode. *Gardner, Carl L., T-ED Feb 93* 455-457
injection current model of MOS diode under charge-sharing mode readout operation. *Wu, Chao-Wen, + , T-ED Jan 93* 227-229
model for anomalous off-current of polysilicon TFTs and diodes. *Rodriguez, Angel, + , T-ED May 93* 938-943
origin of difference between capacitance intercept voltage and built-in potential for diodes with abrupt constant doping profile. *van Mieghem, P., T-ED Dec 93* 2365-2368
self-heating effects in basic semiconductor structures. *Amerasekera, Ajith, + , T-ED Oct 93* 1836-1844
Semiconductor diodes; cf. Light-emitting diodes; Photodiodes; p-i-n diodes; Power semiconductor diodes; Schottky diode...
Semiconductor films
characteristics of polysilicon-contacted shallow junction diode formed with stacked a-Si film. *Wu, Shye-Lin, + , T-ED Oct 93* 1797-1804
C–V and *G–V* characteristics of ZnCdS/ZnTe heterojunctions for solar cells. *Zekry, Abdelhalim, + , T-ED Feb 93* 259-266
dislocation-free gate process using in-situ doped polysilicon thin films with crystallization-induced stress. *Hashimoto, Chiemi M., + , T-ED Nov 93* 2127-2128
effect of thermal oxidation on residual stress distribution through thickness of p⁺ Si films for micromachined transducers. *Chu, Wen-Hwa, + , T-ED Jul 93* 1245-1250
electrical characteristics of aluminum–CVD diamond-film–silicon structures. *Alam, Mansoor, + , T-ED Aug 93* 1554-1556
temperature coefficient and linearity of p-type polysilicon resistors fabricated from a-Si film. *Yamaguchi, Tadanori, + , T-ED Aug 93* 1484-1495
window materials for surface passivation of GaAs solar cells. *DeSalvo, Gregory C., + , T-ED Apr 93* 705-711
X-ray imaging camera tube using sputter-deposited CdTe/CdS heterojunction. *Tomita, Yasuhiro, + , T-ED Feb 93* 315-319
Semiconductor growth
delta-doped InGaAs/GaAs interband tunneling diode fabricated by MOCVD. *Su, Yan-Kuin, + , T-ED Dec 93* 2192-2198
Semiconductor heterojunctions
C–V and *G–V* characteristics of ZnCdS/ZnTe heterojunctions for solar cells. *Zekry, Abdelhalim, + , T-ED Feb 93* 259-266
modeling and experimental results for *C(V)* in abrupt isotype-*n* AlGaAs/GaAs heterojunction. *Cruz Serra, António, + , T-ED Feb 93* 353-357
X-ray imaging camera tube using sputter-deposited CdTe/CdS heterojunction. *Tomita, Yasuhiro, + , T-ED Feb 93* 315-319
Semiconductor heterojunctions; cf. Bipolar transistors; FETs; Gallium FETs; Gallium materials/lasers; IGFETs; Microwave bipolar transistors, power; Millimeter-wave bipolar transistors; Millimeter-wave bipolar transistors, power; MISFETs; MODFET...; Photovoltaic power cells; Power bipolar transistors; Submillimeter-wave transistors
Semiconductor-insulator interfaces
comparison of Q_M for electrons tunneling from Si/SiO_2 interface and from poly-Si/SiO_2 interface. *Gong, Sheng S., + , T-ED Jul 93* 1251-1257
Semiconductor-insulator interfaces; cf. MOS...
Semiconductor-insulator-semiconductor devices
modeling and characterization of SIPOS emitter and quasi-SIS emitter bipolar transistors. *Chuang, Tien-Min, + , T-ED Apr 93* 796-803
Semiconductor-insulator-semiconductor devices; cf. p-i-n diodes; p-i-n photodiodes
Semiconductor junctions
bremsstrahlung origin of hot-carried-induced photons in avalanching Si p-n junctions. *Lacaita, Andrea L., + , T-ED Mar 93* 577-582
electrical properties of Si p⁺-n junctions for sub-0.25-μm CMOS fabricated by Ga focused-ion-beam implantation. *Mogul, Homyar C., + , T-ED Oct 93* 1823-1829
improved junction capacitance model for GaAs MESFET. *Rodriguez-Tellez, J., + , T-ED Nov 93* 2083-2085
influence of interconnections on breakdown voltage of planar high-voltage p-n junctions. *Falck, Elmar, + , T-ED Feb 93* 439-447
lateral profiling of oxide charge and interface traps near MOSFET junctions. *Chen, Wenliang, + , T-ED Jan 93* 187-196
origin of difference between capacitance intercept voltage and built-in potential for diodes with abrupt constant doping profile. *van Mieghem, P., T-ED Dec 93* 2365-2368
series resistance of self-aligned silicided source/drain structure. *Tsui, Bing-Yue, + , T-ED Jan 93* 197-206
simple model for carrier densities in depletion region of p-n junctions. *Frederickson, A. Robb, + , T-ED May 93* 994-1000
Semiconductor junctions; cf. Semiconductor heterojunctions
Semiconductor lasers
blue-green buried-ridge laser diodes. *Haase, M. A., + , T-ED Nov 93* 2110
pseudomorphic SCH blue-green diode lasers using quaternary (Zn,Mg)(S,Sr). *Grillo, D. C., + , T-ED Nov 93* 2109
Semiconductor lasers; cf. Gallium materials/lasers; Quantum-well lasers; Semiconductor optical amplifiers; Surface-emitting lasers
Semiconductor logic devices
analysis of HBT/RTD logic for low-power, high-speed digital applications. *Chang, Charles E., + , T-ED Apr 93* 685-691
Si double-switching inversion-controlled MISSIM switch for multiple-valued logic applications. *Fang, Y. K., + , T-ED May 93* 918-922
Semiconductor materials; cf. Diamond materials/devices; Gallium materials/devices; Indium materials/devices; Photovoltaic power cell materials; Silicon materials/devices
Semiconductor materials measurements
extracting semiconductor parameters using cathodoluminescence in scanning electron microscope. *Chan, Daniel S. H., + , T-ED Aug 93* 1417-1425
Semiconductor memories
memory effect in ZnS:Mn AC thin-film electroluminescent devices with low Mn concentration. *McClean, Ian P., + , T-ED May 93* 898-902
Semiconductor memories; cf. Bipolar integrated circuits, memory
Semiconductor noise; cf. Semiconductor device noise
Semiconductor-on-insulator; cf. Silicon-on-insulator
Semiconductor optical amplifiers
photonic integrated tunable receiver using optical preamplifier in vertical-coupler filter structure. *Chuang, Z.-M., + , T-ED Nov 93* 2107-2108
Semiconductor switches; cf. Light-triggered switches; Power FET switches; Semiconductor logic devices; Thyristors
Semiconductor thermal factors; cf. Acoustic transducers
Sensors; cf. Acoustic transducers; Image sensors; Infrared image sensors; Magnetic transducers; Mechanical variables measurement; Photodetectors; Pressure measurement
Shallow-junction-well transistors; cf. MOSFETs
Shock waves
hydrodynamic and Monte Carlo simulation of electron shock wave in 1-μm N⁺-n-n⁺ silicon diode. *Gardner, Carl L., T-ED Feb 93* 455-457
Silicon materials/devices
critical examination of assumptions underlying macroscopic transport equations for Si devices. *Stettler, Mark A., + , T-ED Apr 93* 733-740
drift hole mobility in strained and unstrained doped $Si_{1-x}Ge_x$ alloys. *Manku, Tanjinder, + , T-ED Nov 93* 1990-1996
improved hydrodynamic transport model for Si. *Tang, Ting-wei, + , T-ED Aug 93* 1469-1477
minority-carrier transport parameters in heavily doped p-type Si at 296 and 77 K. *Leu, I.-Yun, + , T-ED Oct 93* 1872-1875
model for B diffusion in Si; use for analyzing short-term annealing after ion implanatation. *Hane, Masami, + , T-ED Jul 93* 1215-1222
modeling of minority-carrier transport in nonuniformity doped Si regions using asymptotic expansions. *Rinaldi, Niccolò, T-ED Dec 93* 2307-2317
Silicon-on-insulator
0.1-μm-gate ultrathin-film CMOS devices using SIMOX substrate with 80-nm-thick buried oxide layer. *Omura, Y., + , T-ED May 93* 1019-1022
2-D analytic threshold-voltage model for fully depleted short-channel SOI MOSFETs. *Guo, Jwin-Yen, + , T-ED Sep 93* 1653-1661
aging analysis of NMOS fabricated with 1.3-μm partially depleted SIMOX SOI technology; comparison with 1.3-μm bulk technology. *Reimbold, Gilles, + , T-ED Feb 93* 364-370
analysis of effects of floating substrate on intrinsic gate capacitance of SOI MOSFETs using 2-D device simulation. *Flandre, Denis, T-ED Oct 93* 1789-1796
analytical back-gate-bias-dependent threshold voltage model for SiGe-channel ultrathin SOI PMOS devices. *Kuo, James B., + , T-ED Dec 93* 2237-2244
analytical back-gate bias effect model for ultrathin SOI CMOS devices. *Sim, Jai-hoon, + , T-ED Apr 93* 755-765
computer-aided assessment of fully depleted SOI CMOS VLSI circuit performance. *Fossum, Jerry G., + , T-ED Mar 93* 598-604
correlation of leakage current and charge pumping in SOI gate-controlled diodes. *Seghir, Hachemi, + , T-ED Jun 93* 1104-1111
deep-submicrometer CMOS/SIMOX delay modeling by time-dependent capacitance model. *Lee, M., + , T-ED Oct 93* 1897-1901

Vol. 40
1993

defect electrical conduction in SIMOX buried oxides. *Brown, George A., + , T-ED Sep 93* 1700-1705
different conduction mechanisms in accumulation-mode p-channel SOI MOSFETs at room and liquid-helium temperatures. *Rotondaro, Antonio Luis Pacheco, + , T-ED Apr 93* 727-732
direct beta measurement for parasitic lateral bipolar transistors in fully-depleted SOI MOSFETs. *Ver Ploeg, Eric, + , T-ED Nov 93* 2101-2102
high-speed, 0.6-μm, 16K CMOS gate array on thin SIMOX film. *Yamaguchi, Yasuo, + , T-ED Jan 93* 179-186
high-speed low-power CMOS/SIMOX ring oscillators with reduced propagation delay. *Lee, M., + , T-ED Nov 93* 2103-2104
intelligent power LSI with double buried-oxide layers formed by SIMOX technology. *Ohno, Terukazu, + , T-ED Nov 93* 2074-2080
low-frequency noise study of gate-all-around SOI transistors. *Simoen, E., + , T-ED Nov 93* 2054-2059
modeling for floating body effects in fully depleted SOI MOSFETs. *Chen, Heng-Tien Henry, + , T-ED Mar 93* 583-590
NMOS device characteristics in cold-cathode electron-beam-recrystallized SOI. *Thompson, Lance R., + , T-ED Jul 93* 1270-1276
nonisothermal analysis of breakdown in SOI transistors. *Apanovich, Y., + , T-ED Nov 93* 2094-2096
properties of nitrogen-implanted SOI substrates. *Polchlopek, Stanley W., + , T-ED Feb 93* 385-391
scaling theory for double-gate SOI MOSFETs. *Suzuki, Kunihiro, + , T-ED Dec 93* 2326-2329
self-aligned lateral bipolar transistor compatible with CMOS realized on SIMOX-material. *Edholm, Bengt, + , T-ED Dec 93* 2359-2360
simulation and 2-D analytical modeling of subthreshold slope in ultrathin-film SOI MOSFETs down to 0.1-μm gate length. *Joachim, Hans-Oliver, + , T-ED Oct 93* 1812-1817

Silicon-on-insulator; cf. Thin-film transistors
SIMOX; cf. Silicon-on-insulator
Simulation; cf. Circuit simulation; Modeling; Monte Carlo methods; *Specific topic*
SIT; cf. Static induction transistors
Size measurement; cf. Thickness measurement
SOI; cf. Silicon-on-insulator
Solar cells; cf. Photovoltaic power cell...
Solid lasers; cf. Semiconductor lasers
Space charge
optimum microemitter geometry and space-charge effects in numerically simulated vacuum microelectronic devices. *Cui, Zheng, + , T-ED Feb 93* 448-452
optimum neutralization of negative space charge in cylindrical and spherical diodes; application to electron-beam-pumped excimer laser in cylindrical symmetry. *Wheeler, Clive B., T-ED Jun 93* 1166-1171
Spectroscopy
transconductance spectroscopy approach to device-level surface state characterization in MESFETs. *Zhao, Jian H., + , T-ED Jun 93* 1172-1174
Spectroscopy; cf. Mass spectroscopy
Spheres; cf. Diodes
Sputtering; cf. Semiconductor films
Static induction transistors
influence of majority carrier accumulation in SIT with high-purity channel on voltage amplification factor. *Yano, Koji, + , T-ED Nov 93* 2092-2094
nondestructive-readout static induction transistor photosensors. *Nakamura, Jun-ichi, + , T-ED Feb 93* 334-341
Statistics; cf. Prediction methods
Strain; cf. Semiconductor device mechanical factors
Strain measurement
pressure transducer with Au–Ni thin-film strain gauges. *Rajanna, K., + , T-ED Mar 93* 521-524
Stress; cf. Integrated circuit mechanical factors; Semiconductor device mechanical factors
Submillimeter-wave (300–3000 GHz); cf. Infrared (0.70–100 μm)
Submillimeter-wave transistors
forward transit delay in $In_{0.53}Ga_{0.47}As$ HBTs with nonequilibrium electron transport. *Laskar, J., + , T-ED Nov 93* 2122
Superconducting devices
high-temperature-superconductor subharmonically pumped digital phase modulator/demodulator capable of gigabit/second transmission rates. *Drabeck, Lawrence, + , T-ED Nov 93* 2140-2141
Superconducting devices; cf. Josephson...
Superconducting materials, high-temperature; cf. Superconducting...
Superconducting transistors
digital logic circuit family based on high-T_c superconducting flux flow transistors. *Martens, Jon S., + , T-ED Mar 93* 656-660
monolithic cofabrication of $Y_1Ba_2Cu_3O_{7-\delta}$ and CMOS devices on same sapphire substrate. *de la Houssaye, P. R., + , T-ED Nov 93* 2139-2140
Surface charging
method of eliminating B-mode dielectric breakdown failure in gate oxides utilizing charging phenomenon. *Ajioka, Tsuneo, + , T-ED Dec 93* 2282-2286
Surface-emitting lasers
high-wallplug-efficiency VCSELs. *Lear, K. S., + , T-ED Nov 93* 2116
InAlGaP VCSELs emitting at 639–661-nm wavelengths. *Lott, J. A., + , T-ED Nov 93* 2115-2116
low-threshold, electrically injected, 1.3-μm InGaAsP VCSELs on GaAs substrates. *Dudley, J. J., + , T-ED Nov 93* 2119-2120
reflection noise in VCSELs. *Bae, J. W., + , T-ED Nov 93* 2117
single-transverse-mode, low-threshold-current VCSEL. *Wu, Y. A., + , T-ED Nov 93* 2116-2117
VCSEL polarization switching and control. *Choquette, Kent D., + , T-ED Nov 93* 2117-2118
VCSELs with 14 GHz bandwidth. *Brusenbach, P., + , T-ED Nov 93* 2120
visible CW InGaP/InGaAlP QW VCSELs. *Huang, K. F., + , T-ED Nov 93* 2119
Surfaces; cf. MESFETs; MOS devices; Photovoltaic power cell...; Rough surfaces; Silicon materials/devices
Switches/switchgear; cf. Pulse power systems, switches
Switches/switching; cf. Electrooptic switches; Light-triggered switches; Optical switches

T

Technology
graceful growth of technology. *Kurokawa, K., T-ED Nov 93* 2098
Thermal factors
estimation of dispenser cathode surface temperature of practical potted heater cathode assembly. *Sil, A., + , T-ED Oct 93* 1855-1863
Thermal factors; cf. Cryogenic electronics; Integrated circuit thermal factors; Printing; Semiconductor device thermal factors
Thermal image sensors; cf. Infrared image sensors
Thermionic emission; cf. Electron emission
Thickness measurement
extraction of effective channel thickness of implanted MESFETs by method based on transconductance parameter β measurement. *Moon, Byung-jong, + , T-ED Jan 93* 32-34
Thin-film circuits; cf. Silicon-on-insulator
Thin-film devices; cf. Electroluminescent materials/devices; Strain measurement
Thin-film resistors
temperature coefficient and linearity of p-type polysilicon resistors fabricated from a-Si film. *Yamaguchi, Tadanori, + , T-ED Aug 93* 1484-1495
Thin-film transistors
0.5-μm EEPROM cell using poly-Si TFT technology. *Sato, A., + , T-ED Nov 93* 2126
10-s doping technology for application of low-temperature polysilicon TFTs to giant microelectronics. *Mimura, Akio, + , T-ED Mar 93* 513-520
a-Si TFTs using dilute-gas plasma-enhanced CVD. *Wright, S. L., + , T-ED Nov 93* 2128-2129
bottom-gate poly-Si TFTs using XeCl excimer laser annealing and ion doping techniques. *Furuta, Mamoru, + , T-ED Nov 93* 1964-1969
current-drive enhancement limited by carrier velocity saturation in deep-submicrometer fully depleted SOI MOSFETs. *Fossum, J. G., + , T-ED Feb 93* 457-459
development of polysilicon TFTs for 16-MB SRAMs and beyond. *Batra, S., + , T-ED Nov 93* 2125-2126
effects of H_2–O_2-plasma treatment on characteristics of polysilicon TFTs. *Chern, Horng Nan, + , T-ED Dec 93* 2301-2306
excimer-laser crystallization of a-Si:H; TFTs fabricated from annealed Si. *Brotherton, S. D., + , T-ED Feb 93* 407-413
excimer-laser-crystallized poly-Si TFTs with mobility of more than 600 cm^2/Vs. *Choi, D. H., + , T-ED Nov 93* 2129
feedthrough voltage in a-Si TFTs. *Takabatake, Masaru, + , T-ED Oct 93* 1866-1870
high-mobility poly-Si TFTs fabricated by excimer laser crystallization method. *Shimizu, Kazuhiro, + , T-ED Jan 93* 112-117
high-voltage amorphous Si TFTs. *Martin, Russel A., + , T-ED Mar 93* 634-644
model for anomalous off-current of polysilicon TFTs and diodes. *Rodriguez, Angel, + , T-ED May 93* 938-943
numerical simulation of on and off state characteristics of polysilicon TFTs. *Hack, M., + , T-ED Nov 93* 2128
physical models for degradation effects in polysilicon TFTs. *Hack, Michael, + , T-ED May 93* 890-897
surface potential at threshold in thin-film SOI MOSFETs. *Mazhari, Baquer, + , T-ED Jun 93* 1129-1133

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments

Thin-film transistors; cf. Silicon-on-insulator
Three-dimensional integrated circuits
3-D finite-element model study of effect of trench corner shapes on thermally induced local stress fields associated with SiO_2-filled deep trench in Si substrate. *Stiffler, Scott R.*, + , *T-ED Mar 93* 557-563
spread-vertical-capacitor cell for high-density DRAMs. *Matsuo, Naoto*, + , *T-ED Apr 93* 750-754
Threshold logic circuits
profile design and optimization of epitaxial Si- and SiGe-base bipolar technology for 77 K applications; circuit performance. *Cressler, John D.*, + , *T-ED Mar 93* 542-556
Thyristors
characteristics of continuous-gate-control and interrupted-gate-control bilateral MOS-controlled thyristors. *Huang, J. S. T., T-ED Aug 93* 1523-1529
estimation of transient thermal impedance for constant current of power thyristor using temperature field calculation. *Bencic, Z.*, + , *T-ED Oct 93* 1885-1887
high-frequency 6000-V double-gate GTOs. *Ogura, Tsuneo*, + , *T-ED Mar 93* 628-633
integrated self-scanning light-emitting device. *Ohno, Seiji*, + , *T-ED Dec 93* 2216-2221
potential of 6H-SiC for power devices; vertical UMOS power MOSFETs, BJTs, and p-n-p-n thyristors. *Palmour, J. W.*, + , *T-ED Nov 93* 2129-2130
sensitive optical gating of reverse-biased AlGaAs/GaAs optothyristors for pulsed power switching applications. *Zhao, Jian H.*, + , *T-ED Apr 93* 817-823
simulation of small-signal current gains of pnpn structures. *Hátle, M.*, + , *T-ED Oct 93* 1864-1866
technique for depth-resolved carrier recombination measurements; application to proton-irradiated thyristors. *Linnros, Jan*, + , *T-ED Nov 93* 2065-2073
time-dependent 2-D analysis of turn-off process in GTO. *Vobecky, Jan*, + , *T-ED Dec 93* 2352-2358
Time delay; cf. Delay effects
Tokamaks, plasma heating
500-kW, 8-GHz gyrotron for lower hybrid heating of FTU tokamak. *Ives, R. Lawrence*, + , *T-ED Jul 93* 1316-1321
Transducers; cf. Acoustic transducers; Biomedical transducers; Magnetic transducers; Mechanical variables measurement; Pressure measurement
Transfer functions
Correction to 'A unified model of carrier diffusion and sampling aperture effects on MTF in solid-state image sensors' (Nov 92 2621-2623). *Stevens, Eric G., T-ED Oct 93* 1903
Transient analysis
comments, with reply, on 'Transient analysis of stored charge in neutral base region' by K. Suzuki et al. *Parker, James, T-ED Apr 93* 833-835 (Original paper, May 92 1164-1169)
modeling transient response of substrate traps to substrate voltage in GaAs FETs. *Sengouga, Nouredine*, + , *T-ED Mar 93* 471-479
Transient analysis; cf. Circuit transient analysis
Transistors
electrical and optical properties of light-emitting transistor based on real-space transfer. *Mastrapasqua, Marco*, + , *T-ED Feb 93* 250-258
Monte Carlo simulation of real-space transfer transistors; device physics and scaling effects. *Patil, Mahesh B.*, + , *T-ED Mar 93* 480-486
Transistors; cf. Bipolar transistors; FETs; Phototransistors; Superconducting transistors; Thin-film transistors
Transistor-transistor logic
channel-base transistors and their use in TTL NAND gates. *Kang, Bao-Wei*, + , *T-ED Oct 93* 1805-1811
Trapping; cf. Charge-carrier processes
Traveling-wave amplifiers; cf. Semiconductor optical amplifiers
TTL; cf. Transistor-transistor logic
Tubes; cf. Electron tubes
Tunable devices
multicolor voltage-tunable QW IR photodetector. *Liu, H. C.*, + , *T-ED Nov 93* 2142
photonic integrated tunable receiver using optical preamplifier in vertical-coupler filter structure. *Chuang, Z.-M.*, + , *T-ED Nov 93* 2107-2108
red- and green-emitting tunable-color EL device employing stacked ZnS:Tb and F/ZnS:Mn phosphor layers with color filters. *Fukao, Ryuzo*, + , *T-ED Jan 93* 64-68
Tungsten materials/devices; cf. Integrated circuit interconnections; Integrated circuit metallization; MESFETs
Tunnel devices/effects
1-D to 1-D tunneling in dual-electron-waveguide devices. *Eugster, C. C.*, + , *T-ED Nov 93* 2135-2136
comparison of Q_{bd} for electrons tunneling from Si/SiO_2 interface and from poly-Si/SiO_2 interface. *Gong, Sheng S.*, + , *T-ED Jul 93* 1251-1257
oxide-field dependence of electron injection from Si into silicon dioxide. *Fiegna, Claudio*, + , *T-ED Nov 93* 2018-2022
quantum gate current model for heterostructure field-effect transistors. *Abbott, E. B.*, + , *T-ED May 93* 1022-1024
resonant tunneling at room temperature in GaInP/GaAs/GaInP DHBT. *Liu, William*, + , *T-ED Aug 93* 1384-1389
study of interband tunneling under nonuniform electric field. *Chakraborty, Paritosh Kumar, T-ED Jan 93* 214-219
tunneling and thermal emission of electrons from distribution of deep traps in SiO_2 gate oxide on n-channel LDD CMOS devices. *Hwang, Nam*, + , *T-ED Jun 93* 1100-1103
tunneling injection QW laser. *Sun, H. C.*, + , *T-ED Nov 93* 2106-2107
Tunnel diode circuits
analysis of HBT/RTD logic for low-power, high-speed digital applications. *Chang, Charles E.*, + , *T-ED Apr 93* 685-691
Tunnel diodes
delta-doped InGaAs/GaAs interband tunneling diode fabricated by MOCVD. *Su, Yan-Kuin*, + , *T-ED Dec 93* 2192-2198
study of interband tunneling under nonuniform electric field. *Chakraborty, Paritosh Kumar, T-ED Jan 93* 214-219
Tunnel transistors
experimental realization of bound-state resonant tunneling transistor. *Chen, W. L.*, + , *T-ED Nov 93* 2133-2134
unipolar three-terminal transistor based on switching on and off of resonant-tunneling probability of hot electrons. *Chen, Jing*, + , *T-ED Feb 93* 267-272
TV; cf. HDTV
TV cameras; cf. TV image sensors
TV image sensors
2.2-M-pixel FT-CCD imager conforming to Eureka HDTV standard. *Theuwissen, Albert J. P.*, + , *T-ED Sep 93* 1621-1629
Two-dimensional electron gas devices; cf. Millimeter-wave detectors; Millimeter-wave mixers

U

UHF (300–3000 MHz); cf. Microwave (3–30 GHz); VHF (30–300 MHz)
UHF FETs; cf. MODFETs
ULSI; cf. Ultra-large-scale integration
Ultrafast electronics
AlGaAs and GaAsP high-power ultrafast high-temperature p⁺-n-n⁺ diodes based on heterojunctions and graded-gap base. *Ashkinazi, German A.*, + , *T-ED Feb 93* 285-291
high-speed MSM photodetector with GaAs/AlGaAs/GaAs heterostructure. *Lu, Jian*, + , *T-ED Jun 93* 1087-1092
Ultrafast optics
110-GHz-bandwidth Si MSM photodetectors with 3.7-ps response time. *Liu, M. Y.*, + , *T-ED Nov 93* 2145-2146
high-speed MSM photodetector with GaAs/AlGaAs/GaAs heterostructure. *Lu, Jian*, + , *T-ED Jun 93* 1087-1092
short optical pulse generated by integrated MQW DBR-laser/EA-modulator fabricated by selective-area MOVPE. *Chen, Y. K.*, + , *T-ED Nov 93* 2118-2119
temporal response characteristics of $In_{0.53}Ga_{0.47}As/InP$ quantum-well phototransistor. *Goswami, Subrata*, + , *T-ED Nov 93* 1970-1976
ultrafast single-photon avalanche diodes without slow tails in pulse response. *Lacaita, A.*, + , *T-ED Nov 93* 2145
Ultra-high frequency (300–3000 MHz); cf. UHF...
Ultra-large-scale integration; cf. Bipolar integrated circuits, memory; Integrated circuit interconnections; Integrated circuit metallization; MOS integrated circuits
Ultraviolet detectors
SiC UV photodiodes for high-temperature operation. *Brown, Dale M.*, + , *T-ED Feb 93* 325-333
Ultraviolet lasers; cf. Excimer lasers

V

Vacuum microelectronics
collector-assisted operation of micromachined field-emitter triode arrays. *Busta, Heinz H.*, + , *T-ED Aug 93* 1537-1542
computed emisson area of Spindt field-emitter array. *Jenkins, David W., T-ED Mar 93* 666-672
emission characteristics of Si field-emitter triode arrays with four different gate geometries. *Busta, Heinz H.*, + , *T-ED Aug 93* 1530-1536
optimum microemitter geometry and space-charge effects in numerically simulated vacuum microelectronic devices. *Cui, Zheng*, + , *T-ED Feb 93* 448-452
simulation of field-emission-microtriode RF amplifier performance. *Zaidman, Ernest G., T-ED May 93* 1009-1016

Vol. 40
1993

Very high frequency (30–300 MHz); cf. VHF...
Very-large-scale integration; cf. Bipolar integrated circuits; CMOS integrated circuits; Integrated circuit interconnections; MESFET integrated circuits; MOS integrated circuits; Three-dimensional integrated circuits
VHF (30–300 MHz); cf. UHF (300–3000 MHz)
VHF devices
noise in AlGaAs/InGaAs/GaAs pseudomorphic HEMTs from 10 Hz to 18 GHz. *Plana, Robert, + , T-ED May 93* 852-858
Vibrations; cf. Mechanical variables measurement
Visible lasers
blue-green buried-ridge laser diodes. *Haase, M. A., + , T-ED Nov 93* 2110
InAlGaP VCSELs emitting at 639–661-nm wavelengths. *Lott, J. A., + , T-ED Nov 93* 2115-2116
pseudomorphic SCH blue-green diode lasers using quaternary (Zn,Mg)(S,Se). *Grillo, D. C., + , T-ED Nov 93* 2109
visible CW InGaP/InGaAlP QW VCSELs. *Huang, K. F., + , T-ED Nov 93* 2119
Visible light; cf. Light...; Optical...
Vision systems (nonbiological); cf. Machine vision
VLSI; cf. Very-large-scale integration
Voltage breakdown; cf. Dielectric breakdown

W

Waveguide bends
curved- and tapered-waveguide mode-locked InGaAs/AlGaAs semiconductor lasers fabricated by impurity-induced disordering. *Helkey, Roger, + , T-ED Nov 93* 2107
Waveguide lasers
curved- and tapered-waveguide mode-locked InGaAs/AlGaAs semiconductor lasers fabricated by impurity-induced disordering. *Helkey, Roger, + , T-ED Nov 93* 2107
Waveguides
1-D to 1-D tunneling in dual-electron-waveguide devices. *Eugster, C. C., + , T-ED Nov 93* 2135-2136
A/D conversion architecture using electron waveguides. *Eugster, Christopher C., + , T-ED Nov 93* 1910-1916
Wiring; cf. Integrated circuit interconnections

X

X-ray effects; cf. MOSFETs
X-ray image sensors
X-ray imaging camera tube using sputter-deposited CdTe/CdS heterojunction. *Tomita, Yasuhiro, + , T-ED Feb 93* 315-319

Z

Zinc materials/devices; cf. Electroluminescent materials/devices; Semiconductor heterojunctions; Solid lasers